

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to  
appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe  
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐  
Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

RCVD JAN 9 2007  
OIL CONS. DIV.

DIST. 3

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: \_\_\_\_\_  
Address: 200 Energy Ct. Farmington, NM 87401  
Facility or well name: FIELDS #1E API #: 30045 24711 U/L or Qtr/Qtr I Sec 29 T 32 N R 11 W  
County: San Juan Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD: 1927 ☐ 1983 ☒  
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: <u>MMA</u> Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)
Ranking Score (Total Points)	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title

Signature [Signature]

Date:

JAN 09 2007

CLIENT:

BP

**BLAGG ENGINEERING, INC.**  
**P.O. BOX 87, BLOOMFIELD, NM 87413**  
**(505) 632-1199**

LOCATION NO: 81260

COCR NO: 11118

**FIELD REPORT: PIT CLOSURE VERIFICATION**

PAGE No: 1 of 1

LOCATION: NAME: FIELDS WELL#: 1E TYPE: SEP.

QUAD/UNIT: I SEC: 29 TWP: 32N RING: 11W PM: NM CNTY: ST NM

DATE STARTED: 8/13/03

DATE FINISHED:

QTR/FOOTAGE: 1525'S/970'E NE/SE CONTRACTOR: HDI (HEBER)

ENVIRONMENTAL SPECIALIST: NV

EXCAVATION APPROX. 12 FT. x 12 FT. x 3 FT. DEEP. CUBIC YARDAGE: N/A 18' x 12' x 3' = 64.8 CY

DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: DILUTED/AERATED LANDFARM

LAND USE: RANGE - BLM LEASE: NM 075985 FORMATION: DK

**FIELD NOTES & REMARKS:**

PIT LOCATED APPROXIMATELY 126 FT. 59E FROM WELLHEAD

DEPTH TO GROUNDWATER: &gt;100' NEAREST WATER SOURCE: &gt;1000' NEAREST SURFACE WATER: &gt;1000'

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

OVM CALIB. READ. = 53.4 ppm  
 OVM CALIB. GAS = 100 ppm RF = 0.52  
 TIME: 12:15 anypm DATE: 8/13/03

**SOIL AND EXCAVATION DESCRIPTION:**

SOIL TYPE: SAND/SILTY SAND SILT/SILTY CLAY/CLAY/GRAVEL/OTHER BEDROCK (SANDSTONE)

SOIL COLOR: DUSKY RED TO MED. GRAY BEDROCK - LT. MED. GRAY

COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY COHESIVE/COHESIVE/HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM DENSE/VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC/SLIGHTLY PLASTIC/COHESIVE/MEDIUM PLASTIC/HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS &amp; SILTS): SOFT/FIRM/STIFF/VERY STIFF/HARD

MOISTURE: DRY/SLIGHTLY MOIST/MOIST WET SATURATED

DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION: PIT AREA &amp; BEDROCK BOTTOM.

HC ODOR DETECTED: YES NO EXPLANATION: EXCAVATED SOIL &amp; OVM SAMPLE

SAMPLE TYPE: GRAB COMPOSITE - # OF PTS. 1

ADDITIONAL COMMENTS: COLLECTED SAMPLE FROM SOIL ON BEDROCK SURFACE (MED. GRAY).

BEDROCK  
BOTTOM

BEDROCK - HARD, FRIABLE. MINOR AMOUNT OF FLUID IN PIT PRIOR TO EXCAVATION.


CLOSED

**SCALE**

0 FT

**FIELD 418.1 CALCULATIONS**

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)


**PIT PERIMETER****OVM  
READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 6.5'	182.6
2 @	
3 @	
4 @	
5 @	

**LAB SAMPLES**

SAMPLE ID	ANALYSIS	TIME
1 @ 6.5'	TPH (80158)	1210
"	BTX (80218)	"

BOTH PASSED

**PIT PROFILE**

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW  
 T.H. = TEST HOLE; - = APPROX.; T.B. = TANK BOTTOM

**TRAVEL NOTES:**

CALLOUT: 8/13/03 - MORN.

ONSITE: 8/13/03 - MORN.

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP  
Sample ID: 1 @ 6.5'  
Laboratory Number: 26357  
Chain of Custody No: 11118  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool and Intact


Project #: 94034-010  
Date Reported: 08-15-03  
Date Sampled: 08-13-03  
Date Received: 08-15-03  
Date Extracted: 08-15-03  
Date Analyzed: 08-15-03  
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	607	0.2
Diesel Range (C10 - C28)	76.1	0.1
Total Petroleum Hydrocarbons	683	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Fields #1E Separator Pit Grab Sample.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6.5'	Date Reported:	08-15-03
Laboratory Number:	26357	Date Sampled:	08-13-03
Chain of Custody:	11118	Date Received:	08-15-03
Sample Matrix:	Soil	Date Analyzed:	08-15-03
Preservative:	Cool	Date Extracted:	08-15-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	30.0	1.8
Toluene	665	1.7
Ethylbenzene	420	1.5
p,m-Xylene	1,700	2.2
o-Xylene	829	1.0
Total BTEX	3,640	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Fields #1E Separator Pit Grab Sample.

  
Analyst

  
Review