

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

Form C-144  
June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

RCVD JAN 16 2007  
DIST. 3

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: \_\_\_\_\_  
Address: 200 Energy Ct. Farmington, NM 87401  
Facility or well name: GCU #137E API #: 30045 26194 U/L or Qtr/Qtr M Sec 36 T 28 N R 13 W  
County: San Juan Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD: 1927 ☐ 1983 ☒  
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☒ Disposal ☐  
Workover ☐ Emergency ☐

Lined ☐ Unlined ☐

Liner type: Synthetic ☐ Thickness \_\_\_\_\_ mil Clay ☐

Pit Volume \_\_\_\_\_ bbl

Below-grade tank

Volume: \_\_\_\_\_ bbl Type of fluid: M/A

Construction material: \_\_\_\_\_

Double-walled, with leak detection? Yes ☐ If no, explain why not. \_\_\_\_\_

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet

(20 points)

50 feet or more, but less than 100 feet

(10 points)

100 feet or more

( 0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

(20 points)

No

( 0 points)

0

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points)

200 feet or more, but less than 1000 feet

(10 points)

1000 feet or more

( 0 points)

0

Ranking Score (Total Points)

0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg



Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. III

Printed Name/Title \_\_\_\_\_

Signature Bob Pell

Date: JAN 16 2007

CLIENT: <u>BP</u>	<b>BLAGG ENGINEERING, INC.</b> <b>P.O. BOX 87, BLOOMFIELD, NM 87413</b> <b>(505) 632-1199</b>	LOCATION NO: <u>81164</u> COCR NO: <u>10683</u>																																					
<b>FIELD REPORT: PIT CLOSURE VERIFICATION</b>		PAGE No: <u>1</u> of <u>1</u>																																					
LOCATION: NAME: <u>GCM</u> WELL#: <u>137E</u> TYPE: <u>DEM/SEP.</u> QUAD/UNIT: <u>M SEC: 36 TWP: 28N RNG: 13W PM: NM CNTY: SJ ST: NM</u> QTR/FOOTAGE: <u>1110'S/940'W</u> SW/SW CONTRACTOR: <u>CLL (JEFF)</u>		DATE STARTED: <u>3/10/03</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NU</u>																																					
EXCAVATION APPROX. <u>25</u> FT. x <u>20</u> FT. x <u>3</u> FT. DEEP. CUBIC YARDAGE: <u>55</u>																																							
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LANDFILL</u> LAND USE: <u>RANGE - SURF. USE - FEE</u> LEASE: <u>NM 078391C</u> FORMATION: <u>OK</u>																																							
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>168</u> FT. <u>N84W</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>&gt;100'</u> NEAREST WATER SOURCE: <u>&gt;1000'</u> NEAREST SURFACE WATER: <u>&gt;1000'</u> NMOC D RANKING SCORE: <u>0</u> NMOC D TPH CLOSURE STD: <u>5000</u> PPM																																							
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>52.7</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>2:35</u> am/pm DATE: <u>3/10/03</u>																																					
SOIL TYPE: <u>SAND</u> / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK (SHALE/SANDSTONE)</u> SOIL COLOR: <u>MED. GRAY TO BLACK</u> <u>BEDROCK - LT. TO DUE GRAY</u> COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): <u>NON PLASTIC</u> / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT</u> / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / <u>SLIGHTLY MOIST</u> / MOIST / WET / SATURATED / <u>SUPER SATURATED</u> <span style="float: right;"><u>CLOSED</u></span> DISCOLORATION/STAINING OBSERVED: <u>YES</u> / NO EXPLANATION - <u>ENTIRE PIT &amp; BEDROCK SURFACE.</u> HC ODOR DETECTED: <u>YES</u> / NO EXPLANATION - <u>ENTIRE PIT AREA &amp; OVM SAMPLE.</u>																																							
SAMPLE TYPE: <u>GRAB</u> / COMPOSITE - # OF PTS. _____ ADDITIONAL COMMENTS: <u>PIT CONTAINED LARGE QUANTITY OF FLUID - MOST PUMPED OUT PRIOR TO TEST HOLE ADVANCEMENT. SUBSURFACE SOIL LIQUIFIED. COLLECTED SAMPLE FROM BEDROCK SURFACE. BEDROCK - HARD, SLIGHTLY FRIABLE. STEEL TANK TO BE INSTALLED.</u>																																							
FIELD 418.1 CALCULATIONS																																							
SCALE  0 FT	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>							SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																								
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																
PIT PERIMETER <span style="float: right;">↑ N</span>	PIT PROFILE																																						
	OVM READING		NOT APPLICABLE																																				
	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 5'</td><td>914</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> </tbody> </table>							SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 5'	914	2 @		3 @		4 @		5 @																					
SAMPLE ID	FIELD HEADSPACE (ppm)																																						
1 @ 5'	914																																						
2 @																																							
3 @																																							
4 @																																							
5 @																																							
LAB SAMPLES																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>1 @ 5'</td><td>TPH (8015B)</td><td>1428</td></tr> <tr><td>"</td><td>STEX (8021B)</td><td>"</td></tr> <tr><td colspan="3" style="text-align: center;"><u>BOTH PASSED</u></td></tr> </tbody> </table>								SAMPLE ID	ANALYSIS	TIME	1 @ 5'	TPH (8015B)	1428	"	STEX (8021B)	"	<u>BOTH PASSED</u>																						
SAMPLE ID	ANALYSIS	TIME																																					
1 @ 5'	TPH (8015B)	1428																																					
"	STEX (8021B)	"																																					
<u>BOTH PASSED</u>																																							
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																							
TRAVEL NOTES: CALLOUT: <u>3/10/03 - AFTER.</u> ONSITE: <u>3/10/03 - AFTER.</u>																																							

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP  
Sample ID: 1 @ 5'  
Laboratory Number: 25019  
Chain of Custody No: 10683  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool and Intact


Project #: 94034-010  
Date Reported: 03-13-03  
Date Sampled: 03-10-03  
Date Received: 03-11-03  
Date Extracted: 03-11-03  
Date Analyzed: 03-12-03  
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	916	0.2
Diesel Range (C10 - C28)	2,790	0.1
Total Petroleum Hydrocarbons	3,706	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **GCU #137E Dehydrator / Separator Pit, Grab Sample.**

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5'	Date Reported:	03-13-03
Laboratory Number:	25019	Date Sampled:	03-10-03
Chain of Custody:	10683	Date Received:	03-11-03
Sample Matrix:	Soil	Date Analyzed:	03-12-03
Preservative:	Cool	Date Extracted:	03-11-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	60	1.7
Ethylbenzene	360	1.5
p,m-Xylene	3,407	2.2
o-Xylene	1,520	1.0
Total BTEX	5,350	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	94 %
	1,4-difluorobenzene	94 %
	Bromochlorobenzene	94 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU #137E Dehydrator / Separator Pit, Grab Sample.

  
Analyst

  
Review

CLIENT:

BP

**BLAGG ENGINEERING, INC.**  
P.O. BOX 87, BLOOMFIELD, NM 87413  
(505) 632-1199

LOCATION NO:

B1164

C.O.C. NO:

13922

## FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: GCU WELL # 137E PITS: \_\_\_\_\_  
QUAD/UNIT: M SEC: 36 TWP: 28N RNG: 13W PM: NM CNTY: ST ST: NM  
QTR/FOOTAGE: SW/SW CONTRACTOR: \_\_\_\_\_

DATE STARTED: 7/25/05

DATE FINISHED: \_\_\_\_\_

ENVIRONMENTAL  
SPECIALIST: NV

## SOIL REMEDIATION:

REMEDICATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: \_\_\_\_\_


LAND USE: RANGELIFT DEPTH (ft): 1

## FIELD NOTES &amp; REMARKS:

DEPTH TO GROUNDWATER: >100'NEAREST SURFACE WATER: >1,000'NEAREST WATER SOURCE: >1,000'NMOC D RANKING SCORE: 0NMOC D TPH CLOSURE STD: 5,000 PPMSOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER \_\_\_\_\_SOIL COLOR: PALE TO DK. YELL. BROWNCOHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSEPLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTICDENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARDMOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDCLOSEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - \_\_\_\_\_HC ODOR DETECTED: YES / NO EXPLANATION - \_\_\_\_\_SAMPLING DEPTHS (LANDFARMS): 6-8 (INCHES)SAMPLE TYPE: GRAB / COMPOSITE # OF PTS. 5

ADDITIONAL COMMENTS: \_\_\_\_\_

## SKETCH/SAMPLE LOCATIONS



OVM CALIB. READ. = 53.8 ppm  
OVM CALIB. GAS = 100 ppm RF = 0.52  
TIME: 10:15 @ ampm DATE: 7/25/05

## OVM RESULTS

## LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TPH (8015B)	1245	484

P.C. - 3/10/03

SCALE

0 FT

TRAVEL NOTES: CALLOUT: N/AONSITE: 7/25/05

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	07-29-05
Laboratory Number:	33845	Date Sampled:	07-25-05
Chain of Custody No:	13922	Date Received:	07-26-05
Sample Matrix:	Soil	Date Extracted:	07-27-05
Preservative:	Cool	Date Analyzed:	07-29-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	484	0.1
Total Petroleum Hydrocarbons	484	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **GCU #137E Landfarm 5 Pt. Composite Sample.**

  
Analyst

  
Review