

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to  
appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe  
office

Form C-144  
June 1, 2004

RCVD JAN 23 2007

Pit or Below-Grade Tank Registration or Closure

OIL CONS. DIV.

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

DIST. 3

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: \_\_\_\_\_  
Address: 200 Energy Ct. Farmington, NM 87401  
Facility or well name: GCM # 175E API #: 30045 26211 U/L or Qtr/Qtr M Sec 25 T 28 N R 13 W  
County: San Juan Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD: 1927 ☐ 1983 ☒  
Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☒

|   |   |          |
|---|---|----------|
| <b>Pit</b><br>Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/><br>Workover <input type="checkbox"/> Emergency <input type="checkbox"/><br>Lined <input type="checkbox"/> Unlined <input type="checkbox"/><br>Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/><br>Pit Volume _____ bbl | <b>Below-grade tank</b><br>Volume: _____ bbl Type of fluid: <u>NA</u><br>Construction material: <u>NA</u><br>Double-walled, with leak detection? Yes <input type="checkbox"/> If no, explain why not. <u>NA</u> |          |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  | Less than 50 feet (20 points)<br>50 feet or more, but less than 100 feet (10 points)<br>100 feet or more (0 points)   | <u>0</u> |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)   | Yes (20 points)<br>No (0 points)  | <u>0</u> |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)   | Less than 200 feet (20 points)<br>200 feet or more, but less than 1000 feet (10 points)<br>1000 feet or more (0 points)   | <u>0</u> |
| Ranking Score (Total Points)  |   | <u>0</u> |

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

|                            |
|----------------------------|
| Additional Comments:       |
| See Attached Documentation |
|                            |
|                            |
|                            |
|                            |

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title \_\_\_\_\_

Signature [Signature]

Date: JAN 23 2007

bei1005C.skf

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP  
Sample ID: 1 @ 11'  
Laboratory Number: 25249  
Chain of Custody No: 10698  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool and Intact


Project #: 94034-010  
Date Reported: 04-01-03  
Date Sampled: 03-28-03  
Date Received: 03-31-03  
Date Extracted: 03-31-03  
Date Analyzed: 04-01-03  
Analysis Requested: 8015 TPH


| Parameter                    | Concentration<br>(mg/Kg) | Det.<br>Limit<br>(mg/Kg) |
|------------------------------|--------------------------|--------------------------|
| Gasoline Range (C5 - C10)    | 264                      | 0.2                      |
| Diesel Range (C10 - C28)     | 884                      | 0.1                      |
| Total Petroleum Hydrocarbons | 1,150                    | 0.2                      |

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU #175E Dehydrator/Separator Pit Grab Sample.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

|                    |               |                     |           |
|--------------------|---------------|---------------------|-----------|
| Client:            | Blagg / BP    | Project #:          | 94034-010 |
| Sample ID:         | 1 @ 11'       | Date Reported:      | 04-01-03  |
| Laboratory Number: | 25249         | Date Sampled:       | 03-28-03  |
| Chain of Custody:  | 10698         | Date Received:      | 03-31-03  |
| Sample Matrix:     | Soil          | Date Analyzed:      | 04-01-03  |
| Preservative:      | Cool          | Date Extracted:     | 03-31-03  |
| Condition:         | Cool & Intact | Analysis Requested: | BTEX      |

| Parameter    | Concentration<br>(ug/Kg) | Det.<br>Limit<br>(ug/Kg) |
|--------------|--------------------------|--------------------------|
| Benzene      | 5.3                      | 1.8                      |
| Toluene      | 604                      | 1.7                      |
| Ethylbenzene | 551                      | 1.5                      |
| p,m-Xylene   | 2,140                    | 2.2                      |
| o-Xylene     | 1,200                    | 1.0                      |
| Total BTEX   | 4,500                    |                          |


ND - Parameter not detected at the stated detection limit.


|                       |                     |                  |
|-----------------------|---------------------|------------------|
| Surrogate Recoveries: | Parameter           | Percent Recovery |
|                       | Fluorobenzene       | 96 %             |
|                       | 1,4-difluorobenzene | 96 %             |
|                       | Bromochlorobenzene  | 96 %             |

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU #175E Dehydrator/Separator Pit Grab Sample.

  
Analyst

  
Review

CLIENT: BP**BLAGG ENGINEERING, INC.**  
P.O. BOX 87, BLOOMFIELD, NM 87413  
(505) 632-1199LOCATION NO: 81180C.O.C. NO: 13922**FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION**

LOCATION: NAME: GCH WELL #: 175E PITS: DEHY/SEP. DATE STARTED: 7/25/05  
QUAD/UNIT: M SEC: 25 TWP: 28N RNG: 13W PM: NM CNTY: ST ST: NM DATE FINISHED: \_\_\_\_\_  
QTR/FOOTAGE: \_\_\_\_\_ SW/SW CONTRACTOR: \_\_\_\_\_ ENVIRONMENTAL SPECIALIST: NV

**SOIL REMEDIATION:**REMEDIATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: \_\_\_\_\_

LAND USE: RANGE

LIFT DEPTH (ft): \_\_\_\_\_


**FIELD NOTES & REMARKS:**DEPTH TO GROUNDWATER: >100' NEAREST SURFACE WATER: >1,000'NEAREST WATER SOURCE: >1,000' NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5,000 PPMSOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER \_\_\_\_\_SOIL COLOR: OK. YELL. ORANGECOHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS &amp; SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION - \_\_\_\_\_HC ODOR DETECTED: YES NO EXPLANATION - \_\_\_\_\_SAMPLING DEPTHS (LANDFARMS): 8-12 (INCHES)SAMPLE TYPE: GRAB / COMPOSITE # OF PTS. 5


ADDITIONAL COMMENTS: \_\_\_\_\_

CLOSED**SKETCH/SAMPLE LOCATIONS**

OVM CALIB. READ. = 53.8 ppm  
OVM CALIB. GAS = 100 ppm RF = 0.52  
TIME: 10:15 am/pm DATE: 7/25/05

**OVM RESULTS****LAB SAMPLES**

| SAMPLE ID | FIELD HEADSPACE (ppm) | SAMPLE ID | ANALYSIS    | TIME | RESULTS |
|-----------|-----------------------|-----------|-------------|------|---------|
| LF-1      | 0.0                   | LF-1      | TPH (80158) | 1150 | 497     |
|           |                       |           |             |      |         |
|           |                       |           |             |      |         |
|           |                       |           |             |      |         |
|           |                       |           |             |      |         |
|           |                       |           |             |      |         |

**SCALE**

P.C. - 3/28/03

TRAVEL NOTES: CALLOUT: N/AONSITE: 7/25/05

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


|                      |                 |                     |           |
|----------------------|-----------------|---------------------|-----------|
| Client:              | Blagg / BP      | Project #:          | 94034-010 |
| Sample ID:           | LF - 1          | Date Reported:      | 07-29-05  |
| Laboratory Number:   | 33844           | Date Sampled:       | 07-25-05  |
| Chain of Custody No: | 13922           | Date Received:      | 07-26-05  |
| Sample Matrix:       | Soil            | Date Extracted:     | 07-27-05  |
| Preservative:        | Cool            | Date Analyzed:      | 07-29-05  |
| Condition:           | Cool and Intact | Analysis Requested: | 8015 TPH  |


| Parameter                    | Concentration<br>(mg/Kg) | Det.<br>Limit<br>(mg/Kg) |
|------------------------------|--------------------------|--------------------------|
| Gasoline Range (C5 - C10)    | ND                       | 0.2                      |
| Diesel Range (C10 - C28)     | 497                      | 0.1                      |
| Total Petroleum Hydrocarbons | 497                      | 0.2                      |

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **GCU #175E Landfarm 5 Pt. Composite Sample.**

  
Analyst

  
Review