District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 DISTRICT III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

Pit or Below-Gra	de Tank Registration or Closur	<u>e</u>				
Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌						
Type of action: Registration of a pit o	r below-grade tank Closure of a pit or below-grad	e tank 🔀				
Operator: BP America Production Company Telephon	e: <u>(505)326-9200</u> e-mail address:					
Address: 200 Energy Ct. Farmington, NM 87401						
Facility or well name: HEATON LS # 4 API #: 30	045 23714 U/L or Qtr/Qtr I	_ Sec 29 T 31 NR 11 W				
County: San Juan Latitude Longitude NAD: 1927 🗌 1983 🔀						
Surface Owner: Federal 🗷 State 🗀 Private 🗀 Indian 🗀						
Pit	Below-grade tank					
Type: Drilling Production X Disposal	Volume:bbl Type of fluid:	A				
Workover	Construction material:					
Lined Unlined	Double-walled, with leak detection? Yes 🗖 If not,	explain why not.				
Liner type: Synthetic Thicknessmil Clay	///					
Pit Volumebbl	/ /	\				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)				
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)				
migh water elevation of ground water.	100 feet or more	(0 points)				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	(0 points)				
water source, or less than 1000 feet from all other water sources.)	Less than 200 feet	(20				
Distance to surface water: (horizontal distance to all wetlands, playas,		(20 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)				
	1000 feet or more	(0 points)				
i	Ranking Score (Total Points)	0				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	e disposal location: (check the onsite box if				
your are burying in place) onsite 🔀 offsite 🔲 If offsite, name of facility	. (3) Attach a general de	scription of remedial action taken including				
remediation start date and end date. (4) Groundwater encountered: No 🔀 Y						
5) Attach soil sample results and a diagram of sample locations and excavati						
Additional Comments:						
See Attached Documentation						
I hereby certify that the information above is true and complete to the best of has been/will be constructed or closed according to NMOCD guidelines	of my knowledge and belief. I further certify that the	above-described pit or below-grade tank				
and other many of the second and to the second and	pot, a general permit [1], or an (attached) siternati	ve OCD-approved plan [].				
Date: 11/01/2005	111 0 10					
Printed Name/Title	re Jefly C. Slag					
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	of relieve the operator of liability should the contents o	f the pit or tank contaminate ground water or y other federal, state, or local laws and/or				
Approval:	Signature Bod Bell	FARE C C 1441				
Printed Name/Title R & & S INSPECTOR, DIST.	Signature DSA OUM	Dat.JAN 3 0 2007				

- 1	CLIENT: <i>BP</i>	P.O. BOX		NEERING		LOC	CATION NO:	81178
	CLIENT.	•	(505) 632		,		CR NO:	10697
	FIELD REPORT	Ր։ PIT CL	OSURE	VERIF	CATIC	N PAG	E No:	of(_
	LOCATION: NAME: HEATS QUAD/UNIT: I SEC: 29						STARTED:	3/26/03
	QTR/FOOTAGE: 1825 5	•					RONMENTAL IALIST:	NV
t	EXCAVATION APPROX							10
	DISPOSAL FACILITY:						LANDRI	RM
		Bum						MU
-	DEPTH TO GROUNDWATER: 21	1111200	CATED APPROX (ATER SOURCE:	>/ooo/	FT. PT NEARESTS	SURFACE WA	_ FROM \ TER: > /	WELLHEAD.
ı	NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 pr	М			
ŀ	SOIL AND EXCAVATION	ON DESCRIPT	ΓΙΟΝ:		OVM CALIB. OVM CALIB.			RF = 0.52
					TIME: 9:5	6 and pr	DATE: _	
- 18	SOIL TYPE: (SAND / SILTY SA SOIL COLOR: <i>GRAYISH</i>	ORANGE	S€.	DROCK - OLI	UE GRAY T	O BLACK	SHALE)	
	COHESION (ALL OTHERS): (NON (CONSISTENCY (NON COHESIVE S				COHESIVE			
ŀ	P LASTICITY (CLAYS): NON PLAST	IC / SLIGHTLY PLAST	TIC / COHESIVE /	MEDIUM PLASTIC	HIGHLY PLAST	IC		
	DENSITY (COHESIVE CLAYS & SIL' MOISTURE: DRY (SLIGHTLY MOIS	•					(CL	OZED
ŀ	DISCOLORATION/STAINING OBSE	RVED: VESI NO EXP						
	HC ODOR DETECTED: (TES) NO E SAMPLE TYPE: GRAB DCOMPOSIT	F. # OF PTS						
1	ADDITIONAL COMMENTS: BET	on, beoroc	12 - 50FT	<u>BELOW GRAD</u> 3'-4' TO H	ero 4-5'	ED SAMPI FRIARU	E FROM TO SUB	EXCAUATION HILL FURBLE.
	BOTTOM							
1	SCALE GAME TO			WEIGHT (g)		DILUTION	READING	CALC. (ppm)
Т	SAMP, TI	ME SAMP. ID						
	SAMP. II	ME SAMP. ID		(g)		D.20110.		
	0 FT							
	0 FT PERIME	ΓER	7 0	VM			PROFIL	E ,
	0 FT	ΓER	O REA SAMPLE	VM ADING	A	PIT F		,
	0 FT PERIME	TER SAMALE	SAMPLE ID	VM ADING FIELD HEADSPACE (ppm)			PROFIL	,
	O FT PERIME	TER SAMALE	REA SAMPLE ID 1@ 5' 2@	VM DING FIELD HEADSPACE		PIT F	PROFIL	,
	O FT PERIME	TER SAMALE	REA SAMPLE ID 1 @ 5 ' 2 @ 3 @ 4 @	VM ADING FIELD HEADSPACE (ppm)		PIT F	PROFIL	,
	O FT PERIMET	TER SAMAL DESIGNATION	REA SAMPLE ID 1 @ S * 2 @ 3 @	VM ADING FIELD HEADSPACE (ppm)	A	PIT F	PROFIL , A	,
•	O FT PERIME	TER SAMPLE DESIGNATION	REA SAMPLE ID 1 @ 5 ' 2 @ 3 @ 4 @	VM ADING FIELD HEADSPACE (ppm)	A	PIT F	PROFIL , A	,
£	O FT PERIMET	TER SAMPLE DESIGNATION	REA SAMPLE ID 1 @ 5 ' 2 @ 3 @ 4 @	VM ADING FIELD HEADSPACE (ppm)	A	PIT F	PROFIL , A	,
•	O FT PERIMET	TER SAMPLE DESIGNATION	REA SAMPLE ID 1 @ 5' 2 @ 3 @ 4 @ 5 @	VM ADING FIELD HEADSPACE (PPM) 783	A	PIT F	PROFIL , A	,
£	PIT PERIME PIT PERIME RERM RERM 10'	TER SAMPLE DESIGNATION	REASAMPLE ID 1 @ \$ 1 @ \$ 2 @ 3 @ 4 @ 5 @ 5 @ LAB \$ \$ 10 \$\$ \$ 10 \$\$\$ \$ 10 \$\$ \$ 10 \$\$ \$ 10 \$\$\$ \$ 10 \$\$\$ \$ 10 \$\$\$ \$ 10 \$\$\$ \$ 10 \$\$\$	VM ADING FIELD HEADSPACE (ppm) 7.83	5' <u>\</u>	PIT F	PROFIL , A	,
€	PROD.	TER SAMPLE DESIGNATION	REA SAMPLE 10 1@ 5' 2@ 3@ 4@ 5@ LAB SAMPLE ANDES SAMPLE ANDES TOHER	VM ADING FIELD HEADSPACE (ppm) 783	5' <u>\</u>	PIT F	PROFIL , A	,
P	P.D. = PIT DEPRESSION; B.G. = BELOV	FER SAMALE PT. DESIGNATION OFFICE OF THE PT. OF	REA SAMPLE 1D 1 @ 5' 2 @ 3 @ 4 @ 5 @ LAB SAMPLE AN OES TEH # 816	VM ADING FIELD HEADSPACE (ppm) 783 AMPLES VALYSIS TIME (80)58) /620	5' <u>\</u>	PIT F	PROFIL , A	,
PT	PIT PERIME PIT PERIME IS BERM PROD THANK C.D. = PIT DEPRESSION; B.G. = BELOV THANK THEST HOLE; ~ = APPROX.; T.B.	FER SAMALE PT. DESIGNATION OFFICE OF THE PT. OF	REA SAMPLE ID 1 @ 5	VM ADING FIELD HEADSPACE (ppm) 7.83 AMPLES VALYSIS VA	5' <u>\</u>	PIT F	PROFIL	,



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5'	Date Reported:	03-28-03
Laboratory Number:	25224	Date Sampled:	03-26-03
Chain of Custody No:	10697	Date Received:	03-27-03
Sample Matrix:	Soil	Date Extracted:	03-27-03
Preservative:	Cool	Date Analyzed:	03-28-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	57.9	0.2
Diesel Range (C10 - C28)	31.0	0.1
Total Petroleum Hydrocarbons	88.9	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Heaton LS #4A Blow Pit Grab Sample.

Analyst C. Cal

Mistin m Walters
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5'	Date Reported:	03-28-03
Laboratory Number:	25224	Date Sampled:	03-26-03
Chain of Custody:	10697	Date Received:	03-27-03
Sample Matrix:	Soil	Date Analyzed:	03-28-03
Preservative:	Cool	Date Extracted:	03-27-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	31.3	1.8	
Toluene	222	1.7	
Ethylbenzene	54.2	1.5	
p,m-Xylene	598	2.2	
o-Xylene	235	1.0	
Total BTEX	1,140		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Heaton LS #4A Blow Pit Grab Sample.

Analyst

	BP
CLIENT:	

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199


LOCATION NO:	81178
--------------	-------

C.O.C. NO: 13918

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION
--

LOCATION: NAME:	HEATUN	45	WELL#	: 4A	PITS: DE	44. PROD.		7/22/05
QUAD/UNIT: I	SEC: 29	TWP: 31~ RN	16: 11W F	M:Nm c	NTY: 57	ST: NM	DATE FINISHED:	
QTR/FOOTAGE:		NE/5	€ CONTR	ACTOR: H	DI (H	EBER)	ENVIRONMENTAL SPECIALIST:	NV
SOIL REMEDIATI	ON:							25
REMEDIATION		LANDFARM	1	,	APPROX.	CUBIC YAR	DAGE:	
LAND USE:	Kano	5E			IFT DEP	ΓΗ (ft):	0	.5-1
FIELD NOTES 8	REMARKS	DEPTH TO GROU	NDWATER:	<u>>/00</u> /	NEARE	ST SURFACE WA	TER: >/00	0'
NEAREST WATER SOURCE								
SOIL TYPE: SAND					IER			
COHESION (ALL OT						HLY COHESIV	E	
CONSISTENCY (NO						0710 1111011111		
PLASTICITY (CLAYS DENSITY (COHESIV						STIC / HIGHLY	PLASTIC	
MOISTURE: ORYX						D	(CL	SED
DISCOLORATION/S								
HC ODOR DETECT	ED: YES/NO	EXPLANATION -						
SAMPLING DEPTHS	(LANDFARMS)	: <u>6-8</u>	(INCHES)					
SAMPLE TYPE: GF	RAB / COMPOSI	F # OF PTS	5					
ADDITIONAL COMM	ENTS:			·				
SKETCH/S	SAMPLE LO	CATIONS	R _N			- 624		

SKETCH/SAMPLE LOCATIONS



NA

OVM CALIB. REA	D. = 53.4	ppm	
OVM CALIB. GAS	100	ppm	RF = 0.52
TIME: 7:10	and/pm DA	TE: _	7/22/05

OVM RESULTS

LAB SAMPLES

8AMPLE ID	FIELD HEADSPACE (ppm)	8AMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TP4) (8015B)	0810	0.5
					
	<u> </u>	L	<u> </u>		

P.C. - 3/26/03



ONSITE: 7/22/05

TRAVEL NOTES: CALLOUT:



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	07-28-05
Laboratory Number:	33831	Date Sampled:	07-22-05
Chain of Custody No:	13918	Date Received:	07-25-05
Sample Matrix:	Soil	Date Extracted:	07-27-05
Preservative:	Cool	Date Analyzed:	07-28-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.5	0.1
Total Petroleum Hydrocarbons	0.5	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Heaton LS #4A Landfarm

5 Pt. Composite Sample.

Analyst C. Celum

Mustine of Walters
Review