

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
*Do not use this form for proposals to drill or to re-enter an
Abandoned well. Use Form 3160-3 (APD) for such proposals.*

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.

SF - 078120

6. If Indian, Allottee or tribe Name

RCVD FEB 15 '07

7. If Unit or CA Agreement, Name and/or No.

**OIL CONS. DIV.
DIST. 3**

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well

☒ Gas Well

☐ Other

8. Well Name and No.

Elliott A L S 1M

2. Name of Operator

BP AMERICA PRODUCTION COMPANY

9. API Well No.

30-045-33612

3a. Address

PO BOX 3092 HOUSTON, TX 77253

3b. Phone No. (include area code)

281-366-7148

10. Field and Pool, or Exploratory Area

BASIN DAKOTA & BLANCO MESAVERDE

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2050' FSL & 1200' FWL NWSW SECTION 19 T31N & R11W

11. County or Parish, State

SAN JUAN, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OR NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize

☐ Alter Casing

☐ Casing Repair

☐ Change Plans

☐ Convert to Injection

☐ Deepen

☐ Fracture Treat

☐ New Construction

☐ Plug and Abandon

☐ Plug Back

☐ Production (Start/Resume)

☐ Reclamation

☐ Recomplete

☐ Water Disposal

☐ Water shut-Off

☐ Well Integrity

☒ Other **Change BOP**

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

BP AMERICA SUBMITTED APD ON 02/16/2006 AND APPROVAL WAS GRANTED 03/16/2006.

DUE TO OUR CHANGE IN DRILLING RIG (H & P 306) THE BOP DRAWING AND CHOKE MANIFOLD HAS CHANGED. ATTACHED ARE THE UPDATED ARRANGEMENTS TO OUR ORIGINAL BOP DRAWING.

IF YOU NEED ANY ADDITIONAL INFORMATION PLEASE FEEL FREE TO CONTACT HARALD JORDAN (a 505-326-9202

14. I hereby certify that the foregoing is true and correct
Name (Printed/typed)

Troy Colvin

Title **Regulatory Analyst**

Signature

Troy Colvin

Date **02/06/07**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by **Troy L. Salvors**

Title **PE**


Date **2/13/2007**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or Certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.


Office **FEO**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


NMOC



BCP SIDE OUTLET VALVES



VIEW A-A



ELEVATION VIEW

ON337

- ① 3 1/8"-5M FLANGED END GATE VALVE
② 2 1/16"-5M FLANGED END GATE VALVE
③ BLOCK WITH TRANSMITTER FLANGE AND PRESSURE GAUGE
④ 2 1/16"-5M ADJUSTABLE CHOKE
⑤ TRANSMITTER FLANGE
⑥ PRESSURE GAUGE

ISSUED FOR
FABRICATION
December 25-2005
DRAFTSMAN
ENGINEER



HELMERICH & PAYNE
INTERNATIONAL DRILLING CO.

**CHOKE MANIFOLD.
DETAIL ARRANGEMENT**

[illegible]

PROPRIETARY

[illegible]