

4997

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

227-30-039-21399

71-30039-06889

Operator UNOCAL Oil & Gas Division Location: Unit J Sec. 28 Twp 27 Rng 7Name of Well/Wells or Pipeline Serviced Rincon Unit 227 DK, 71 PC & 220 CHElevation 6601' Completion Date 10/07/91 Total Depth 390-420' Land Type* FCasing, Sizes, Types & Depths NONEIf Casing is cemented, show amounts & types used NONEIf Cement or Bentonite Plugs have been placed, show depths & amounts used NONEDepths & thickness of water zones with description of water when possible: Fresh, Clear,
Salty, Sulphur, Etc. No Water ZonesDepths gas encountered: NONEType & amount of coke breeze used: Metallurgical Coke = 2700 lbsDepths anodes placed: 196, 205, 281, 286, 291, 297, 302, 313, 320 & 367'Depths vent pipes placed: 0' to 420'Vent pipe perforations: 1/8" O from 180' to 420'Remarks: Second ground bed installed at this location

RECEIVED

OCT 25 1991.

OIL CON. DIV
DIST. 9

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator UNOCAL Oil & Gas Division Location: Unit J Sec. 28 Twp 27 Rng 7

Name of Well/Wells or Pipeline Serviced Rincon Unit 227 DK, 71 PC & 220 CH

Elevation 6601' Completion Date 10/07/91 Total Depth 390-420' Land Type* F

Casing, Sizes, Types & Depths NONE

If Casing is cemented, show amounts & types used NONE

If Cement or Bentonite Plugs have been placed, show depths & amounts used NONE

Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. No Water Zones

Depths gas encountered: NONE

Type & amount of coke breeze used: Metallurgical Coke = 2700 lbs

Depths anodes placed: 196, 205, 281, 286, 291, 297, 302, 313, 320 & 367'

Depths vent pipes placed: 0' to 420'

Vent pipe perforations: 1/8" O from 180' to 420'

Remarks: Second ground bed installed at this location

RECEIVED
OCT 25 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

CIR 1: 251.00156 WELL NAME: Rincon #227 LOCATION: 28.27.7 DATE: 10-7-91

TOTAL VOLUME: 12.5 TOTAL AREA: 7.4 OMB RESISTANCE: 1.69

												ANODE FEATURES			
DEPT	100 ANODE	ANODE NO.	DEPT	100 ANODE	ANODE NO.	DEPT	100 ANODE	ANODE NO.	DEPT	100 ANODE	ANODE NO.	NO.	DEPTH	NO COKE	WITH COKE
5			115	.3		305	.3	1	545			1	367	1.2	2.4
10			190	.3		310	1.0		550			2	320	.6	1.1
15			195	.3		315	.3		555			3	313	.6	1.2
20			200	1.1	10	300	.3		560			4	302	1.0	1.8
25			205	.7	9	305	.3		565			5	297	1.0	2.0
30			210	.3		390	.3	740	570			6	291	.6	1.5
35			215	.2		395			575			7	286	.6	1.1
40			220	.1		400			580			8	281	.5	1.1
45			225	.2		405			585			9	208	.7	1.4
50			230	.2		410			590			10	196	1.0	1.5
55			235	.2		415			595						
60			240	.2		420			600						
65			245	.2		425			605						
70			250	.2		430			610						
75			255	.2		435			615						
80			260	.2		440			620						
85			265	.2		445			625						
90			270	.2		450			630						
95			275	.3		455			635						
100			280	.2		460			640						
105			285	.5	8	465			645						
110			290	.7	7	470			650						
115			295	1.0	6	475			655						
120			300	1.2	5	480			660						
125			305	.7	4	485			665						
130			310	1.0		490			670						
135			315	.8	3	495			675						
140			320	.7	2	500			680						
145			325	.7		505			685						
150	.1		330	.6		510			690						
155	.1		335	.5		515			695						
160	.2		340	.4		520			700						
165	.1		345	.4		525			705						
170	.2		350	.3		530			710						
175	.1		355	.2		535			715						
180	.2		360	.4		540			720						

REMARKS: On the 2nd Anode going down was going to put it 365 ~~but~~ ~~bridged~~ bridged on us

MO-TE DRILLING, INC.

DAY Monday

DRILLER <i>Bob E.</i>	LEFT TOWN <i>6:00</i> ARRIVED FIELD <i>6:00</i>
HELPER <i>Jack S.</i>	LEFT FIELD ARRIVED TOWN
HELPER <i>Norm L.</i>	TOTAL FOOTAGE TODAY

RIG NO. 206 DATE 7-7-91 CLIENT Unocal

BEGIN WORK ON HOLE NO. Rincon 227 AT _____ FEET

BEGIN WORK ON HOLE NO. _____ AT _____ FEET

[illegible]

BIT RECORD			
SIZE & MAKE	SERIAL NO.	FOOTAGE	
1 1/2" Special A	Cardes		
CIRCULATION MATERIAL			
QUAN.	UNIT	MATERIAL	

NO. OF LOADS OF WATER 1 SOURCE owny Camp

ssn Juan repr form nm Form 219-6