

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

MA-4

NORTHWESTERN NEW MEXICO  
(Submit 3 Copies to OCD Aztec Office)

3583

Operator: BLACKWOOD & NICHOLS CO. Location: Unit O, Sec. 9, Twp 31N, Rng 7W.Name of Well/Wells or Pipeline Served NEBU 67A 30-045-23482Elevation 6600' Completion Date 10-10-93 Total Depth 370' Land Type\* Surface: P Mineral: FeeCasing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-IIIf Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths &amp; thickness of water zones with description of water when possible

Fresh, Clear, Salty, Sulphur, Etc. No water.Depths gas encountered: N/AType & amount of coke breeze used: 89 sx - Asbury Graphite Flo-CokeDepths anodes placed: 150' - 300'Depths vent pipes placed: 363' to 4' Above Ground LevelVent pipe perforations: 103' - 363'Remarks: Groundbed located 195' N 24° W of NEBU 67A.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations Engineer Date: 11/19/93

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

SP# MA-4 WELL# NEBU#67A

S 9 T 31N R 7

[illegible]

2

DRILLER Gene Muntz

INSPECTOR J. Maysack

# CATHODIC GROUND BED DRILLERS REPORT

WELL# NEBC-6717

S \_\_\_\_\_ T \_\_\_\_\_

[illegible]

ER

INSPECTOR