1=30-045-09931 6=30-045-20-768 =-200=30-045-26952

Operator MERIDIAN OIL INC.

3556

Location: Unit H Sec. Twp 30 Rng 10

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Name of Well/Wells or Pipeline Serviced SAN JUAN #1, SUNRAY B #6, COM #200

cps 2087w
Elevation6559' Completion Date 6/6/63 Total Depth 190' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used
Depths & thickness of water zones with description of water when possible Fresh, Clear, Salty, Sulphur, Etc. N/A
Depths gas encountered: N/A
Type & amount of coke breeze used: 1600 lbs.
Depths anodes placed: 140', 134', 128', 122', 116', 75', 65', 27'
Depths vent pipes placed: N/A
Vent pipe perforations: N/A MAYARA
Remarks: gb #1 ON COMP
If any of the above data is unavailable, please indicate so. Copies of a logs, including Drillers Log, Water Analyses & Well Bore Schematics shou be submitted when available. Unplugged abandoned wells are to be included

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

## WELL CASING CATHODIC PROTECTION CONSTRUCTION REPORT DAILY LOG

Service Been # 200 DATE	6-6-63
WELL NAME SAN VUON	CPS NO. 284 4
LOCATION / - 30N - 10N	
WORK ORDER NUMBER 184 - 40542 - 50 -02	
ANODE HOLE DEPTH /92	
TOTAL DRILLING RIG TIME 3/2/125	1.00 Market
DRILLING TIME FOR RECTIFIER POLE HOLE	
TYPE AND SIZE BIT USED	
NUMBER SACKS, MUD. USED. 2	
NUMBER SACKS LOST CIRCULATION MAT'L USED	
ANODE DEPTHS #1 190; #2 137; #3 128; #4 122 5	
TOTAL LBS.: COKE USED 1600 185 16 520	
ANODE OUTPUTS 11 volts, #1 22, #2 25, #3 15	_, #_ <i>2.2.5/28/228</i> 6
TOTAL CIRCUIT RESISTANCE: VOLTS 1/2 AMPERES 6.2	
NUMBER FEET SURFACE CABLE GOINGET 3.23 8 Solid	
DRILLING LOG (ATTACH HERETO).	
FORMATION LOG (ATTACH HERETO).	
REMARKS: 8707 : 99 = .93 8 600 E	
INSTALLED GOOD-ALL RECT 280-124	The state of the s
All Anodes Mode up Brance - Kr.	3c// W/2e
ALL CONSTRUCTION	ON COMPLETED
a 2 1	/ V
SIGNA	TURE
GROUND BED LAYOUT SKETCH	
€d& <b>&amp;</b>	
22/ 1,1	

ORIGINAL & L COPY ALL REPORTS

海拔

ub.	11.
×.	
	Vά
23	
v.	ŧγ
4	V.
v.	12
12	ď
ð.	
	2
7	
4.	
۲.,	
2	
2	4
T.	
7.0	2
o.	
	6
	4
2	ŭ.
٠.	
-	2
13	×
$\mathcal{Z}_{I}$	
70	
3.	
1	
44	4
w	
はある。という	-
2)	
14	2
4	20
200	6

ü	7	и	84
ā	ī,	では、これでは、これでは、これでは、これでは、これでは、これでは、これでは、これ	Š
Ş	ž	71	w
g	3		1
r	ă.	3	i.
в	×	ž.	v
1	u	э.	ď.
×	2	_	
ă	3	э	4
9	ø	7,	Ň
۲	۰	н	2
٩	î	ш	1
ı	С	2	2
L	ķ		A.
H	٠	×	(9
3	3	и	ж
c	×	π	71
ľ	и	ĸ.	7
ı	н	•	Νá
è	2	Е	16
ī.	ij	п	r.
Z	٠	ч	ĸ.
Ľ	я	ь	Æ
9	н	~	l e
ä	В	Œ	¥
þ	2		14
и			
į			
į			
į			

Ź		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1				REWARKS					FROM			- Ine	NOO.	MAKE		Z K	SERIAL NO.						FROM	Diller	。 第12章	LEASE	
							77			KI	10				RECORD										, to				
								e/ 17 }		C 4 Cally					MUO, ADOLTIV	Tot	DO WW. GN			NO. OC	10.00				FORMA		76		
					W. C. S.		6 37.8		7.57.30	77.00	BREAK DOWN				E9 USEO AND		NEGLY	STAGE ES	ANUS	SIZE	3916					old view in Cana		WELL NO. 7	
			First Care						800.	73.					RECEIVED					FRNG.	CENG.				enzi espexi			CONT	
						REMARKS -					FROM ,TO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Time	UD RE	MAKE	TYPE	8.0	SETIME NO.	e vo			名の意味を		PROP	Dr.III.		RACTOR 1	
									•	W9.7				"III YIB	9										6	£.	DAYL	CONTRACTOR LY	
										Me	TIM				MUD, ADDITIVES	TOTAL DEPTH	DOWN ON KELLY	SINGLES	312	NO. DC	NO. OC	3			ROILFMEGA		ign.		**
										06315	N.COMN				ADDITIVES USED AND RECEIVED	EPTH	Tuy S	LES	108	CSIZE LENG	SASS TO SENS	F				oud Men in Chew		HIS NO 77 I	
						R6					PROM					MAKE	TYPE	37.6	368	ŀ					BIT BLOW	a de la composición della comp			
						REMARKS -					ON			NI WI	RECORD	14.4.1	<b>E</b>		SERI AL-MO	NO.					PROM 1	e e		REPORT NO	
														20.8	NUP	<b>P</b>									6				ING WIL
											TIME BARAKSON				ADDITIVES USE	TOTAL BERNE	DONN ON KELL	SINGLES	STANDS	NO. OC	No. Commence						EVE IIIVG		DATES DRIBUING REPORT
																ŀ.													
															k		i												