## 55 30-6 Unit#10 30-039-0741 S5 30-6 Unit#447 30-039-24634663

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OIL Location: Unit NE Sec.31 Twp 30 Rng 7   |  |  |  |  |
|---|--|--|--|--|
| Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #10, #447  |  |  |  |  |
| cps 260w  |  |  |  |  |
| Elevation 6227' Completion Date 8/23/69 Total Depth 500' Land Type* N/A   |  |  |  |  |
| Casing, Sizes, Types & Depths N/A   |  |  |  |  |
| If Casing is cemented, show amounts & types used N/A  |  |  |  |  |
| If Cement or Bentonite Plugs have been placed, show depths & amounts used  N/A  |  |  |  |  |
| Depths & thickness of water zones with description of water when possible:  Fresh, Clear, Salty, Sulphur, Etc. N/A MAY31 1991 |  |  |  |  |
| Depths gas encountered: N/A OIL CON. DIV.,  |  |  |  |  |
| Type & amount of coke breeze used: 9000 lbs.  |  |  |  |  |
| Depths anodes placed: 454', 448', 399', 350', 344', 284', 278', 272', 258'  |  |  |  |  |
| Depths vent pipes placed: 448' OF 3/4" HOSE   |  |  |  |  |
| Vent pipe perforations: 448'  |  |  |  |  |
| Remarks: gb #2 HOEL #3 PLASTIC MOLD USED TO CAP ANODES-DID NOT USE SHRINK SLEEVE.   |  |  |  |  |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OIL   | Location: Unit NE Sec.31 Twp 30 Rng7    |  |  |
|---|---|--|--|
| Name of Well/Wells or Pipeline Servi                                      | ced <u>SAN JUAN 30-6 UNIT #10, #447</u> |  |  |
|   | cps 260w                                |  |  |
| Elevation 6227 Completion Date 7/24/69                                    | Total Depth 600' Land Type* N/A         |  |  |
| Casing, Sizes, Types & Depths N/A   |   |  |  |
| If Casing is cemented, show amounts                                       | & types used <u>N/A</u>                 |  |  |
| If Cement or Bentonite Plugs have be                                      | en placed, show depths & amounts used   |  |  |
| Depths & thickness of water zones wi<br>Fresh, Clear, Salty, Sulphur, Etc | th description of water when possible:  |  |  |
| Depths gas encountered: N/A   | D) ECEIVE                               |  |  |
| Type & amount of coke breeze used:  | MAY 3 1 1991                            |  |  |
| Depths anodes placed: NONE  | OU COM DIV                              |  |  |
| Depths vent pipes placed: 0'  | DIST. 3                                 |  |  |
| Vent pipe perforations: 0'  |   |  |  |
| Remarks: qb #2 HOLE #2 TWIST OFF DRILL                                    | PIPE - COULD NOT RECOVER. ABANDONED.    |  |  |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

| Operato | orMERIDIAN OIL  | Location:     | Unit NE Sec. 31   | Twp 30 Rng 7   |
|---------|---|---------------|-------------------|----------------|
| Name of | f Well/Wells or Pipeline Ser                              | viced SAN JL  | JAN 30-6 UNIT #10 | , #447         |
|         |   |               |                   | cps 260w       |
| Elevati | ion <u>6227'</u> Completion Date <u>7/18/</u>             | 69 Total Dep  | oth 440' Land     | Type* N/A      |
| Casing  | , Sizes, Types & Depths N                                 | /A            |                   |                |
| If Casi | ing is cemented, show amount                              | s & types use | ed <u>N/A</u>     |                |
|         | ent or Bentonite Plugs have                               | _             | show depths &     | amounts used   |
|         | & thickness of water zones<br>Clear, Salty, Sulphur, Etc. |               |                   | when possible: |
|         | gas encountered: N/A                                      |               | DESE              |                |
|         | amount of coke breeze used: anodes placed: N/A            |               | MAY31             | 1991           |
| _       | vent pipes placed: N/A                                    |               | OIL CON           | DIV            |
| Vent pi | ipe perforations: N/A                                     | ·<br>·        | \ OIST. (         | <b>3</b> .<br> |
| Remarks | s: <u>gb #2 HOLE #1</u> CAVED <b>ABAND</b>                | ONED.         |                   |                |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.