3486

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Lo	ocation: Unit NE Sec. 8 Twp30 Rng 6
Name of Well/Wells or Pipeline Serviced	SAN JUAN 30-6 UNIT #36
	cps. 2056w
Elevation6276' Completion Date 4/22/63	Total Depth 120' Land Type* N/A
Casing, Sizes, Types & Depths	N/A
If Casing is cemented, show amounts &	types usedN/A
If Cement or Bentonite Plugs have been	placed, show depths & amounts used
Depths & thickness of water zones with	description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc	N/A
Depths gas encountered: N/A	
Type & amount of coke breeze used:	850 lbs.
Depths anodes placed: 100', 94', 88', 82',	76', 40', 10' (c)
Depths vent pipes placed: N/A	PEGEIVE 11
Vent pipe perforations: N/A	MAY.3 111991.
Remarks: gb #1 RETIRED.	ORCON. DIV.
	Coist. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

## WELL CASING CATHODIC PROTECTION CONSTRUCTION REPORT DAILY LOG

	A430 DATE 22Apr	11963
WELL NAME San Juan 30-6 #		12 Kl 2056
LOCATION NET Sec 8 T30 N RGW	/	. `
WORK ORDER NUMBER 184- 40542-50-	02	<del> </del>
ANODE HOLE DEPTH 120'		
TOTAL DRILLING RIG TIME 4 H/S.	:	
DRILLING TIME FOR RECTIFIER POLE HOLE		
TYPE AND SIZE BIT USED 6/4" Rock -	WM 1551X	
NUMBER SACKS MUD USED		
NUMBER SACKS LOST CIRCULATION MAT'L USED		inga mili subumba berik
ANODE DEPTHS #1 100', #2 94, #3 88	_, #4 82 #5 76	# <u>6 40</u>
TOTAL LBS. COKE USED 850 165.	(10	sacks)
ANODE OUTPUTS 12.4 VOLTS, #1 1.7 , #2.3	<u>.0</u> , #3 <u>3.2</u> , #4 <u>2.7</u>	#53.0 #62
TOTAL CIRCUIT RESISTANCE: VOLTS 12.0	AMPERES 7.0 OHMS /	.71-
NUMBER FEET SURFACE CABLE CONDUM 400'		
DRILLING LOG (ATTACH HERETO).		
FORMATION LOG (ATTACH HERETO).		
REMARKS: 5+0+1 C /s = ,78 }	600 W	
Good All Rectifica		
Seriel No. 626 627	4	
	***	
	ALL CONSTRUCTION COMPLETED	<sup>*</sup> !
	ALL CONSTRUCTION COMPLETED	
*	1 H Stevels	
ADOINT DED I AVOIT	DIGNATURE	
GROUND BED LAYOU	CONDICT	

ORIGINAL & 1 COPY ALL REPORTS

976

である。 からは、 これになっている。 からない、 こうながらないのです。		
	÷	τ
١.,	ė	2
•	ï	•
١,		r
١.		r
	٠.	-
v	3	2
~	ċ	÷
.3	়	7
3.	ċ	Ċ
	٠	ä
÷	•	4
		1
٠.		1
		2
٠,٠		_
ý	٠	-
3		5
,	÷	p
:	٠	2
ŝ.		Ξ
13		Ē
	ż	z
÷	ç	á
100		٠.

	REMARKS		Time	BIT NO.	Driller.
	A CONTRACTOR OF THE STATE OF TH		RECORD VIS.		
	122-2018		PATERIAL	NO. DC SIZE SIZE NO. DC SIZANDS STANDS SHIGLES BOWN ONKELLY	ORNING Tom Ment FORM 1 ION
			MACELVED WILL BUT IN THE STATE	SIZE LENG STANOS STANOS SINGLES SUNCES	Man in Crew
SIGNED: Tool	A EMAGKS			G. BIT.NO. SERIAL NO. SIZE TYPE	CONTRACTOR  Print Print  Print
			917. IM 60 61 61 61 61 61 61 61 61 61 61 61 61 61	No. 1	
		HUIS	,	NO 000	DAYLIGHT Total FORMATION
			ID, ADDITIVES USED AND RECEIVED	SIZE SIZE SINGLES NKELLY	Total Men In Crew
Ome	A A			LENG. BIT.NO SERVA SIZE TYPE	S S
	REMARKS		MUD RECORD	BIT NO SERIAL NO SERIAL NO STATE	REPORT NO.  Priller  Prom To
			Vie. Mus. At	8 * TO	EVENIN
			MUD. ADDI TIVES INS DAME SEC	NO. OC. 18128 NO. OC. OC. 18128 NO. OC. 18128 NO. OC. 18128 NO. OC. 18128 NO. OC. 1812	
				5.55 H.G.	