

Florance #2
30-045-09286

4639

Florance #3
30-045-09290

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 21 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced FLORANCE #2, FLORANCE #3

cps 53w

Elevation 6014 Completion Date 11/11/61 Total Depth 220' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: 100' - 140'

Type & amount of coke breeze used: 540 lbs.

Depths anodes placed: 194', 186', 180', 174', 165'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

SAN JUAN DIVISION

WELL CASING CATHODIC PROTECTION

DAILY CONSTRUCTION

PROGRESS REPORT

DATE 11-11-61

WELL NAME - F/lorance # 1 WORK ORDER NO. 184-90074

NUMBER AND DEPTH OF HOLES: #1 220', #2 , #3 , #4 , #5 .

DEPTH OF EACH ANODE: #1 194', #2 186', #3 180', #4 174', #5 165', #6 , #7

#8____, #9____, #10____.

ANODE RESISTANCES: #1 3.5, #2 3.5, #3 3.0, #4 3.3, #5 3.4, #6 , #7

#8____, #9____, #10____.

TOTAL CIRCUIT RESISTANCE: 1.4 OHMS.

DRILLING LOG: (ATTACH HERETO)

AMOUNT OF COKE BREEZE PLACED IN EACH HOLE: #1 540 lbs, #2 , #3

#4 _____, #5 _____

ANY DIFFICULTIES ENCOUNTERED IN DRILLING:

ROCKS-

LOST CIRCULATION-

CASING INSTALLED-

DATE ALL CONSTRUCTION COMPLETED _____

REMARKS:

Gas Pocket Between 100' to 140'
Top of coke should be around 150'
left hole open in order to plug
all anodes Res. dropped indicating that
coke is around them

$$\begin{array}{r} 220 \\ 150 \\ \hline 70 \end{array}$$

Edward R. Paulk
SIGNATURE OF INSPECTOR

MORNING

CONTRACTOR	

DAYLIGHT

RIG NO.

[illegible]

REPORT NO.

EVENING

DATE _____
BY _____

NG

1961 11-22-61

REMARKS -

REMARKS -

REMARKS -

SIGNED: Toolpusher

Company Supervisor