

30-045-10414

4274

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 Copies to OCD Aztec Office)

MA-19

Operator: BLACKWOOD & NICHOLS CO. Location: Unit M, Sec. 28, Twp 31N, Rng 7W.

Name of Well/Wells or Pipeline Served NEBU 53

Elevation 6460' Completion Date 9-26-93 Total Depth 410' Land Type* Surface: F Mineral: SF-079043

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open Hole

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water sample.

Depths gas encountered: N/A

DECEIVED

Type & amount of coke breeze used: Asbury Flo-Coke, 94 sx

NOV 23 1993

Depths anodes placed: 155' -340'

Depths vent pipes placed: 410' to 4' Above Ground Level

Vent pipe perforations: 110' - 410'

Remarks: Groundbed located 161' N 29° W of NEBU 53. WELLHEAD

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. Alb

Title: Operations Engineer Date: 11/19/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

7A-19 WELL# NER# 53

S 28 T 3/4 1

[illegible]

LLER James Rustling

INSPECTOR Joe Matyssek

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

MA#19 WELL# NEBU#53

S 28 T 31 I

[illegible]

LER

INSPECTOR