

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 Copies to OCD Aztec Office)

MA-32

4272

Operator: BLACKWOOD & NICHOLS CO. Location: Unit A, Sec. 5, Twp 30N, Rng 7W.

Name of Well/Wells or Pipeline Served NEBU 402, 45 402 = 30-045-26883
45 = 30-045-60187

Elevation 6340' Completion Date 9-30-93 Total Depth 510' Land Type* Surface: F Mineral: SF-079042

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open Hole

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Clear, 360'. No sample taken.

Depths gas encountered: N/A

Type & amount of coke breeze used: Asbury Carbon Coke - 6,700#

Depths anodes placed: 145' - 450' (15)

Depths vent pipes placed: Bottom to 4' Above Ground Level

Vent pipe perforations: Bottom - 400'

Remarks: Groundbed located 153' & 178° from North of NEBU 402 wellhead.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. Allen Title: Operations Engineer Date: 11/19/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

1A-32 WELL # NERU #407d #45

S 5 T 30 N 1

[illegible]

ER Jose Martinez

INSPECTOR Joe Martyszek

9/30/93

WELL#

N.E.B.d. #402 $\frac{1}{4}$ 45

As 5 T 30 -

CLER 

INSPECTOR

[Handwritten signature]