

NORTHWESTERN NEW MEXICO

(Submit 3 Copies to OCD Aztec Office)

30-045-27403

3589

Operator: BLACKWOOD & NICHOLS CO. Location: Unit M, Sec. 28, Twp 31N, Rng 7W.Name of Well/Wells or Pipeline Serviced NEBU 418Elevation 6560' Completion Date 10-8-93 Total Depth 430' Land Type* Surface: F Mineral: SF-079043Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-IIIf Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water.Depths gas encountered: N/AType & amount of coke breeze used: 110 sx, Asbury Graphite Flo-Coke.Depths anodes placed: 170' - 370'Depths vent pipes placed: 430' to 4' Above Ground LevelVent pipe perforations: 120' - 430'Remarks: Groundbed located 108' S 60° E of NEBU 418. WELLHEAD

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations EngineerDate: 11/19/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

A-18 WELL#NEB14418

S 28 T 3/11/1

[illegible]

LER well on time

INSPECTOR

CATHODIC GROUND BED DRILLERS REPORT

1A#18 WELL# NEBU#418

S. 28 T. 31

[illegible]

LER 

INSPECTOR J. D. E.