District I 1625 N. French Dr., Hobbs, NM 88240 District III
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. S. Francis Dr. Sonto Fe. NM 87505 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

March 12, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank cov Type of action: Registration of a pit or belo	vered by a "general plan"? Yes 🛛 No w-grade tank 🔲 Closure of a pit or below-gra	de tank 🛛								
Operator: BP AMERICA PROD. CO.	Telephone: (505) 326-9200	)								
Address: 200 Energy Court, Farmington, 1	NM 87410									
Facility or well name: ELLIOTT GC B #1 API #: 30-045-08247 U/L or Qtr/Qtr K Sec 13 T 29N R 9W										
County: San Juan Latitude 36.72256 Longitude 107.73456 NAD: 1927   1983   Surface Owner Federal   State   Private   Indian										
Pit         Type:       Drilling ☐ Production ☒ Disposal ☐ BLOW         Workover ☐ Emergency ☐         Lined ☐ Unlined ☒         Liner type:       Synthetic ☐ Thicknessmil Clay ☐ Volumebbl	Below-grade tank  Volume:bbl _Type of fluid:  Construction natural  Double-walled with teak detection? / es If not, explain why not									
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)								
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)								
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)								
	Ranking Score (Total Points)	0								
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:  onsite offsite offsite, name of facility										
I hereby certify that the information above is true and complete to the best of m has been/will be constructed or closed according to NMOCD guidelines   Date: 06/12/04  Printed Name/Title Jeff Blagg - P.E. # 11607  Your certification and NMOCD approval of this application/closure does not re	, a general permit □, or an (attached) altern  Signature  Clieve the operator of liability should the content	is of the pit or tank contaminate ground water or								
otherwise endanger public health or the environment. Nor does it relieve the or regulations.  Approval:	perator of its responsibility for compliance with	OIL CONS. DIV.								
Date: MAR 1 4 2007	- 10	DIST. 3								
Printed Name/Title GAS INSPECTOR, DIST. Signature Brand Dell										

PAGE 1 OF 3

BLAGG ENGINEERING, INC.  CLIENT: 39 P.O. BOX 87, BLOOMFIELD, NM 87413					113 LO	LOCATION NO: R1324					
(505) 632-1199				cc	COCR NO:						
FIELD REPORT: PIT CLOSURE VERIFICATION							N PAG	GE No:	/ of/		
			GC B		TYPE				1/22/04		
QUAD/UNIT: K SEC: 13 TWP: 29N RNG: 9W PM:NM CNTY: ST ST: NOA								E FINISHED:			
			<u>w</u> <u>w</u>				SPE	CIALIST:	NV		
EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA											
DISPOSAL FACILITY: 02-51TE REMEDIATION METHOD: CLOSE AS 15  LAND USE: Remediation Method: CLOSE AS 15  LEASE: NM 073/59 FORMATION: MV											
LAND USE:		REMARKS			(IMATELY _ Z	<del></del>			MV		
		TER: >100			>1000'				. 8		
NMOCD RANK			<del>-</del>		5000 P						
SOULAND EXCAVATION DESCRIPTION: OVM CALIB. READ											
0012711	<i></i>	<i>37</i> ( <i>7</i> ( <i>1</i> 1 1 <i>2</i> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						= <u>/ &gt; 0</u> ppm <u>RF = 0.52</u> am(pm) DATE: <u>///4/04</u>			
,			SILT / SILTY			ER 850.00	K SAN	STATE			
SOIL COLOR: COHESION (AL			SIVE) SLIGHTLY				- OLIVE	GRAY			
			): LOOSE/ FIRM								
,	,		SLIGHTLY PLASTI SOFT / FIRM / STI			/ HIGHLY PLAST	iC				
DENSITY (COHESIVE CLAYS SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD  MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED  DISCOLORATION/STAINING OBSERVED: YES (NO) EXPLANATION -											
HC ODOR DETECTED: YES (NO EXPLANATION -											
SAMPLE TYPE: GRAB COMPOSITE - # OF PTS ADDITIONAL COMMENTS: COLLECTED SAMPLE FROM BEDROCK SWITACE. BEDROCK - VERY HARD SUCHTLY											
BEORDE	1	F21A 32	E + compe	TENT. NO	TOH AND	ביבאין ביבאין	とりょうと	COTED .			
	<del></del>			FIE	LD 418.1 CALC	ULATIONS					
SCALE		SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTIO	NREADING	CALC. (ppm)		
0	FT										
PI	IT PE	RIMETE	R AN		<u> </u>		PIT	PROFIL	E		
			د		VM						
		,	despectives	SAMPLE	DING FIELD HEADSPACE	_					
	10 (ppm) 1@3 !3.3										
2 @ 3 @ 4 @											
<b>—</b>	1 7	তিহা	34'	5 @		NOT APPLICABLE					
TO WELL HEAD											
LAB SAMPLES											
P.D. T.H. SAMPLE ANALYSIS TIME											
	· ~		N1 3.7.0.		- 1030	<u>&gt;</u>					
	ŧ	ş. O				7					
I.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW I.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM											
TRAVEL NOT	TES:	CALLOUT: _	1/21.104	-morn.	_ ONSITE: _	1/22/04-	morn.	(SCHEONL	£13)		