<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210
<u>District III</u>
1000 Rio Brazos Road, Aztec, NM 87410
<u>District IV</u>
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌
Type of action: Registration of a pit or below-grade tank 🗋 Closure of a pit or below-grade tank 🛣 Telephone: (505)326-9200 e-mail address: Operator: BP America Production Company Address: 200 Energy Ct, Farmington, NM 87401 API#: 30045 10604 U/L or Otr/Otr A Sec 27 T 31 NR Facility or well name: __RIDDLE D Longitude NAD: 1927 ☐ 1983 🔀 Latitude _ County: San Juan Surface Owner: Federal ≥ State Private Indian Below-grade tank Pit Type: Drilling Production M Disposal Volume: bbl Type of fluid: Workover Emergency Construction material: _ Lined Unlined Double-walled, with leak detection? Yes I If not, explain why not. Liner type: Synthetic Thickness _____mil Clay ___ Pit Volume bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if ____. (3) Attach a general description of remedial action taken including your are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility_ remediation start date and end date. (4) Groundwater encountered: No 🔁 Yes 🗌 If yes, show depth below ground surface______ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. RCVD FEB20'07 OIL CONS. DIV. Additional Comments: See Attached Documentation I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan ... Date: 11/01/2005 Printed Name/Title ______ Jeffrey C. Blagg, Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. DEPUTT OR & GAS INSPECTOR, DIST. 60 Approval: PEB 2 0 2007 Signature B Printed Name/Title

Long to Carried Service

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 874' (505) 632-1199	13 LOCATION NO: 80818 COCR NO: 10579
FIELD REPORT: PIT CLOSURE VERIFICATION	N PAGE No: 1 of 1
LOCATION: NAME: RIDDLE D LS WELL#: 4 TYPE: BLOW QUAD/UNIT: A SEC: 22 TWP: 31N RNG: 9W PM: NM CNTY: SJ ST: NM	DATE STARTED: 1-23-03 DATE FINISHED: 1-23-03
QTRIFOOTAGE: 990 N/990 E NELVE CONTRACTOR: FLINT (CORNELL)	ENVIRONMENTAL JCB
EXCAVATION APPROX. 15 FT. x 12 FT. x 8 FT. DEEP. CUI	. –
DISPOSAL FACILITY: ONSITE REMEDIATION METHO	
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 57 FT.	
DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SU	
NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: 5000 PPM	EAD. = <u>/31.3</u> ppm
SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. G	AS = 250 ppm RF = 0.52 2 am/pm DATE: $1-23-0$
SOIL TYPE: SAND / SILTY SAND / SILTY CLAY / CLAY / GRAVEL / OTHER SANDOWN	
COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE) COHESIVE / HIGHLY COHESIVE	
CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC	
DENSITY (COHESIVE CLAYS & SILTS): SOFT (FIRM) STIFF / VERY STIFF / HARD MOISTURE: DRY (SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER SATURATED	(C102ED)
HC ODOR DETECTED: YES NO EXPLANATION - MINOR HC ODOR DETECTED: YES NO EXPLANATION - MINOR	
SAMPLE TYPE: GRAB COMPOSITE . # OF PTS. ADDITIONAL COMMENTS: EARTHEN PIT. REMOVE IMPACTED S	DILS W/ BACKHUE +
BEDROCK L.F. ON SITE	
FIELD 418.1 CALCULATIONS SCALE SAME TO LAR NO WEIGHT (2) THEREON IN	
SAMP. TIME SAMP. ID LAB NO. WEIGHT (g) IIIL FREON	DILUTION READING CALC. (ppm)
O FT	DIT DOGGUE
N PIT PERIMETER OVM	PIT PROFILE
READING SAMPLE FIELD HEADSPACE	
15 ID (ppm) 1@ 8 216	
2 @ 6' 4.1 3 @ 6' 8.4 A	A
5@6' 28 T	
A' A' A' A' A' A' A' A'	
1 (5)	/
Sp.	
LAB SAMPLES SAMPLE ANALYSIS TIME (1)(JA TPH/GTEK 1/245)	
LAB SAMPLES SAMPLE ANALYSIS TIME (1)(JA) TPH/GTEK 1245	DANDSTONE DANDSTONE
LAB SAMPLES SAMPLE ANALYSIS TIME (1)(JA TPH/GTEK 1/245)	DANDSTONE BEDROCK

revised: 09/04/02



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow 1 @ 8'	Date Reported:	01-27-03
Laboratory Number:	24647	Date Sampled:	01-23-03
Chain of Custody No:	10579	Date Received:	01-24-03
Sample Matrix:	Soil	Date Extracted:	01-27-03
Preservative:	Cool	Date Analyzed:	01-27-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	280	0.2
Diesel Range (C10 - C28)	1,200	0.1
Total Petroleum Hydrocarbons	1,480	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Riddle D LS 4.

Analyst C. Other

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 Blow @ 8'	Date Reported:	01-27-03
Laboratory Number:	24647	Date Sampled:	01-23-03
Chain of Custody:	10579	Date Received:	01-24-03
Sample Matrix:	Soil	Date Analyzed:	01-27-03
Preservative:	Cool	Date Extracted:	01-27-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter :	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	1.9	1.8	
Toluene	98.7	1.7	
Ethylbenzene	70.2	1.5	
p,m-Xylene	642	2.2	
o-Xylene	220	1.0	
Total BTEX	1,030		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
ţ	Fluorobenzene	99 %
I.	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Riddle D LS 4.

Analyst

Review