

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to  
appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe  
office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: \_\_\_\_\_  
Address: 200 Energy Ct. Farmington, NM 87401  
Facility or well name: JACQUEZ com #S API #: 30045 26833 U/L or Qtr/Qtr A Sec 30 T 31 N R 9 W  
County: San Juan Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD: 1927 ☐ 1983 ☒  
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐

<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: <u>MA</u> Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If no, explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)	<u>0</u>
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)	<u>0</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)	<u>10</u>
Ranking Score (Total Points)		<u>10</u>

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

See Attached Documentation



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg



Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. #2

Printed Name/Title \_\_\_\_\_

Signature [Signature]

Date: FEB 15 2007

CLIENT: <u>BP</u>	<b>BLAGG ENGINEERING, INC.</b> P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81191</u> COCR NO: <u>10710</u>																																																																																
<b>FIELD REPORT: PIT CLOSURE VERIFICATION</b>		PAGE No: <u>1</u> of <u>1</u>																																																																																
LOCATION: NAME: <u>JACQUEZ COM</u> WELL#: <u>5</u> TYPE: <u>BLOW</u> QUAD/UNIT: <u>A SEC: 30 TWP: 31N RNG: 9W PM: NM CNTY: SJ ST: NM</u> QTR/FOOTAGE: <u>1095'N/790'E</u> NE/NE CONTRACTOR: <u>FLINT (JOHN)</u>		DATE STARTED: <u>4/10/03</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>																																																																																
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u>																																																																																		
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																																																																		
LAND USE: <u>RANGE</u> LEASE: <u>FEE</u> FORMATION: <u>PC</u>																																																																																		
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>126</u> FT. <u>N47E</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>&gt;100'</u> NEAREST WATER SOURCE: <u>&gt;1000'</u> NEAREST SURFACE WATER: <u>&lt;1000'</u> NMOCD RANKING SCORE: <u>10</u> NMOCD TPH CLOSURE STD: <u>1006</u> PPM																																																																																		
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>52.6</u> ppm CHECK OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>9:14</u> am/pm DATE: <u>4/10/03</u>																																																																																
SOIL TYPE: <u>SAND</u> SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____ SOIL COLOR: <u>DK. YELL. BROWN</u> COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE / <u>FIRM</u> DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / <u>SLIGHTLY MOIST</u> / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES / <u>NO</u> EXPLANATION: _____ HC ODOR DETECTED: YES / <u>NO</u> EXPLANATION: _____ SAMPLE TYPE: <u>GRAB</u> COMPOSITE - # OF PTS. <u>—</u> ADDITIONAL COMMENTS: _____																																																																																		
FIELD 418.1 CALCULATIONS																																																																																		
SCALE  0 FT	<table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>SAMP. TIME</th><th>SAMP. ID</th><th>LAB NO.</th><th>WEIGHT (g)</th><th>mL FREON</th><th>DILUTION</th><th>READING</th><th>CALC. (ppm)</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></tbody></table>	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																	<table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>SAMP. TIME</th><th>SAMP. ID</th><th>LAB NO.</th><th>WEIGHT (g)</th><th>mL FREON</th><th>DILUTION</th><th>READING</th><th>CALC. (ppm)</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></tbody></table>	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																																																											
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																																																											
<b>PIT PERIMETER</b> 		<b>PIT PROFILE</b> <p style="text-align: center;">NOT APPLICABLE</p>																																																																																
<b>OVM READING</b> <table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>SAMPLE ID</th><th>FIELD HEADSPACE (ppm)</th></tr></thead><tbody><tr><td>1 @ 6'</td><td>0.0</td></tr><tr><td>2 @</td><td> </td></tr><tr><td>3 @</td><td> </td></tr><tr><td>4 @</td><td> </td></tr><tr><td>5 @</td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr></tbody></table>		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 6'	0.0	2 @		3 @		4 @		5 @														<b>LAB SAMPLES</b> <table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>SAMPLE ID</th><th>ANALYSIS</th><th>TIME</th></tr></thead><tbody><tr><td>① @ 6'</td><td>TPH (8015B)</td><td>0857</td></tr><tr><td colspan="3" style="text-align: center;"><u>PASSED</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>	SAMPLE ID	ANALYSIS	TIME	① @ 6'	TPH (8015B)	0857	<u>PASSED</u>																																																	
SAMPLE ID	FIELD HEADSPACE (ppm)																																																																																	
1 @ 6'	0.0																																																																																	
2 @																																																																																		
3 @																																																																																		
4 @																																																																																		
5 @																																																																																		
SAMPLE ID	ANALYSIS	TIME																																																																																
① @ 6'	TPH (8015B)	0857																																																																																
<u>PASSED</u>																																																																																		
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																																																																		
TRAVEL NOTES: CALLOUT: <u>4/9/03 - AFTER.</u> ONSITE: <u>4/10/03 - MORN.</u>																																																																																		

# ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP  
Sample ID: 1 @ 6'  
Laboratory Number: 25333  
Chain of Custody No: 10710  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool and Intact


Project #: 94034-010  
Date Reported: 04-11-03  
Date Sampled: 04-10-03  
Date Received: 04-10-03  
Date Extracted: 04-11-03  
Date Analyzed: 04-11-03  
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Jacquez Com #5 Blow Pit Grab Sample.

  
Analyst

  
Review