

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVAL
OMB NO. 1004-0137
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
XTO Energy Inc.

3a. Address
2700 Farmington Ave., Bldg. K. Ste 1 Farmington,

3b. Phone No. (include area code)
505-324-1090

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1390' FSL & 890' FEL SEC 9E-T32N-R12W

5. Lease Serial No.
NM-019414

6. If Indian, Allottee or Tribe Name
2007 MAR 23 AM 10:57

7. If Unit or CA/Agreement, Name and/or No.
NMM99310

8. Well Name and No.
STANOLIND GAS COM B #1

9. API Well No.
30-045-24149

10. Field and Pool, or Exploratory Area
FRUITLAND COAL

11. County or Parish, State
SAN JUAN NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other
☐ Change Plans	☒ Plug and Abandon <i>Fruitland</i>	☐ Temporarily Abandon	
☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

XTO Energy Inc. plugged & abandoned the Basin Fruitland Coal pool for this well per the attached morning report.

3/8/07

**RCVD MAR27'07
OIL CONS. DIV.
DIST. 3**

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

LORRI D. BINGHAM

Title

REGULATORY COMPLIANCE TECH

Date **3/22/07**

ACCEPTED FOR RECORD

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

MAR 26 2007

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

FARMINGTON FIELD OFFICE

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

Stanolind GC #1 Sundry dated 3/22/07

1/10/07 SITP First rpt to P&A, FC side of dual well. MIRU Drake Rig #28. Unseated pmp. TOH & w/1-1/4" x 16' PR w/8' Inr, 77 - 3/4" rods, 1" x 1' LS, spiral rod guide, RHBO tl, 2" x 1-1/2" x 12' RWAC-Z (DV) pmp & 1" x 6' GAC. Bd well. ND WH. NU BOP. SWI. SDFN.

1/11/07 - 1/13/07

TOH w/2-3/8" tbg, SN & slotted OPMA (FC tbg). Attd to pull long strg (MV), w/o success. Wrkd tbg @ 70K. Tbg stuck. Cut & fished all MV tbg. Milled over & fished Model D pkr @ 2100'. SWI. SDFWE.

1/16/07 TIH w/6-1/8" strg ml, XO & 60 jts 2-7/8" tbg. Tg ti spot in csg @ 1,910'. RU pwr swivel. RU AFU. Estab circ w/AFU. Mld thru csg ti spot @ 1,910'. Circ 30". RD AFU. RD pwr swivel. TIH w/4 jts 2-7/8" tbg to 2,028'. TOH w/64 jts 2-7/8" tbg, XO & strg ml. MIRU Black Warrior WLU. RIH w/7" CBP & set @ 1,980'. POH w/WL. RDMO Black Warrior WLU. TIH w/7" HD pkr, XO & 62 jts 2-7/8" tbg. Set pkr @ 1,968'. PT CBP w/16 bbls 2% KCl to 1,000 psig for 5". Tstd OK. Rlsd press. TOH w/4 jts 2-7/8" tbg. Set pkr @ 1,853'. EIR into perms fr/1,914' - 1,944' @ 4.5 BPM & 400 psig w/12 bbls 2% KCl wtr. Rlsd pkr @ 1,853'. TOH w/58 jts 2-7/8" tbg, XO & 7" HD pkr. Rptd to Henry Villanueva w/NMOCD @ 8:00 am & left message on BLM cmt ln @ 8:10 am, 1/15/07 of sqz on 1/16/07 @ 9:00 a.m. SWI. SDFN.

1/17/07 TIH w/CICR, XO & 58 jts 2-7/8" tbg. MIRU Halliburton cmt equip. Circ 13 BFW thru CICR. Set CICR @ 1,852. PT tbg to 1,000 psig w/10 BFW for 5". Tstd OK. Rlsd press. EIR @ 4 BPM & 90 psig w/20 BFW. Sqzd FC perms fr/1,914' - 1,944' w/125 sx 50/50 G/POZ cmt w/2% gel, 0.2% HALAD-9 & 3 #/sk Gilsonite (mixed @ 13.5 ppg & 1.32 cu ft/sx yield). Ppd 28 bbls cmt dwn tbg @ 4.0 BPM & 30 psig. Flshd dwn tbg w/6.7 BFW @ 0.5 BPM. Sqz press incr fr/25 psig to 1,500 psig (final sqz press). Stung out fr/CICR. Rev circ tbg cln w/56 BFW. TOH w/58 jts tbg & stinger. TIH w/CICR, XO & 53 jts 2-7/8" tbg. Circ 10 BFW thru CICR. Set CICR @ 1,691'. EIR @ 1 BPM & 800 psig. Sqzd FC perms fr/1,750' - 1,797' w/75 sx 50/50 G/POZ cmt w/2% gel, 0.2% HALAD-9 & 3 #/sx Gilsonite (mixed @ 13.5 ppg & 1.32 cu ft/sx yield). Ppd 17 bbls cmt dwn tbg @ 1.0 BPM & 600 psig. Sqz press incr fr/1,200 psig to 1,500 psig (final sqz press). Stung out fr/CICR. Rev circ tbg cln w/25 BFW. Circ 10 bbls cmt to FB tnk. TOH w/1 jt 2-7/8" tbg. EIR into FC perms fr/1,634' - 1,638' @ 1 BPM & 1,500 psig. Sptd 50 sx 50/50 G/POZ cmt w/2% gel - 2/10% HALAD-9 & 3#/sx Gilsonite (mixed @ 13.5 ppg & 1.32 cu ft/sx yield) fr/1,651' - 1,411' (calc). Ppd 11.5 bbls cmt dwn tbg @ 3 BPM & 90 psig. Flshd dwn tbg w/7.2 BFW @ 3 BPM. TOH w/52 jts tbg, XO & stinger. Sqz press to 500 psig w/1.7 BFW. SWI w/500 psig on csg. Est TOC inside csg @ 1,411'. SWI. SDFN. NOTE: Notified Steve Mason w/BLM & Charlie Perrin w/OCD of chg in cmt blend fr/Sundry Notice on @ 8:30 a.m. on 1/17/06. OK to proceed.

1/18/07 TIH w/6-1/4" bit, XO & 30 jts 2-7/8" tbg (WOC). SWI. SDFN.

1/19/07 TIH w/9 jts 2-7/8" tbg. Tgd cmt @ 1,433'. RU pwr swivel. Estbd circ w/2% KCl wtr. DO cmt fr/1,433' - 1,691' CICR (258' of cmt). PT csg fr/1,691' - surf to 800 psig for 30". Tstd OK (sqz perms fr/1,634' - 1,638'). Rlsd press. Mld on CICR for 2.5 hrs. Circ 30". RD pwr swivel. TOH w/10 jts 2-7/8" tbg. SWI. SDFN.

1/20/07 TIH w/10 jts 2-7/8" tbg. Tgd CICR @ 1,691'. RU pwr swivel. Estbd circ w/2% KCl wtr. DO CICR @ 1,691'. DO cmt fr/1,693' - 1,820' BOC (127' of cmt). TIH w/1 jt 2-3/8" tbg. Tgd CICR @ 1,852'. Circ

Stanolind GC #1 Sundry dated 3/22/07

30". PT csg fr/1,852' - surf @ 540 psig for 30". Press dropd fr/540' - 460' in 30" (sqzd perms fr/1,750' - 1,797' did not tst). Rlsd prss. RD pwr swivel. TOH w/52 jts 2-7/8" tbg, XO, 6 - 3-1/2" DCs, XO & 6-1/4" bit. SWI. SDFWE.

1/23/07 TIH w/6-1/4" ml, XO, 6 - 3-1/2" DCs, XO & 52 jts 2-7/8" tbg. Tgd CIRC @ 1,852'. RU pwr swivel. Estbd circ w/2% KCl wtr. Mld CIRC @ 1,852' for 6 hrs. RD pwr swivel. TOH w/10 jts 2-7/8" tbg. SWI. SDFN.

1/24/07 TIH w/10 jts 2-7/8" tbg. Tgd CIRC @ 1,852'. RU pwr swivel. Estb circ w/2% KCl wtr. DO CIRC @ 1,852'. DO cmt fr/1,855' - 1,932' (77' of hd cmt). Circ well 30". RD pwr swivel. TOH w/10 jts 2-7/8" tbg. SWI. SDFN. 48 BLWTR

1/25/07 TOH w/55 jts 2-7/8" tbg, XO, 6 - 3-1/2" DCs & ml. TIH w/6-1/4" bit, XO, 6 - 3-1/2" DCs, XO & 55 jts 2-7/8" tbg. Tgd cmt @ 1,932'. RU pwr swivel. Estb circ w/2% KCl wtr. DO cmt fr/1,932' - 1,947' (15' of hd cmt). Circ well w/80 bbls FW. RD pwr swivel. TOH w/56 jts 2-7/8" tbg, XO, 6 - 3-1/2" DCs, XO & bit. TIH w/HD pkr, XO, SN & 57 jts 2-7/8" tbg. Set pkr @ 1,822'. PT sqz perms fr/1,914' - 1,944' to 500 psig. Sqz BD @ 500 psig. EIR into perms fr/1,914' - 1,944' @ 3 BPM & 175 psig w/10 bbls FW. Rlsd pkr @ 1,822'. TIH w/4 jts 2-7/8" tbg. Set pkr @ 1,950'. PT CBP w/6 bbls FW to 1,500 psig for 15". Tstd OK. Rlsd press. Rlsd pkr @ 1,950'. TOH w/pkr, XO, SN & 61 jts 2-7/8" tbg. Rptd to Henry Villanueva w/NMOCD @ 2:15 pm & Ron Snow w/BLM @ 2:30 p.m. 1/24/07 resqz on 1/25/07 @ 10:00 a.m. SWI. SDFN.

1/26/07 TIH w/CIRC, setting tl, XO & 52 jts tbg. Circ 10 BFW thru CIRC. Set CIRC @ 1,660'. MIRU Halliburton cmt equipment. PT tbg to 1,500 psig. Tstd OK. Rlsd press. PT TCA to 500 psig w/45 BFW. EIR into perms fr/1,750' - 1,797' & 1,914' - 1,944' @ 2 BPM & 130 psig w/10 BFW. SD. Ppd 10 bbls gel wtr spacer @ 2 BPM & 53 psig. SD. Sqzd perms fr/1,750' - 1,797' & 1,914' - 1,944' w/250 sx Type G cmt w/2% CaCl₂ (mixed @ 15.5 ppg & 1.18 cu ft/sx yield). Ppd 53 bbls cmt dwn tbg @ 2 BPM & 90 psig. Flshd dwn tbg w/2 BFW @ 0.5 BPM & 1,000 psig. SD 10". SITP dropd fr/1,000 psig to 0 psig. Ppd 0.1 BFW dwn tbg @ 0.5 BPM & 1200 psig. SD 10". SITP dropd fr/1,200 to 677 psig. Ppd 0.1 BFW dwn tbg @ 0.5 BPM & 1,055 psig. SD 10". SITP dropd fr/1,055 psig to 1,011 psig. Stung out fr/CIRC. Rev circ tbg ctn w/14 BFW. RDMO cmt equip. TOH w/52 jts tbg & stinger. SWI. SDFN. Ron Snow w/BLM witnessed sqz operations.

1/27/07 TIH w/6-1/4" bit, XO, 6 - 3-1/2" DCs, XO & 47 jts 2-3/8" tbg. Tgd cmt @ 1,625' (35' of cmt). RU pwr swivel. Estb circ w/2% KCl wtr. DO cmt fr/1,625' - 1,660' (CIRC). DO CIRC for 4.5 hrs. Circ 30". RD pwr swivel. TOH w/10 jts 2-7/8" tbg. SWI. SDFWE.

1/30/07 TIH w/10 jts 2-7/8" tbg. Tgd CIRC @ 1,660'. RU pwr swivel. Estb circ w/2% KCl wtr. DO CIRC @ 1,660'. DO cmt fr/1,660' - 1,757' (97' of cmt). Circ 30". RD pwr swivel. TOH w/10 jts 2-7/8" tbg. SWI. SDFN. 48 BLWTR.

1/31/07 SICIP 0 psig (CBP). TIH w/10 jts 2-7/8" tbg. Tgd cmt @ 1,757'. RU pwr swivel. Estb circ w/2% KCl wtr. DO cmt fr/1,757' - 1,917' (160' hd cmt). Circ well 30". RD pwr swivel. TOH w/56 jts 2-7/8" tbg, XO, 6 - 3-1/2" DCs, XO & 6-1/4". Bit chkd OK. SWI. SDFN. 48 BLWTR.

2/1/07 TIH w/6-1/4" bit, XO, 6 - 3-1/2" DCs, XO & 56 jts 2-7/8" tbg. Tgd cmt @ 1,917'. RU pwr swivel. Estb circ w/2% KCl wtr. DO cmt fr/1,917' - 1,951'

Stanolind GC #1 Sundry dated 3/22/07

BOC (34' hd cmt). Circ w/80 BFW. RD pwr swivel. TOH w/57 jts 2-7/8" tbg, XO, 6 - 3-1/2" DCs, XO & bit. TIH w/HD pkr, XO, SN & 57 jts 2-7/8" tbg. Set pkr @ 1,822'. PT sqz perfs fr/1,914' - 1,944' to 600 psig. Sqz BD @ 600 psig. EIR into perfs fr/1,914' - 1,944' @ 2 BPM & 425 psig w/10 BFW. PT TCA w/1 BFW to 600 psig fr/1,822' - surf for 30". Press dropd fr/600 psig - 495 psig in 30". Sqzd perfs fr/1,750' - 1,797' did not tst. Rlsd pkr @ 1,822'. TIH w/4 jts 2-7/8" tbg. Set pkr @ 1,696'. PT TCA w/1 BFW to 600 psig for 30". Tstd OK. Sqzd perfs fr/1,634' - 38' tstd OK. Rlsd press. Rlsd pkr @ 1,696'. TOH w/pkr, XO, SN & 53 jts 2-7/8" tbg. Rptd to Henry Villanueva w/NMOCD @ 12:15 p.m. & left message on BLM cmt line @ 12:30 pm 1/31/07 of resqz on 2/1/07 @ 10:00 am. SWI. SDFN.

2/2/07 TIH w/7" CICR & 57 jts 2-7/8" tbg. MIRU Halliburton cmt equip. Circ w/11 BFW thru CICR. Set CICR @ 1,822'. PT csg to 500 psig w/37 BFW. PT tbg to 1,500 psig w/9 BFW for 5". Tstd OK. Rlsd press. EIR 3 BPM @ 500 psig w/4 BFW. Ppd 10 bbls gel wtr spacer @ 2 BPM & 270 psig. Sqzd perfs fr/1,914' - 1,944' w/340 sx Type G cmt w/2% CaCl2 (mixed @ 15.6#/gal & 1.18 cu ft/sx yield). Ppd 70 bbls cmt dwn tbg @ 1.5 BPM & 140 psig - 980 psig. Flshd dwn tbg w/5.5 BFW @ 1.5 BPM. Sqz press incr fr/980 psig to 1,700 psig (final sqz press). Stung out fr/CICR. Rev circ tbg cln w/20 BFW. RDMO cmt equip. TOH w/57 jts tbg & setting tl. SWI. SDFN.

2/3/07 TIH w/6-1/4" bit, XO, 6 - 3-1/2" DCs, XO & 56 jts 2-3/8" tbg. Tgd cmt @ 1,792' (30' of cmt). RU pwr swivel. Estb circ w/2% KCl wtr. DO cmt fr/1,792' - 1,822' (CICR). Mld on CICR for 4.5 hrs. Circ 30". RD pwr swivel. TOH w/10 jts 2-7/8" tbg. SWI. SDFWE.

2/6/07 TIH w/10 jts 2-7/8" tbg. Tgd CICR @ 1,822'. RU pwr swivel. Estb circ w/2% KCl wtr. DO CICR @ 1,822'. DO cmt fr/1,825' - 1,837'. (12' hd cmt) Circ 30". RD pwr swivel. TOH w/10 jts 2-7/8" tbg. SWI. SDFN.

2/7/07 TIH w/10 jts 2-7/8" tbg. Tgd TOC @ 1,837'. RU pwr swivel. Estb circ w/2% KCl wtr. DO cmt fr/1,837' - 1,933'. Bit locked up (96' hd cmt). Circ 30". RD pwr swivel. TOH w/58 jts 2-7/8" tbg, XO, 6 - 3-1/2" DCs, XO & 6-1/4" bit. Repld bit. TIH w/6-1/4" bit, XO, 6 - 3-1/2" DCs, XO & 58 jts 2-7/8" tbg. RU pwr swivel. Estb circ w/2% KCl wtr. DO cmt fr/1,933' - 1,935' (2' hd cmt). Circ 15". RD pwr swivel. TOH w/10 jts 2-7/8". SWI. SDFN.

2/8/07 TIH w/10 jts 2-7/8" tbg. Tgd cmt @ 1,935'. RU pwr swivel. Estb circ w/2% KCl wtr. DO cmt fr/1,935' - 1,952' BOC (17' hd cmt). Circ w/80 BFW. RD pwr swivel. TOH w/58 jts 2-7/8" tbg, XO, 6 - 3-1/2" DCs, XO & bit. TIH w/HD pkr, XO, SN & 57 jts 2-7/8" tbg. Set pkr @ 1,822'. PT sqz perfs fr/1,914' - 1,944' to 550 psig. Sqz BD @ 550 psig. EIR into perfs fr/1,914' - 1,944' @ 2 BPM & 515 psig w/10 BFW. PT TCA w/1 BFW to 600 psig fr/1,822' - surf for 30". Press dropd fr/600 psig - 490 psig in 30" (sqzd perfs fr/1,750' - 1,797'). Rlsd pkr @ 1,822'. TOH w/4 jts 2-7/8" tbg. Set pkr @ 1,696'. PT TCA w/1 BFW to 600 psig for 30" (sqzd perfs fr/1,634' - 1,638'). Tstd OK. Rlsd press. Rlsd pkr @ 1,696'. TOH w/pkr, XO, SN & 54 jts 2-7/8" tbg. Rptd to Henry Villanueva w/NMOCD @ 12:30 p.m. & left message on BLM cmt line @ 12:45 p.m. 2/7/07 to resqz perfs fr/1,914' - 1,944' on 2/8/07 @ 10:00 am. SWI. SDFN.

2/9/07 TIH w/CICR, setting tl, XO & 59 jts tbg. Circ 10 BFW thru CICR. Set CICR @ 1,884'. MIRU Halliburton cmt equip. PT tbg to 1,500 psig. Tstd OK. Rlsd press. PT TCA to 500 psig w/15 BFW. EIR into perfs

Stanolind GC #1 Sundry dated 3/22/07

fr/1,914' - 1,944' @ 2 BPM & 500 psig w/2 BFW. Sqzd perfs fr/1,914' - 1,944' w/150 sx Type V cmt w/2% CaCl₂ & 0.3% Halad 344 (mixed @ 15.6 ppg & 1.18 cu ft/sx yield). Ppd dwn tbg w/31.5 bbls @ 2 BPM & 500 psig - 2,000 psig. SD 5". SITP dropd fr/2,000 psig to 800 psig. Ppd 0.1 BFW dwn tbg @ 0.5 BPM & 2,000 psig. Stung out fr/CICR. Rev circ tbg cln w/25 BFW. Circ 12 bbls cmt to FB tnk. RDMO cmt equip. TOH w/59 jts tbg & stinger. SWI. SDFN. Ron Snow w/BLM witnessed operations.

2/10/07 TIH w/6-1/4" bit, XO, 6 - 3-1/2" DCs, XO & 53 jts 2-3/8" tbg. Tgd cmt @ 1,855' (29' of cmt). RU pwr swivel. Estb circ w/2% KCl wtr. DO hd cmt fr/1,855' - 1,884' (CICR). Drill on CICR for 4.5 hrs. Circ 30". RD pwr swivel. TOH w/10 jts 2-7/8" tbg. SWI. SDFWE.

2/13/07 TIH w/10 jts 2-7/8" tbg. Tgd CICR @ 1,884'. RU pwr swivel. Estb circ w/2% KCl wtr. DO CICR @ 1,884'. DO cmt fr/1,887' - 1,917'. (DO 30' hd cmt). Circ well 30". RD pwr swivel. TOH w/10 jts 2-7/8" tbg. SWI. SDFN.

2/14/07 TIH w/10 jts 2-7/8" tbg. Tgd cmt @ 1,917'. RU pwr swivel. Estb circ w/2% KCl wtr. DO cmt fr/1,917' - 1,952' BOC (35' of hd cmt). Circ well w/80 BFW. RD pwr swivel. TOH w/56 jts 2-7/8" tbg, XO, 6 - 3-1/2" DCs, XO & bit. TIH w/HD pkr, XO, SN & 57 jts 2-7/8" tbg. Set pkr @ 1,822'. PT sqz perfs fr/1,914' - 1,944' to 550 psig. Press dropd fr/550 - 0 psig in 30". EIR into perfs fr/1,914' - 1,944' @ 1.25 BPM & 650 psig w/6 BFW. PT TCA w/1 BFW to 600 psig fr/1,822' - surf for 30". Press dropd fr/600 psig - 510 psig in 30". Sqzd perfs fr/1,750' - 1,797' did not tst. Rlsd pkr @ 1,822'. TOH w/4 jts 2-7/8" tbg. Set pkr @ 1,696'. PT TCA w/1 BFW to 600 psig for 30". Tstd OK. Sqzd perfs fr/1,634' - 38', tstd OK. Rlsd press. Rlsd pkr @ 1,696'. TOH w/pkr, XO, SN & 53 jts 2-7/8" tbg. Rptd to Henry Villanueva w/NMOCD @ 3:30 p.m. & left message on BLM cmt ln @ 3:45 p.m. 2/13/07 to resqz perfs fr/1,914' - 1,944', 2/14/07 @ 10:00 a.m. SWI. SDFN.

2/15/07 TIH w/CICR, 56 jts 2-7/8" tbg & 3 - 2-7/8" x 8' tbg subs. MIRU Halliburton cmt equip. Circ 11 BFW thru CICR. Set CICR @ 1,815. PT TCA to 500 psig w/30 BFW. PT tbg to 1,500 psig w/9 BFW for 5". Tstd OK. Rlsd press. EIR 2 BPM @ 500 psig w/5 BFW. SD. Sqzd FC perfs fr/1,914' - 1,944' w/100 sx Class G cmt w/2% CaCl₂ & 0.2% Versaset (mixed @ 15.6 ppg & 1.18 cu ft/sx yield). Ppd 21 bbls cmt dwn tbg @ 2.0 BPM & 400 psig. Flshd dwn tbg w/5 BFW @ 2 BPM. Sqz press incr fr/400 psig to 2,000 psig (final sqz press). Stung out fr/CICR w/57 sxs cmt in perfs. TOH w/3 - 2-7/8" x 8' tbg subs, 56 jts tbg & stinger. Estd TOC 1,690'. SWI. SDFN.

2/16/07 TIH w/6-1/4" bit, XO, 6 - 3-1/2" DCs, XO & 47 jts 2-3/8" tbg. Tgd cmt @ 1,678'. RU pwr swivel. Estb circ w/2% KCl wtr. DO cmt fr/1,678' - 1,815' CICR (137' hd cmt). Drill CICR for 1.5 hrs. Circ 30". RD pwr swivel. TOH w/10 jts 2-7/8" tbg. SWI. SDFWE.

2/17/07 TIH w/10 jts 2-7/8" tbg. Tgd CICR @ 1,815'. RU pwr swivel. Estb circ w/2% KCl wtr. DO CICR @ 1,815'. DO cmt fr/1,818' - 1,851' (33' hd cmt). Circ 30". RD pwr swivel. TOH w/10 jts 2-7/8" tbg. SWI. SDFWE.

2/20/07 TIH w/10 jts 2-7/8" tbg. Tgd cmt @ 1,851'. RU pwr swivel. Estb circ w/FW. DO cmt fr/1,851' - 1,958' BOC (107' hd cmt). Circ w/80 BFW. RD pwr swivel. TOH w/56 jts 2-7/8" tbg, XO, 6 - 3-1/2" DCs,

Stanolind GC #1 Sundry dated 3/22/07

XO & bit. TIH w/HD pkr, XO, SN & 57 jts 2-7/8" tbg. Set pkr @ 1,822'. PT sqz perfs fr/1,914' - 1,944' to 550 psig. Press dropd fr/550 psig - 0 psig in 1". EIR into perfs fr/1,914' - 1,944' @ 0.5 BPM & 650 psig w/6 BFW. PT TCA w/1 BFW to 600 psig fr/1,822' - surf for 30". Press dropd fr/600 psig - 300 psig in 10" (sqzd perfs fr/1,750' - 1,797', did not tst). Rlsd pkr @ 1,822'. TOH w/4 jts 2-7/8" tbg. Set pkr @ 1,696'. PT TCA w/1 BFW to 600 psig for 30" (sqzd perfs fr/1,634' - 38'). Tstd OK. Rlsd press. Rlsd pkr @ 1,696'. TOH w/pkr, XO, SN & 53 jts 2-7/8" tbg. SWI. SDFN.

2/21/07 TIH w/SN & 60 jts 2-7/8" tbg. SN @ 1,911'. RU swb tls for neg swb tst. BFL 900' FS. S. 0 BO, 39 BLW, 13 runs, 3 hrs. FFL 1,500' FS. SD 1 hr. RIH & tgd FL @ 1,400' FS, w/4 bbls fld entry. BFL 1,400' FS. S. 0 BO, 5 BLW, 1 run, 1 hr. FFL 1,500' FS. SD 1 hr. RIH & tgd FL @ 1,400' FS, w/4 bbls fld entry). POH w/swb tls. RD swb tls. TOH w/10 jts 2-7/8" tbg. Load TCA w/50 BFW. Monitor csg press during Stanolind B #5 frac, w/no flwg fr/csg vlv. SWI. SDFN.

2/22/07 TIH w/10 jts 2-7/8" tbg. SN @ 1,911'. RU swb tls for neg swb tst. BFL 1,000' FS. S. 0 BO, 42 BLW, 13 runs, 3 hrs. FFL 1,500' FS, w/lt gas blw after ea run). SD 1 hr. RIH & tgd FL @ 1,400' FS, w/4 bbls fld entry. S. 0 BO, 4 BLW, 1 run, 1 hr. FFL 1,500' FS. SD 1 hr. RIH & tgd FL @ 1,400' FS, w/3 bbls fld entry. BFL 1,400' FS. S. 0 BO, 3 BLW, 1 run, 1 hr. FFL 1,500' FS. RD swb tls. TOH w/60 jts 2-7/8" tbg & SN. Rptd to Henry Villanueva w/NMOCD @ 9:00 am & left message on BLM cmt ln @ 9:15 a.m. 2/20/07 to resqz perfs fr/1,750' - 1,944' on 2/22/07 @ 9:00 .m. w/Seal Maker psi 300. SWI. SDFN.

2/23/07 TIH w/1 jt 2-7/8" tbg, HD pkr, 60 jts 2-7/8" tbg & 2-7/8" x 8' tbg sub. EOT @ 1,955' (pkr @ 1,925'). Circ w/35 BFW. MIRU 300 PSI pmp trk. Ppd dwn tbg w/300 gals Vortex A, Vortex B & Seal Maker. Flshd dwn tbg w/7 BFW. TOH w/2-7/8" tbg sub & 3 jts 2-7/8" tbg. Set pkr @ 1,822'. Flshd dwn tbg w/4 BFW (sqz perfs fr/1,914' - 1,944'). Sqzd 4 bbls chem into perfs. Rlsd pkr @ 1,822'. Ppd dwn tbg w/1,250 gals Vortex A, Vortex B & Seal Maker. Flshd dwn tbg w/10 BFW. TOH w/26 jts 2-7/8" tbg. Circ w/8 BFW. Set pkr @ 997' (EOT @ 1,028'). Ppd dwn tbg w/4BFW @ 0.5 BPM & 400 psig. Sqz perfs fr/1,634' - 1,944'. Set N2 w/regulator @ 650 psig fr/sqz. RDMO 300 PSI pmp trk. Ron Snow w/BLM on loc & witnessed operations. SWI. SDFN. 48 BLWTR.

2/24/07 Rlsd pkr @ 997'. PT csg fr/surf - 1,980' w/8 BFW to 550 psig. Press dropd fr/550 psig - 440 psig in 30". Set pkr @ 997'. Set N2 regulator to 750 psig to sqz. Chngd out csg vlvs. SWI. SDFN.

2/25/07 Bd well. Rlsd pkr @ 997'. TIH w/16 jts 2-7/8" tbg. Circ w/55 BFW. EOT @ 1,503' FS. PT csg to 505 psig. Press dropd fr/505 psig - 400 psig in 30". PT csg to 610 psig. Press dropd fr/610 psig - 420 psig in 30". PT csg to 550 psig. Press dropd fr/550 psig - 420 psig in 30". Left 600 psig on csg. Rptd to Henry Villanueva w/NMOCD @ 11:00 am & left message on BLM cmt ln @ 11:15 a.m. 2/24/07 to resqz perfs fr/1,634' - 1,944' on 2/26/07 @ 9:00 a.m. w/Seal Maker psi 300. SWI. SDFN.

2/26/07 MIRU H&M Precision pmp trk. PT csg to 550 psig. Press dropd fr/550 psig - 430 psig in 30". PT csg to 550 psig. Press dropd fr/500 psig - 420 psig in 30". PT csg to 550 psig. Press dropd fr/550 psig - 420 psig in 30". RDMO H&M Precision pmp trk. Left 600 psig on csg. SWI. SDFN.

Stanolind GC #1 Sundry dated 3/22/07

2/27/07 TIH w/10 jts 2-7/8" tbg. Set pkr @ 1,822'. PT csg to 600 psig fr/1,822' - 1,980' CBP. Press dropd fr/600 psig - 340 psig in 30". Sqzd perfs fr/1,914' - 1,944', did not tst. PT TCA fr/1,822' - surf to 560 psig. Sqzd perfs fr/1,634' - 1,638' & 1,750' - 1,797', tstd OK. Rlsd press. Rlsd pkr @ 1,822'. TIH w/3 jts tbg. Tgd @ 1,940'. TOH w/59 jts tbg, HD pkr & 1 jt tbg. TIH w/6-1/4" bit, XO & 60 jts tbg. Tgd @ 1,940'. RU pwr swivel. Estb circ w/FW. CO fr/1,940' - 1,970'. TOH w/1 jt tbg (EOT @ 1,950'). Circ well w/85 BFW. MIRU 300 PSI pmp trk. Ppd dwn tbg w/1,200 gals Vortex A, Vortex B & Seal Maker. Flshd dwn tbg w/6.5 BFW. TOH w/62 jts tbg, XO & bit. TIH w/HD pkr, XO & 31 jts tbg. Set pkr @ 997'. Ppd dwn tbg w/1 BFW @ 0.5 BPM & 550 psig. Sqzd perfs fr/1,634' - 1,944'. Set N2 regulator to 700 psig for sqz. RDMO 300 PSI pmp trk. SWI. SDFN.

2/28/07 Bd well. Rlsd pkr @ 997'. TIH w/4 jts 2-7/8" tbg (EOT @ 1,122'). Circ w/45 BFW. PT csg fr/1,980' CBP - surf to 550 psig. Press dropd fr/550 psig - 400 psig in 30". Set pkr @ 1,122'. Ppd dwn tbg w/0.5 BPM & 1,000 psig. Sqz FC perfs fr/1,634' - 1,638', 1,750' - 1,797' & 1,914' - 1,944'. Set N2 regulator to 1,000 psig to sqz. Ti spot in csg @ 1,940'. SWI. SDFN.

3/1/07 Bd well. Ppd dwn tbg w/3 BFW. Sqzd 3 bbls Seal Maker into perfs. Rlsd pkr @ 1,122'. TIH w/4 jts 2-7/8" tbg (EOT @ 1,246'). Circ w/50 BFW. PT csg fr/surf to 1,980' (CIBP) to 595 psig for 30" w/chart. Tstd OK. Sqz FC perfs fr/1,634' - 1,638', 1,750' - 1,797' & 1,914' - 1,944'. Tstd OK. Rlsd press. TOH w/39 jts 2-7/8" tbg, SN, XO & HD pkr. TIH w/6-1/4" bit, XO & 60 jts tbg. (SN @ 1,911'. EOT @ 1,915'). MIRU Precision AFU. Estb circ w/AFU. Recd 70 BLW w/AFU. RD AFU. RU swb tls. Made 2 swb runs. Recd 0 bbls fld. SD 2 hrs. RIH & tgd FL @ 1,911' FS (0 bbls fld entry). S. 0 BO, 0 BLW. RD swb tls. SWI. SDFN.

3/2/07 RIH & tgd FL @ 1,911' SN (0 bbls fld entry). Made 2 swb runs. Recd 0 bbls fld. FC Perfs P&A'd.

3/8/07 SITP 0 psig. SICP 0 psig. TOH & LD w/70 jts 2-7/8" tbg, XO, 6 - 3-1/2" DCs, XO & bit. ND BOP. NU WH. SWI. RDMO Drake Rig #28. 48 BLWTR.