

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: Louis.E.Hasely@conocophillips.com  
Address: 3401 East 30<sup>th</sup> Street, Farmington, New Mexico, 87402  
Facility or well name: Huerfano Unit #173 API #: 30045202160000 U/L or Qtr/Qtr O Sec 13 T 26N R 10W  
County: San Juan Latitude 36.483669 Longitude -107.8438 NAD: 1927 ☒ 1983 ☐  
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐ **RCVD MAR27'07**

**Pit**

Type: Drilling ☐ Production ☒ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☐

Liner type: Synthetic ☐ Thickness \_\_\_\_\_ mil Clay ☐

Pit Volume \_\_\_\_\_ bbl

**Below-grade tank**

Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil

Construction material: Fiberglass

Double-walled, with leak detection? Yes ☐ If not, explain why not.

No. Tank in place prior to Rule 50.

**OIL CONS. DIV.**

**DIST. 3**

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	( 0 points)	0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	
	No	( 0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	( 0 points)	0
<b>Ranking Score (Total Points)</b>			0

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Soil passed TPH in field, BTEX sample attached

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 3/20/07

Printed Name/Title Mr. Ed Hasely, Environmental Advisor

Signature Ed Hasely

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: Oil & Gas Inspector, DIST. 3

Printed Name/Title \_\_\_\_\_

Signature Bob Roll

Date: MAR 27 2007

CLIENT: _____	<b>ENVIROTECH INC.</b> <small>ENVIRONMENTAL SCIENTISTS &amp; ENGINEERS          5796 U.S. HIGHWAY 64-3014          FARMINGTON, NEW MEXICO 87401          PHONE: (505) 632-0615</small>	LOCATION NO: _____  C.O.C. NO: _____
---------------	---	--

<b>FIELD REPORT: CLOSURE VERIFICATION</b>	PAGE No: <u>1</u> of <u>1</u>
---	-------------------------------

LOCATION: NAME: <u>Huertano Unit</u> WELL #: <u>173</u> PIT: <u>sep</u> QUAD/UNIT: _____ SEC: <u>13</u> TWP: <u>26N</u> RNG: <u>10W</u> PM: <u>NMPM</u> CNTY: <u>San Juan</u> ST: <u>NM</u> QTR/FOOTAGE: <u>990 FSL 1500 FEL</u> CONTRACTOR: <u>Barley's</u>	DATE STARTED: <u>2/7/07</u> DATE FINISHED: <u>2/7/07</u> ENVIRONMENTAL SPECIALIST: <u>GWC</u>
--	---


EXCAVATION APPROX. <u>0</u> FT. x <u>0</u> FT. x <u>0</u> FT. DEEP.	CUBIC YARDAGE: <u>0</u>	
DISPOSAL FACILITY: <u>N/A</u>	REMEDATION METHOD: <u>N/A</u>	
LAND USE: <u>grazing</u>	LEASE: _____	FORMATION: _____

FIELD NOTES & REMARKS:	PIT LOCATED APPROXIMATELY <u>86'</u> FT. <u>25°</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>&gt;100</u> NEAREST WATER SOURCE: <u>&gt;1000</u> NEAREST SURFACE WATER: <u>&gt;1000</u> NMCD RANKING SCORE: <u>0</u> NMCD TPH CLOSURE STD: <u>5,000</u> PPM	
SOIL AND EXCAVATION DESCRIPTION:	CHECK ONE : <input type="checkbox"/> PIT ABANDONED <input checked="" type="checkbox"/> STEEL TANK INSTALLED	

Soil visually stained with strong odor  
 - passed TPH in field, BTEX sample taken to lab

FIELD 418.1 CALCULATIONS



TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
1350	Bottom 3' Below	BGT	5.0	20	4	411	1644
	200 steel						194

SCALE  
  
 0 FT

PIT PERIMETER

OVM  
RESULTS

PIT PROFILE

	<table border="1" style="width:100%"> <tr> <th>SAMPLE ID</th><th>FIELD HEADSPACE PID (ppm)</th></tr> <tr><td>1 bottom</td><td>1563</td></tr> <tr><td>2</td><td></td></tr> <tr><td>3</td><td></td></tr> <tr><td>4</td><td></td></tr> <tr><td>5</td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </table> <table border="1" style="width:100%"> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th><th>ANALYSIS</th><th>TIME</th></tr> <tr> <td>Bottom</td><td>8021</td><td>1350</td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 bottom	1563	2		3		4		5												LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME	Bottom	8021	1350													 <p style="text-align: center;">x- bottom sample</p>
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																												
1 bottom	1563																																												
2																																													
3																																													
4																																													
5																																													
LAB SAMPLES																																													
SAMPLE ID	ANALYSIS	TIME																																											
Bottom	8021	1350																																											

TRAVEL NOTES: CALLOUT: \_\_\_\_\_ ONSITE: \_\_\_\_\_

EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS

Client:	Burlington	Project #:	92115-121-024
Sample No.:	1	Date Reported:	2/8/2007
Sample ID:	Discrete, 3' Below BGT	Date Sampled:	2/7/2007
Sample Matrix:	Soil	Date Analyzed:	2/7/2007
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------


Total Petroleum Hydrocarbons	1,640	5.0
------------------------------	-------	-----


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Huerfano Unit # 173**

Instrument callibrated to 200 ppm standard. Zeroed before each sample

  
Analyst


  
Review

CONTINUOUS CALIBRATION  
EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS


Cal. Date: 7-Feb-07

Parameter	Standard Concentration mg/L	Concentration Reading mg/L
TPH	100	194
	200	
	500	
	1000	

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

  
\_\_\_\_\_  
Analyst

2/14/07  
\_\_\_\_\_  
Date

  
\_\_\_\_\_  
Review

02/15/07  
\_\_\_\_\_  
Date

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-121-024
Sample ID:	Bottom 8' BGS	Date Reported:	02-09-07
Laboratory Number:	40014	Date Sampled:	02-07-07
Chain of Custody:	2071	Date Received:	02-07-07
Sample Matrix:	Soil	Date Analyzed:	02-09-07
Preservative:	Cool	Date Extracted:	02-08-07
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	16.6	1.8
Toluene	177	1.7
Ethylbenzene	758	1.5
p,m-Xylene	2,220	2.2
o-Xylene	295	1.0
Total BTEX	3,470	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Huerfano 173

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	02-09-BTEX QA/QC	Date Reported:	02-09-07
Laboratory Number:	40013	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	02-09-07
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc	Detect. Limit
		Accept: Range 0 - 15%			
Benzene	2.9088E+007	2.9147E+007	0.2%	ND	0.2
Toluene	5.8370E+007	5.8487E+007	0.2%	ND	0.2
Ethylbenzene	2.5145E+007	2.5196E+007	0.2%	ND	0.2
p,m-Xylene	1.1931E+008	1.1954E+008	0.2%	ND	0.2
o-Xylene	5.6458E+007	5.6571E+007	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	1.8
Toluene	2.7	2.7	0.0%	0 - 30%	1.7
Ethylbenzene	5.3	5.3	0.0%	0 - 30%	1.5
p,m-Xylene	20.1	20.0	0.5%	0 - 30%	2.2
o-Xylene	11.4	11.4	0.0%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	50.0	50.0	100.0%	39 - 150
Toluene	2.7	50.0	52.6	99.8%	46 - 148
Ethylbenzene	5.3	50.0	55.2	99.8%	32 - 160
p,m-Xylene	20.1	100	120	99.8%	46 - 148
o-Xylene	11.4	50.0	61.3	99.8%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.  
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 40013 - 40014, 40034

  
Analyst

  
Review

2071

san juan reproduction 578-1299