

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP AMERICA PROD. CO.</u> Telephone: <u>(505) 326-9200</u>		RCVD MAR 6 '07 OIL CONS. DIV. DIST. 3						
Address: <u>200 Energy Court, Farmington, NM 87410</u>								
Facility or well name: <u>CHILDERS #3E</u> API #: <u>30-045-25623</u> U/L or Qtr/Qtr <u>O</u> Sec <u>3</u> T <u>31N</u> R <u>11W</u>								
County: <u>San Juan</u> Latitude <u>36.92365</u> Longitude <u>107.97417</u> NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐								
<table border="1"><thead><tr><th>Pit</th><th>Below-grade tank</th></tr></thead><tbody><tr><td>Type: Drilling ☐ Production ☒ Disposal ☐ SEPARATOR Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type: Synthetic ☐ Thickness _____ mil Clay ☐ Volume _____ bbl</td><td>Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled with leak detection? Yes ☒ If not, explain why not.</td></tr></tbody></table>			Pit	Below-grade tank	Type: Drilling ☐ Production ☒ Disposal ☐ SEPARATOR Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type: Synthetic ☐ Thickness _____ mil Clay ☐ Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled with leak detection? Yes ☒ If not, explain why not.		
Pit	Below-grade tank							
Type: Drilling ☐ Production ☒ Disposal ☐ SEPARATOR Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type: Synthetic ☐ Thickness _____ mil Clay ☐ Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled with leak detection? Yes ☒ If not, explain why not.							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)		<table border="1"><tr><td>Less than 50 feet</td><td>(20 points)</td></tr><tr><td>50 feet or more, but less than 100 feet</td><td>(10 points)</td></tr><tr><td>100 feet or more</td><td>(0 points)</td></tr></table> 20	Less than 50 feet	(20 points)	50 feet or more, but less than 100 feet	(10 points)	100 feet or more	(0 points)
Less than 50 feet	(20 points)							
50 feet or more, but less than 100 feet	(10 points)							
100 feet or more	(0 points)							
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)		<table border="1"><tr><td>Yes</td><td>(20 points)</td></tr><tr><td>No</td><td>(0 points)</td></tr></table> 0	Yes	(20 points)	No	(0 points)		
Yes	(20 points)							
No	(0 points)							
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)		<table border="1"><tr><td>Less than 200 feet</td><td>(20 points)</td></tr><tr><td>200 feet or more, but less than 1000 feet</td><td>(10 points)</td></tr><tr><td>1000 feet or more</td><td>(0 points)</td></tr></table> 0	Less than 200 feet	(20 points)	200 feet or more, but less than 1000 feet	(10 points)	1000 feet or more	(0 points)
Less than 200 feet	(20 points)							
200 feet or more, but less than 1000 feet	(10 points)							
1000 feet or more	(0 points)							
Ranking Score (Total Points)		20						

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 06/12/04



Printed Name/Title Jeff Blagg - P.E. # 11607 Signature _____

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date: MAR 06 2007

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 3 Signature _____

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80966</u> COCR NO: <u>11659</u>																																																						
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																																						
LOCATION: NAME: <u>CHILDERS</u> WELL #: <u>3E</u> TYPE: <u>SEP.</u> QUAD/UNIT: <u>0</u> SEC: <u>3</u> TWP: <u>31N</u> RNG: <u>11W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>290'S / 1730'E</u> SW/SE CONTRACTOR: <u>HOI (EDGAR)</u>		DATE STARTED: <u>2/11/04</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>																																																						
EXCAVATION APPROX. <u>15</u> FT. x <u>15</u> FT. x <u>4.5</u> FT. DEEP. CUBIC YARDAGE: <u>35</u>																																																								
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LANDFARM</u>																																																								
LAND USE: <u>RANGE - BLM</u> LEASE: <u>54078040</u> FORMATION: <u>OK</u>																																																								
FIELD NOTES & REMARKS: <u>PIT LOCATED APPROXIMATELY 96 FT. N59W FROM WELLHEAD.</u>																																																								
DEPTH TO GROUNDWATER: <u>2100' ± 207</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>>1000'</u>																																																								
NMOCD RANKING SCORE: <u>8</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM <u>100 ± 207</u>																																																								
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>53.6</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>9:10</u> am/pm DATE: <u>2/10/04</u>																																																						
SOIL TYPE: <u>(SAND) SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER</u> <u>BEDROCK (SANDSTONE)</u> SOIL COLOR: <u>OLIVE GRAY TO BLACK</u> <u>BEDROCK - LT. GRAY</u> COHESION (ALL OTHERS): <u>(NON COHESIVE) / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE</u> CONSISTENCY (NON COHESIVE SOILS): <u>(LOOSE) / FIRM / DENSE / VERY DENSE</u> PLASTICITY (CLAYS): <u>NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC</u> DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT / FIRM / STIFF / VERY STIFF / HARD</u> MOISTURE: <u>DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED</u> DISCOLORATION/STAINING OBSERVED: <u>YES / NO</u> EXPLANATION: <u>EXCAVATED SOIL + BEDROCK SURFACE</u> HC ODOR DETECTED: <u>YES / NO</u> EXPLANATION: <u>EXCAVATED SOIL + OVM TANK</u> SAMPLE TYPE: <u>GRAB / COMPOSITE - # OF PTS.</u> ADDITIONAL COMMENTS: <u>PIT SUPER SATURATED FROM RECENT PRECIPITATION. COLLECTED SAMPLE FROM SLIGHTLY MOIST BEDROCK SURFACE. BEDROCK - HARD, SLIGHTLY FRAGILE.</u>																																																								
FIELD 418.1 CALCULATIONS																																																								
SCALE 	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>								SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																								
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																																	
PIT PERIMETER	PIT PROFILE																																																							
	OVM READING																																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 9'</td><td>428</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> </tbody> </table>				SAMPLE ID					FIELD HEADSPACE (ppm)	1 @ 9'	428	2 @		3 @		4 @		5 @																																						
SAMPLE ID	FIELD HEADSPACE (ppm)																																																							
1 @ 9'	428																																																							
2 @																																																								
3 @																																																								
4 @																																																								
5 @																																																								
LAB SAMPLES																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>1 @ 9'</td><td>TPH (80158)</td><td>0930</td></tr> <tr><td>"</td><td>STEX (80118)</td><td>"</td></tr> <tr><td>"</td><td>STEX (80118)</td><td>"</td></tr> <tr><td>"</td><td>STEX (80118)</td><td>"</td></tr> <tr><td>"</td><td>STEX (80118)</td><td>"</td></tr> <tr><td>"</td><td>STEX (80118)</td><td>"</td></tr> </tbody> </table>								SAMPLE ID	ANALYSIS	TIME	1 @ 9'	TPH (80158)	0930	"	STEX (80118)	"	"	STEX (80118)	"	"	STEX (80118)	"	"	STEX (80118)	"	"	STEX (80118)	"																												
SAMPLE ID	ANALYSIS	TIME																																																						
1 @ 9'	TPH (80158)	0930																																																						
"	STEX (80118)	"																																																						
"	STEX (80118)	"																																																						
"	STEX (80118)	"																																																						
"	STEX (80118)	"																																																						
"	STEX (80118)	"																																																						
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; 8 = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM								TRAVEL NOTES:																																																
CALLOUT: <u>2/9/04 - AFTER.</u>								ONSITE: <u>2/11/04 - MORN. (SCHEDULED)</u>																																																

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	02-12-04
Laboratory Number:	27829	Date Sampled:	02-11-04
Chain of Custody No:	11659	Date Received:	02-11-04
Sample Matrix:	Soil	Date Extracted:	02-11-04
Preservative:	Cool	Date Analyzed:	02-12-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1,490	0.2
Diesel Range (C10 - C28)	257	0.1
Total Petroleum Hydrocarbons	1,750	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Childers #3E Separator Pit Grab Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	02-12-04
Laboratory Number:	27829	Date Sampled:	02-11-04
Chain of Custody:	11659	Date Received:	02-11-04
Sample Matrix:	Soil	Date Analyzed:	02-12-04
Preservative:	Cool	Date Extracted:	02-11-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	155	1.8
Toluene	2,100	1.7
Ethylbenzene	1,380	1.5
p,m-Xylene	2,690	2.2
o-Xylene	1,480	1.0
Total BTEX	7,810	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Childers #3E Separator Pit Grab Sample.


Analyst


Review

CLIENT: BPBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO: 80966C.O.C. NO: 14536

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: CHILDERS WELL #: 3E PITS: BLW SEP DATE STARTED: 2/23/06
QUAD/UNIT: 0 SEC: 3 TWP: 31N RNG: 11W PM: NM CNTY: ST ST: NM DATE FINISHED: _____
QTR/FOOTAGE: _____ SW/SE CONTRACTOR: HDI ENVIRONMENTAL SPECIALIST: NU


SOIL REMEDIATION:

REMEDIATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: _____

LAND USE: LAKE - BLWLIFT DEPTH (ft): 1-2FIELD NOTES & REMARKS: DEPTH TO GROUNDWATER: >100' NEAREST SURFACE WATER: >1000'
NEAREST WATER SOURCE: >1000' NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5,000 PPMSOIL TYPE: SAND SILTY SAND SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____
SOIL COLOR: VERY PALE ORANGE TO PALE YELL. BROWN
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE COHESIVE / HIGHLY COHESIVE
CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM DENSE / VERY DENSE
~~PLASTICITY (CLAYS):~~ NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
~~DENSITY (COHESIVE CLAYS & SILTS):~~ SOFT / FIRM / STIFF / VERY STIFF / HARD
MOISTURE: DRY / SLIGHTLY MOIST / MOIST WET / SATURATED / SUPER SATURATED
DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - SOME BLACK IN SAMP. PT. (3) ONLY
HC ODOR DETECTED: YES / NO EXPLANATION - DISCOLORED PORTION OF SAMP. PT. (3)
SAMPLING DEPTHS (LANDFARMS): 6-18 (INCHES)
SAMPLE TYPE: GRAB COMPOSITE # OF PTS. 5 **CLOSED**
ADDITIONAL COMMENTS: _____

SKETCH/SAMPLE LOCATIONS

OVM CALIB. READ = 53.3 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 11:00 am/pm DATE: 2/20/06

OVM RESULTS

SAMPLE ID	FIELD HEADSPACE (ppm)
LF-1	141.4

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME	RESULTS (ppm)
LF-1	TPH (80158)	1005	490
"	BENZENE	"	0.040
"	TOT. BTEX	"	3.05

SCALE

0 FT

P.C. - 2/11/04

TRAVEL NOTES: CALLOUT: N/AONSITE: 2/23/06

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	02-24-06
Laboratory Number:	36313	Date Sampled:	02-23-06
Chain of Custody No:	14536	Date Received:	02-23-06
Sample Matrix:	Soil	Date Extracted:	02-23-06
Preservative:	Cool	Date Analyzed:	02-24-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	130	0.2
Diesel Range (C10 - C28)	360	0.1
Total Petroleum Hydrocarbons	490	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Childers #3E Landfarm 5 Pt. Composite Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	02-24-06
Laboratory Number:	36313	Date Sampled:	02-23-06
Chain of Custody:	14536	Date Received:	02-23-06
Sample Matrix:	Soil	Date Analyzed:	02-24-06
Preservative:	Cool	Date Extracted:	02-23-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	40.0	1.8
Toluene	615	1.7
Ethylbenzene	291	1.5
p,m-Xylene	1,550	2.2
o-Xylene	552	1.0
Total BTEX	3,050	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Childers #3E Landfarm 5 Pt. Composite Sample.


Analyst


Review