

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

207 FEB -7 AM 6:21

SUBMIT IN TRIPLICATE - Other instructions on reverse side

RECEIVED

210 PM

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		7. If Unit or CA/Agreement, Name and/or No.
2. Name of Operator Energen Resources Corporation		8. Well Name and No. Carracas 19 B #10
3a. Address 2198 Bloomfield Hwy, Farmington, NM 87401	3b. Phone No. (include area code) 505-325-6800	9. API Well No. 30-039-27565
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) At surface: 1510' fsl, 1350' fel 19-32N-4W At bottom: 2630' fsl, 660' fel		10. Field and Pool, or Exploratory Area Basin Fruitland Coal
		11. County or Parish, State Rio Arriba NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

- | | | | |
|---|---|--|---|
| <input type="checkbox"/> Acidize | <input type="checkbox"/> Deepen | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Alter Casing | <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Reclamation | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> New Construction | <input checked="" type="checkbox"/> Recomplete | <input type="checkbox"/> Other |
| <input type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon | |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back | <input type="checkbox"/> Water Disposal | |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

Energen Resources would like to do a recompletion of the Carracas 19 B #10 as follows:


- Set a bridge plug and retrievable mechanical set whipstock at 3848' TVD.
 - Mill a 6 1/4" window in the existing 7" 20 ppf intermediate casing.
 - Drill a 6 1/4" wellbore with a build up rate of 24.9 deg/100 ft.
 - Land curve at 90 deg in the Fruitland Coal at 4078' TVD.
 - Drill remaining lateral to TD of 5294' MD, 4078' TVD according to the attached directional plan.
 - Run a 2 1/2" 9-3 ppf, J-55 pre-drilled uncemented liner from 3850'-5294' MD.
- 4 1/2" J-55, STC, 116 ppf

RCVD APR 6 '07
OIL CONS. DIV.
DIST. 3

No below grade drilling pit will be constructed. This recompletion will be done using a closed loop system.

HOLD C104 FOR

directional survey +
BH survey

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Nathan Smith	Title Drilling Engineer
	Date 2/5/07

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by Original Signed: Stephen Mason	Title	Date APR 05 2007
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-039-27565		Pool Code 71629	Pool Name Basin Fruitland Coal
Property Code	Property Name Carracas 19 B		Well Number #10
OGRID No. 162928	Operator Name Energen Resources Corporation		Elevation 7367'

10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	19	32N	04W		1510'	South	1350'	East	Rio Arriba


11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	19	32N	04W		2630'	South	660'	East	Rio Arriba

" Dedicated Acres	" Joint or Infill	" Consolidation Code	" Order No.
320 E/2			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

1156.98 1320.00 2640.00

<div style="writing-mode: vertical-rl; transform: rotate(180deg);">5280.00</div> <div style="text-align: center; font-size: 2em;">19</div>	<p>17 OPERATOR CERTIFICATION</p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p> 1/8/2007</p> <p>Signature Date</p> <p>Nathan Smith</p> <p>Printed Name</p>
	<p>18 SURVEYOR CERTIFICATION</p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>October 16, 2003</p> <p>Date of Survey</p> <p>Signature and Seal of Professional Surveyor:</p> <p>Original survey conducted and recorded by Jason C. Edwards</p> <p>15269</p> <p>Certificate Number</p>

Energen Resources

Carson Natl Forest; S19, T32N, R4W

Carracas Mesa

Carracas 19 B #10

Carracas 19 B #10 ST

API No.: 30-039-27565


Plan: Preliminary Design

Energen Resources - Survey

01 February, 2007



Project: Carson Natl Forest; S19, T32N, R4
Site: Carracas Mesa
Well: Carracas 19 B #10
Wellbore: Carracas 19 B #10 ST
Plan: Preliminary Design (Carracas 19 B #10/Carracas 19 B #10 ST)





PROJECT DETAILS: Carson Natl Forest; S19, T32N, R4W	
Geodetic System:	US State Plane 1983
Datum:	North American Datum 1983
Ellipsoid:	GRS 1980
Zone:	New Mexico Western Zone
System Datum:	Mean Sea Level

SURFACE LOCATION	
Easting:	0.00
Northing:	0.00

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N-S	+E-W	DLeg	TFace	VSec	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	3848.0	0.00	0.00	3848.0	0.0	0.0	0.00	0.00	0.0	KOP
3	4209.3	90.00	31.64	4078.0	195.8	120.7	24.91	31.64	230.0	Land Curve
4	5294.3	90.00	31.64	4078.0	1119.5	689.8	0.00	0.00	1315.0	TD Lateral



Energen

Energen Resources - Survey



Company: Energen Resources
Project: Carson Natl Forest; S19, T32N, R4W
Site: Carracas Mesa
Well: Carracas 19 B #10
Wellbore: Carracas 19 B #10 ST
Design: Preliminary Design

Local Co-ordinate Reference: Well Carracas 19 B #10
TVD Reference: KB @ 7382.0ft (Drilling Rig)
MD Reference: KB @ 7382.0ft (Drilling Rig)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 2003.16 Single User Db

Project	Carson Natl Forest; S19, T32N, R4W		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site	Carracas Mesa		
Site Position:		Northing:	ft
From:	None	Easting:	ft
Position Uncertainty:	0.0 ft	Slot Radius:	"
		Latitude:	
		Longitude:	
		Grid Convergence:	0.00 °

Well	Carracas 19 B #10		
Well Position	+N/-S	0.0 ft	Northing: 0.00 ft
	+E/-W	0.0 ft	Easting: 0.00 ft
Position Uncertainty	0.0 ft	Wellhead Elevation:	7,367.0 ft
		Ground Level:	7,367.0 ft

Wellbore	Carracas 19 B #10 ST		
Magnetics	Model Name	Sample Date	Declination (°)
	User Defined	2/1/2007	0.00
			Dip Angle (°)
			0.00
			Field Strength (nT)
			0

Design	Preliminary Design		
Audit Notes:			
Version:	Phase:	PROTOTYPE	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)
	0.0	0.0	0.0
			Direction (°)
			31.64

Survey Tool Program	Date 2/1/2007		
From (ft)	To (ft)	Survey (Wellbore)	Tool Name
0.0	5,294.3	Preliminary Design (Carracas 19 B #10 ST)	MWD
			Description
			MWD - Standard

Planned Survey						
MD (ft)	TVD (ft)	Inc (°)	Azi (°)	V. Sec (ft)	N/S (ft)	E/W (ft)
0.0	0.0	0.00	0.00	0.0	0.0	0.0
100.0	100.0	0.00	0.00	0.0	0.0	0.0
200.0	200.0	0.00	0.00	0.0	0.0	0.0
300.0	300.0	0.00	0.00	0.0	0.0	0.0
400.0	400.0	0.00	0.00	0.0	0.0	0.0
500.0	500.0	0.00	0.00	0.0	0.0	0.0
600.0	600.0	0.00	0.00	0.0	0.0	0.0
700.0	700.0	0.00	0.00	0.0	0.0	0.0
800.0	800.0	0.00	0.00	0.0	0.0	0.0
900.0	900.0	0.00	0.00	0.0	0.0	0.0
1,000.0	1,000.0	0.00	0.00	0.0	0.0	0.0
1,100.0	1,100.0	0.00	0.00	0.0	0.0	0.0

Energen

Energen Resources - Survey



Company: Energen Resources
Project: Carson Natl Forest; S19, T32N, R4W
Site: Carracas Mesa
Well: Carracas 19 B #10
Wellbore: Carracas 19 B #10 ST
Design: Preliminary Design

Local Co-ordinate Reference: Well Carracas 19 B #10
TVD Reference: KB @ 7382.0ft (Drilling Rig)
MD Reference: KB @ 7382.0ft (Drilling Rig)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 2003.16 Single User Db

Planned Survey

MD (ft)	TVD (ft)	Inc (°)	Azi (°)	V. Sec (ft)	N/S (ft)	E/W (ft)
1,200.0	1,200.0	0.00	0.00	0.0	0.0	0.0
1,300.0	1,300.0	0.00	0.00	0.0	0.0	0.0
1,400.0	1,400.0	0.00	0.00	0.0	0.0	0.0
1,500.0	1,500.0	0.00	0.00	0.0	0.0	0.0
1,600.0	1,600.0	0.00	0.00	0.0	0.0	0.0
1,700.0	1,700.0	0.00	0.00	0.0	0.0	0.0
1,800.0	1,800.0	0.00	0.00	0.0	0.0	0.0
1,900.0	1,900.0	0.00	0.00	0.0	0.0	0.0
2,000.0	2,000.0	0.00	0.00	0.0	0.0	0.0
2,100.0	2,100.0	0.00	0.00	0.0	0.0	0.0
2,200.0	2,200.0	0.00	0.00	0.0	0.0	0.0
2,300.0	2,300.0	0.00	0.00	0.0	0.0	0.0
2,400.0	2,400.0	0.00	0.00	0.0	0.0	0.0
2,500.0	2,500.0	0.00	0.00	0.0	0.0	0.0
2,600.0	2,600.0	0.00	0.00	0.0	0.0	0.0
2,700.0	2,700.0	0.00	0.00	0.0	0.0	0.0
2,800.0	2,800.0	0.00	0.00	0.0	0.0	0.0
2,900.0	2,900.0	0.00	0.00	0.0	0.0	0.0
3,000.0	3,000.0	0.00	0.00	0.0	0.0	0.0
3,100.0	3,100.0	0.00	0.00	0.0	0.0	0.0
3,200.0	3,200.0	0.00	0.00	0.0	0.0	0.0
3,300.0	3,300.0	0.00	0.00	0.0	0.0	0.0
3,400.0	3,400.0	0.00	0.00	0.0	0.0	0.0
3,500.0	3,500.0	0.00	0.00	0.0	0.0	0.0
3,600.0	3,600.0	0.00	0.00	0.0	0.0	0.0
3,700.0	3,700.0	0.00	0.00	0.0	0.0	0.0
3,800.0	3,800.0	0.00	0.00	0.0	0.0	0.0
3,848.0	3,848.0	0.00	0.00	0.0	0.0	0.0
KOP						
3,860.0	3,860.0	2.99	31.64	0.3	0.3	0.2
3,880.0	3,879.9	7.97	31.64	2.2	1.9	1.2
3,900.0	3,899.6	12.95	31.64	5.9	5.0	3.1
3,920.0	3,918.8	17.94	31.64	11.2	9.5	5.9
3,940.0	3,937.6	22.92	31.64	18.2	15.5	9.5
3,960.0	3,955.6	27.90	31.64	26.7	22.8	14.0
3,980.0	3,972.9	32.88	31.64	36.8	31.4	19.3
4,000.0	3,989.2	37.87	31.64	48.4	41.2	25.4
4,020.0	4,004.4	42.85	31.64	61.4	52.2	32.2
4,040.0	4,018.5	47.83	31.64	75.6	64.4	39.7
4,060.0	4,031.2	52.81	31.64	91.0	77.5	47.7
4,080.0	4,042.6	57.79	31.64	107.4	91.5	56.3
4,100.0	4,052.5	62.78	31.64	124.8	106.2	65.5
4,120.0	4,060.9	67.76	31.64	142.9	121.7	75.0
4,140.0	4,067.6	72.74	31.64	161.8	137.7	84.9

Energen

Energen Resources - Survey



Company: Energen Resources
Project: Carson Natl Forest; S19, T32N, R4W
Site: Carracas Mesa
Well: Carracas 19 B #10
Wellbore: Carracas 19 B #10 ST
Design: Preliminary Design

Local Co-ordinate Reference: Well Carracas 19 B #10
TVD Reference: KB @ 7382.0ft (Drilling Rig)
MD Reference: KB @ 7382.0ft (Drilling Rig)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 2003.16 Single User Db

Planned Survey

MD (ft)	TVD (ft)	Inc (°)	Azi (°)	V. Sec (ft)	N/S (ft)	E/W (ft)
4,160.0	4,072.7	77.72	31.64	181.1	154.2	95.0
4,180.0	4,076.1	82.71	31.64	200.8	170.9	105.3
4,200.0	4,077.8	87.69	31.64	220.7	187.9	115.8
4,209.3	4,078.0	90.00	31.64	230.0	195.8	120.7
Land Curve						
4,300.0	4,078.0	90.00	31.64	320.7	273.0	168.2
4,400.0	4,078.0	90.00	31.64	420.7	358.2	220.7
4,500.0	4,078.0	90.00	31.64	520.7	443.3	273.2
4,600.0	4,078.0	90.00	31.64	620.7	528.5	325.6
4,700.0	4,078.0	90.00	31.64	720.7	613.6	378.1
4,800.0	4,078.0	90.00	31.64	820.7	698.7	430.5
4,900.0	4,078.0	90.00	31.64	920.7	783.9	483.0
5,000.0	4,078.0	90.00	31.64	1,020.7	869.0	535.4
5,100.0	4,078.0	90.00	31.64	1,120.7	954.1	587.9
5,200.0	4,078.0	90.00	31.64	1,220.7	1,039.3	640.4
5,294.3	4,078.0	90.00	31.64	1,315.0	1,119.5	689.8

TD Lateral

Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
TD Lateral - plan hits target - Point	0.00	0.00	4,078.0	1,119.5	689.8	1,119.54	689.82	30° 42' 47.514 N	116° 28' 51.436 W
KOP - plan hits target - Point	0.00	360.00	3,848.0	0.0	0.0	0.00	0.00	30° 42' 36.034 N	116° 28' 58.264 W
Land Curve - plan hits target - Point	0.00	0.00	4,078.0	195.8	120.7	195.81	120.65	30° 42' 38.042 N	116° 28' 57.070 W

Checked By: _____

Approved By: 

Date: 2/5/07