

2 = 30-045-21155

18 = 30-045-07542

4878

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SE Sec. 7 Twp 28 Rng 8

Name of Well/Wells or Pipeline Serviced RIDDLE G #2, #1

cps 469w

Elevation 5753 Completion Date 4/13/64 Total Depth 180' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2375 lbs.

Depths anodes placed: 158', 152', 146', 140', 134'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 4-13-64

WELL NAME Riddle No. 1-G

CPS NO. 469-W

LOCATION SE 7-28-8

WORK ORDER NUMBER 90108

ANODE HOLE DEPTH 180

TOTAL DRILLING RIG TIME Hrs. = 8

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock W.M. 5711

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 158, #2 152, #3 146, #4 140 #5 134

TOTAL LBS. COKE USED 2375 (19 Sacks)

ANODE OUTPUTS 12.2 VOLTS, #1 4.5, #2 4.8, #3 5.1, #4 5.7 5.0

TOTAL CIRCUIT RESISTANCE: VOLTS 11.5 AMPERES 10.7 OHMS 1.07

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 507

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static $\frac{9}{16}$ 600' W = .75

P.E.M. Rect. 28-12 Ser. # 637138

ALL CONSTRUCTION COMPLETED

Terrell
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1277
B-1R

DAILY DRILLING REPORT'

MORNING										EVENING																																							
Driller					Total Men In Crew					Driller					Total Men In Crew																																		
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.																																			
0	100'	SS																																															
100'	150'	SA																																															
BIT NO.					NO. DC					NO. DC					NO. DC																																		
SERIAL NO.					SIZE					STANDS					SINGLES																																		
TYPE					DOWN ON KELLY					TOTAL DEPTH					MUD, ADDITIVES USED AND RECEIVED																																		
MAKE					MUD RECORD					MUD RECORD					MUD, ADDITIVES USED AND RECEIVED																																		
Time					Wt.					Vis.					Time					Wt.					Vis.																								
4-10-64										FINISHED LAST HOLE AT 10:30										MOVE RIG UP TIME 11:30										2100PS WAT 10/2																			
4-13-64										LEFT RIG AT 1:30										LEFT YARD AT 2:1 ARRIVED AT RIG 2:30										FINISHED HOLE AT 8:30										1 1/2" 1 1/4" 1100PS WAT 10/2									
REMARKS -										REMARKS -										REMARKS -										REMARKS -																			
4-10-64										DRILLED FROM 10										150																													
4-13-64										FINISHED HOLE										LEFT AT 8:30																													

LEASE **HEALS**

WELL NO. **1**

CONTRACTOR **LF WILSON**

RIG NO. **P-6**

REPORT NO.

DATE **4-10-64**

SIGNED: Toolpusher

Company Supervisor

SIGNED: Toolpusher

Company Supervisor