

#11 = 30-045-22729

#205 = 30-045-27060

4850

#7 = 30-045-10583

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 23 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced ATLANTIC COM A #7,

ATLANTIC COM D #11, #205 cps 436w

Elevation 6395' Completion Date 7/12/63 Total Depth 190' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1500 lbs.

Depths anodes placed: 154', 148', 142', 136', 130'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED

MAY 31 1991

OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 7-12-63

WELL NAME Atlantic No 7

CPS NO. 436W

LOCATION NE² Sec. 23 T31N R10W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 190

TOTAL DRILLING RIG TIME 7 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE _____

TYPE AND SIZE BIT USED 6 1/4 Rock W.M 4871

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 154, #2 148, #3 142, #4 136 5130

TOTAL LBS. COKE USED ~~1200~~ 1500 15 #2 sacks

ANODE OUTPUTS 12.0 VOLTS, #1 2.0, #2 3.5, #3 3.8, #4 3.5 3.2

TOTAL CIRCUIT RESISTANCE: VOLTS 11.4 AMPERES 6.8 OHMS 1.67

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 510

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static q/s .79 R 600 S

Good All Rect. 40V 12A Ser.# 62C6405

ALL CONSTRUCTION COMPLETED

Laurel
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1300'

