

94- 30-039-18241 4354

428= 30-039-24381

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 28 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #94. #428

cps 137w

Elevation 6270' Completion Date 3/23/63 Total Depth 100' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 680 lbs.

Depths anodes placed: 80', 64', 58', 52', 46'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED

MAY 31 1991

OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 3-23-63

WELL NAME

WH. Key 4-B 30-6 #74

CPS NO.

137W

LOCATION

28-30N-7W

WORK ORDER NUMBER

484-40642-50-02

ANODE HOLE DEPTH

100'

TOTAL DRILLING RIG TIME

5 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE

TYPE AND SIZE BIT USED

NUMBER SACKS MUD USED

0

NUMBER SACKS LOST CIRCULATION MAT'L USED

0

ANODE DEPTHS #1

80'

#2

64'

#3

58'

#4

52' 546'

TOTAL LBS. COKE USED

680 lbs

ANODE OUTPUTS

12

VOLTS, #1

3.0

#2

3.2

#3

3.2

#4

3.6 53.4

TOTAL CIRCUIT RESISTANCE: VOLTS

11.6

AMPERES

8.4

OHMS

1.38

NUMBER FEET SURFACE CABLE CONSUMED

368'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS:


Static $\gamma_s = .71$ R 600' W

ALL CONSTRUCTION COMPLETED

E. Paulk

SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

748'

DAILY DRILLING REPORT

WELL NO. 4-8 CONTRACTOR L.E. Wilson RIG NO. 0-2 DATE 3-22-62									
MORNING					EVENING				
Total Man In Crew					Total Man In Crew				
FROM	TO	FORMATION	WT. BIT	R.P.M.	Driller	FROM	TO	FORMATION	WT. BIT
0	15	56	32						
15	100	56	32						
NO. DC SIZE LENG.					NO. DC SIZE LENG.				
NO. DC SIZE LENG.					NO. DC SIZE LENG.				
STANDS					STANDS				
SINGLES					SINGLES				
DOWN ON KELLY					DOWN ON KELLY				
TOTAL DEPTH 100'					TOTAL DEPTH				
MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED				
MUD RECORD					MUD RECORD				
Time					Time				
Wt.					Wt.				
Vis.					Vis.				
FROM					FROM				
TO					TO				
TIME BREAKDOWN					TIME BREAKDOWN				
Rig Time 5 hrs.					Rig Time 5 hrs.				
REMARKS -					REMARKS -				
3-22-62 Drilled To 40'					2 hrs				
3-23-62 6 Feet 40' To 70'					1 hour 30 mins				
SIGNED: Toolpusher					SIGNED: Supervisor				