

4388
30-08-12165

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 5 Twp 30 Rng 8
Name of Well/Wells or Pipeline Serviced HOWELL A #2
cps 12w
Elevation 6378' Completion Date 11/2/61 Total Depth 24'(ea) Land Type* N/A
Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A
Type & amount of coke breeze used: 465 lbs. per hole
Depths anodes placed: 18' per hole
Depths vent pipes placed: N/A
Vent pipe perforations: N/A
Remarks: 5 conventional beds gb#1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. ?

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

File
elw 63781

SAN JUAN DIVISION
WELL CASING CATHODIC PROTECTION
DAILY CONSTRUCTION
PROGRESS REPORT

DATE 11/2/61

WELL NAME - HOWELL #2A WORK ORDER NO. 184-52010-52-20

NUMBER AND DEPTH OF HOLES: #1 24', #2 24', #3 105', #4 24', #5 24'.

DEPTH OF EACH ANODE: #1 18', #2 18', #3 18', #4 18', #5 18', #6 _____, #7 _____
#8 _____, #9 _____, #10 _____.

ANODE RESISTANCES: #1 3.2, #2 3.3, #3 2.9, #4 3.0, #5 3.0, #6 _____, #7 _____
#8 _____, #9 _____, #10 _____.

TOTAL CIRCUIT RESISTANCE: 1.6 OHMS.

DRILLING LOG: (ATTACH HERETO)

AMOUNT OF COKE BREEZE PLACED IN EACH HOLE: #1 465#, #2 465#, #3 465#
#4 465#, #5 _____.

ANY DIFFICULTIES ENCOUNTERED IN DRILLING:

ROCKS-

LOST CIRCULATION-

CASING INSTALLED-

DATE ALL CONSTRUCTION COMPLETED _____.

REMARKS:

*Switched to conventional Bed
60' extra ditching*

*0-15' = 0² 3 4 5
 0 0 0
 1
 4'
 0 pole*

*Note - Hole #3 drilled to 105' with 6 1/4" Bit
Hole #4 drilled to 24' with 6 1/4" Bit*

E. Paulok

SIGNATURE OF INSPECTOR

DAILY DRILLING REPORT

LEASE Hawell WELL NO. 2-A CONTRACTOR A. E. Wilson RIG NO. D2 REPORT NO. Nov 1 DATE Nov 1 1961
MORNING EVENING

Driller					Total Men In Crew					Driller					Total Men In Crew				
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.
BIT NO.					NO. DC					NO. DC					NO. DC				
SERIAL NO.					SIZE					SIZE					SIZE				
SIZE					STANDS					STANDS					STANDS				
TYPE					SINGLES					SINGLES					SINGLES				
MAKE					DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY				
MUD RECORD					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH				
MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED				
Time					Time					Time					Time				
Wt.					Wt.					Wt.					Wt.				
Vis.					Vis.					Vis.					Vis.				
TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN				
FROM					FROM					FROM					FROM				
TO					TO					TO					TO				
REMARKS -					REMARKS -					REMARKS -					REMARKS -				
					9 24 Brown shale / Seal Box - 650-750 w/cc										9 24 Brown shale / Seal Box - 650-750 w/cc				

LEASE Howell

30 1941

____ Company Supervisor