

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 Copies to OCD Aztec Office)

MB-6

3572

Operator: BLACKWOOD & NICHOLS CO. Location: Unit M, Sec. 22, Twp 31N, Rng 7W.

Name of Well/Wells or Pipeline Served NEBU 476, 75 30-045-27568, 30-045-25350

Elevation 6470' Completion Date 8-26-93 Total Depth 450' Land Type\* Surface: F Mineral: SF-079003

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open Hole

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Damp at 240', no water sample.

Depths gas encountered: N/A


Type & amount of coke breeze used: Asbury Flo-Coke, 5,850#

Depths anodes placed: 225' - 396' (15)

Depths vent pipes placed: Bottom to 4' Above Ground Level

Vent pipe perforations: Bottom - 340'

Remarks: Groundbed located 40° East of North and 652' from NEBU 476 wellhead.



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

Signed by: James K. Ahlberg

Title: Operations Engineer

Date: 11/19/93

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

P# MB-6 WELL# NFB14476 + #75

S 22 T 3/11 R /

[illegible]

RILLER *Ther...*

INSPECTOR Joe Matyssek

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

R# MB-6 WELL# N.E.B.d. # 476 # 75

M S 22 T 21 R 7

[illegible]

RILLER

INSPECTOR