District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration o	of a pit o	r below-grade tank	Closure of a pit or below-gr	ade tank 🛛					
O Parlinder B		(505) <u>326-9</u> 841	- mail addass. T						
	epnone:	(303) 326-9841	e-maii aduress: <u>1</u>	ouis E.Hasely@conocophillips.com					
Address: 3401 East 30th Street, Farmington, New Mexico, 87402									
Facility or well name: Huerfano Unit # 12 API #		3004506021		Sec <u>4 T 26N R 10W</u>					
	itude _	36,51279	Longitude107.90671	NAD: 1927 🔯 1983 🗖					
Surface Owner: Federal State Private Indian									
<u>Pit</u>		Below-grade tan	<u>k</u>						
Type: Drilling Production Disposal		Volume: _60_bbl Type of fluid: Produced Water and Incidental Oil							
Workover ☐ Emergency ☐		Construction material: Fiberglass							
Lined Unlined Liner type: Synthetic Thicknessmil Clay Pit Volume bbl		Double-walled, with leak detection? Yes If not, explain why not. No. Tank in place prior to Rule 50. OIL CONS. DIV.							
							Less than 50 feet		(20 points) DIST. 3
					Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)		50 feet or more h	out less than 100 feet	(10 points)
100 feet or more		(0 points) 0							
		100 lear of more		(o pounts)					
Wellhead protection area: (Less than 200 feet from a private domestic		Yes		(20 points)					
water source, or less than 1000 feet from all other water sources.)		No		(0 points) 0					
Distance to surface water: (horizontal distance to all wetlands, play	vac	Less than 200 fee	t	(20 points)					
1	-	200 feet or more,	but less than 1000 feet	(10 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)		1000 feet or more)	(0 points) 10					
				10					
		Ranking Score (Total Points)						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite offsite. If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes offsite offsite. If yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.									
Additional Comments:									
No excavation necessary, soil tested clean beneath BGT									
,									
The state of the s	L - b		Alatic Beatle and Alat						
I hereby certify that the information above is true and complete to the has been/will be constructed or closed according to NMOCD gu	me oest o nideline:	or my knowledge al	nd belief. I turther certify that mit 🔲, or an (attached) altern	the above-described pit or below-grade tank ative OCD-approved plan					
1		_,	_, , ,	—					
Date: 3/36/67 Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature & Hasely									
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature									
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.									
Approval: Printed Name 1 ines INSPECTOR, SUSTAINED Stand Sell Date: APR 1 9 2007									

FIELD REPORT CLOSURE VERIFICATION	and the state of 					
QUAD/UNIT. M SEC: + TWF: 264 RNG: 100 PM: NM: MICHTY: THE ST: NMI QTR/FOOTAGE: 990 FNL 990 FWL CONTRACTOR: Bailey S	DATE STARTED 3/1/07 DATE FIRISHED. EINMRONMENTAL SPECIALIST: GWC					
EXCAVATION APPROX O FT. x O FT. x O FT. DEEP. CUBIC YARDAGE: O DISPOSAL FACILITY: N/A REMEDIATION METHOD: N/A LAND USE: Grazing LEASE: 30-045-66021 FORMATION: BASIN						
THE AND EXIAVATION DEVERSE LINE						
Soil testes clemn, no soil remodiation requires						
O FT OVM PIT	UTION READING CALC. ppm .118 204.7 4 AD ND PROFILE					
PIT PERIMETER RESULTS SAMPLE FIELD HEADSPACE PRO (Sprin) 1 Incention CONS LAB SAMPLES SAMPLE ANALYSIS TIME	X					
TRAVEL NOTES. CALLOUT: ONSITE:						

36.51279 -107.9067



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington

Project #:

92115-121-014

Sample No.:

1

Date Reported:

3/8/2007

Sample ID:

Soil

Date Sampled:

03/01/007

Sample Matrix:

2011

Date Analyzed:

3/1/2007

Preservative:

Cool

Discrete 3' Below BGT

Analysis Needed:

TPH-418.1

Condition: Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

ND

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Wate

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Huerfano Unit #12

Analvst

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

Sample ID:

QA/QC

Project #:

92115-121-014

01-24-TPH.QA/QC

Date Reported:

3/8/2007

Laboratory Number:

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

3/1/2007

Preservative:

N/A

Date Extracted:

3/1/2007

Condition:

N/A

Analysis Needed:

TPH

Calibration

I-Cal Date C-Cal Date I-Cal RF: C-Cal RF: % Difference Accept. Range 05-22-04

3/1/2007

1,735

1,695

2.3%

+/- 10%

Blank Conc. (mg/Kg)

Concentration

TPH

ND

Detection Limit 5.0

Duplicate Conc. (mg/Kg)

TPH

Sample 2,471

Duplicate 2,352

% Difference Accept. Range 4.8%

+/- 30%

Spike Conc. (mg/Kg

Sample **TPH** 2,471

Spike Added

2,000

Spike Result

5.030

% Recovery Accept Range 112.5%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis os Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Huerfano Unit #12