District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 February 23, 2007

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank					
•	(505) 326-9841 e-mail address: <u>Lou</u>	ais, E. Hasely@conocophillips.com			
Address: 3401 East 30th Street, Farmington, New Mexico, 87402					
Facility or well name: Huerfano Unit #184E API #:	3004526671 U/L or Qtr/Qtr	A Sec 11 T 26N R 10W			
County: San Juan Latitude	36.506731 Longitude <u>-107,86073</u>	NAD: 1927 ☑ 1983 ☐ RCVD APR19'07			
Surface Owner: Federal ☑ State ☐ Private ☐ Indian ☐					
<u>Pit</u>	Below-grade tank	OIL CONS. DIV.			
Type: Drilling Production Disposal	Volume: 60 bbl Type of fluid: Produced Water and Incidental Office 3				
Workover ☐ Emergency ☐	Construction material: Fiberglass				
Lined Unlined [e-walled, with leak detection? Yes I If not, explain why not.			
Liner type: Synthetic Thickness mil Clay	No. Tank in place prior to Rule 50.				
Pit Volume bbl	The second secon				
rit voluneboi	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal		' ' '			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
	100 feet or more	(0 points) 0			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0			
water source, or less than 1000 feet from an other water sources.					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	(0 points) 0			
	Ranking Score (Total Points)	0			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite offsite If offsite, name of facility					
(5) Attach soil sample results and a diagram of sample locations and excavat Additional Comments:	ions.				
The soils tested clean and no soil remediation was required.					
		,			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 3/30/07 Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or					
Approval: Approval: Printed Name Fittle APR 1 9 2007 Date:					

FIELD REPORT CLOSURE VERIFICATION FROM ALLE LOCATION: NAME HURTEND WELL #. 184E PIT:

QUAD/UNIT: A SEC: // TWP: XN RNG: IOW PM: NM (M CHTY: ST ST: NM DATE FINISHED: 2/23/07 ENVIRONMENTAL AIK OTR/FOOTAGE: 1/90 FNL 1/90 FEL CONTRACTOR: L+R EXCAVATION APPROX ____ FT. x ____ FT. x ____ FT. DEEP CUBIC YARDAGE: ____ DISPOSAL FACILITY: REMEDIATION METHOD:

LAND USE: Graze LEASE: 30 045 246'71 FORMATION: Basin REMEDIATION METHOD: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 60 FT. 268° FROM WELLHEAD. DEPTH TO GROUNDWATER > 100 NEAREST WATER SOURCE: > 1000 NEAREST SURFACE WATER: > 1000 NMOCD RANKING SCORE: _____O NMOCD TPH CLOSURE STD: 5000 PPM CHECK DNE : ___ PIT ABANDONED SOIL AND EXCAVATION DESCRIPTION: Pit passed. No further excavation needed. 🗶 STEEL TANK INSTALLED FIELD 418.1 CALCULATIONS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON DILUTION READING CALC. ppm TIME 9:45 200 St. SCALE 5.00 20 mL FTOVM PIT PERIMETER PIT PROFILE RESULTS TRAVEL NOTES. CALLOUT: OMSITE:



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Cal. Date:

23-Feb-07

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
ТРН	100		
	200	194	
	500		
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Analyst

Date

Review

Date



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington

Project #:

92115-121-027

Sample No.:

1

Date Reported:

2/23/2007

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

2/23/2007

Sample Matrix:

Soil

Date Analyzed:

2/23/2007

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

In KIM

200

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

Huerfano Unit # 184E

Instrument callibrated to 200 ppm standard. Zeroed before each sample

Analyst

Review