

876

#40 - 30-039-82382

#77 - 30-039-20106

E

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit H Sec. 27 Twp 28 Rng 5Name of Well/Wells or Pipeline Serviced SAN JUAN 28-5 UNIT #40, #77cps 1135wElevation 6919' Completion Date 8/2/88 Total Depth 645' Land Type* N/ACasing, Sizes, Types & Depths N/AIf Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 460' - 480'Depths gas encountered: N/AType & amount of coke breeze used: N/ADepths anodes placed: 600', 593', 586', 579', 572', 565', 558', 551', 544', 480'Depths vent pipes placed: 650'Vent pipe perforations: 200'Remarks: gb #3

RECEIVED

MAY 31 1991

OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

1135
D. CRASS DRILLING CO.

Drill No. 3

DRILLER'S WELL LOG

S. P. No. SAN JUAN 28-5 #40 Date 8-2-88
 Client Meridian Oil Co. Prospect _____
 County SAN JUAN State New Mex.

If hole is a redrill or if moved from original staked position show distance and direction moved: _____

FROM	TO	FORMATION — COLOR — HARDNESS
0	60	SANDSTONE
60	140	SANDY SHALE
140	155	SAND
155	320	SHALE
320	360	SANDSTONE
360	420	SHALE
420	470	SANDSTONE
470	600	SANDY SHALE
600	660	SANDSTONE & SHALE

Mud _____ Brn _____ Lime _____

Rock Bit Number _____ Make _____

Remarks: Water @ 460'

Driller Ronnie Brown