

TABULATION OF DEVIATION TEST
BP AMERICA PRODUCTION COMPANY

API 30-045-31066

<u>DEPTH</u>	<u>DEVIATION</u>	<u>DEPTH</u>	<u>DEVIATION</u>
<u>279</u>	<u>0.50</u>	<u> </u>	<u> </u>
<u>689</u>	<u>0.50</u>	<u> </u>	<u> </u>
<u>1387</u>	<u>0.75</u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

AFFIDAVIT

THIS IS TO CERTIFY that to the best of my knowledge, the above tabulation details the deviation test taken on BP AMERICA PRODUCTION COMPANY'S:

Roberts 2

1130' FSL & 1060' FEL Sec. 14 T29N R13W

SAN JUAN COUNTY, NEW MEXICO

Signed:

Cherry Hlava

Title:


Regulatory Analyst

THE STATE OF TEXAS)
), ss.
COUNTY OF HARRIS)

BEFORE ME, the undersigned authority, on this day personally Cherry Hlava known to me to be a Regulatory Analyst for BP America Production company and to be the person whose name is subscribed to the above statement, who being by me dully sworn on oath, states that she has knowledge of the facts stated herein and that said statement is true and correct.

SUBSCRIBED AND SWORN to before me, a Notary Public in and for said County and State this 25st day of Aug. 2003

Linda J. Berry
Notary Public



My Commission Expires: _____