BUREAU OF LAND MANA			
	GEMENT RECEIV	FD)	
Sundry Notices and Repo	orts on Wells	<del></del>	
	293 SEP 15 FI	1: 25%	Lease Number
	<b>^</b> ·	6	NMSF065557 A  If Indian, All. o
Type of Well GAS	070 Farmingto	n, NM°	Tribe Name
Name of Orangham		7.	Unit Agreement Na
Name of Operator BURLINGTON	- AND 642		
RESOURCES OIL & GAS COMPANY			
		8.	Well Name & Numbe
Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499 (505	) 326-9700	97	Cornell #101 API Well No.
		7. S	30-045- <i>3</i> /58/
Location of Well, Footage, Sec., T, R, M 1200'FNL, 660'FWL, Sec.11, T-29-N, R-12-		<b>1</b> ∙0.	Field and Pool Basin Fruitland O
	40.12	11.	County and State
	Manager and the		San Juan Co, NM
Casing Final Abandonment Alteri Other	Repair Wate ng Casing Conv	r Shut o	Fracturing ff o Injection
Describe Proposed or Completed Operat	ions		
It is intended to revise the approved is the new BOP diagram and asso choke manifold arragement will well drilling rig. Surface to To the following:	ciated choke manife be utilized on a s	old diag maller,	ram. This BOP and purpose fit, shall
Surface to TD - 7 1/16" 3000 psi singl out surface casing, test BOP an			

(This space for Federal or State Office use)


APPROVED BY Title Date

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. SEP 2 2 2003


## **Drilling Rig**

## 3000 psi BOP System



## **BURLINGTON RESOURCES**

## Drilling Rig Choke Manifold Configuration 3000 psi System



Choke manifold installation from Surface Casing Point to Total Depth. 3,000 psi working pressure equipment with two chokes.