

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-039-27057
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Bridge Core
8. Well No. 1
9. Pool name or Wildcat Basin Fruitland Coal

4. Well Location Unit Letter <u>J</u> : <u>1605</u> feet from the <u>south</u> line and <u>2223</u> feet from the <u>east</u> line Section <u>28</u> Township <u>26N</u> Range <u>2W</u> NMPM Rio Arriba County
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 7432 GR

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Rio Chama Petroleum

3. Address of Operator

P. O. Box 3027, Pagosa Springs, CO 81147 970-264-0170

4. Well Location

Unit Letter J : 1605 feet from the south line and 2223 feet from the east line

Section 28

Township 26N Range 2W

NMPM Rio Arriba County

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.


Well was worked over in July 2003 according to attached daily workover report. We are waiting on land owner to complete paper work with the State Engineer's office in order to turn well over to land owner for a water well. We will then perforate the water zone and turn well over to land owner. Will submit a sundry when that work is complete.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jeffrey W. Hudson TITLE Senior Engineer DATE 9/23/03

Type or print name Jeffrey W. Hudson Telephone No. 970-264-0170
(This space for State use)

APPROVED BY [Signature] TITLE DEPUTY OIL & GAS INSPECTOR, DIST. CO DATE SEP 24 2003
Conditions of approval, if any:



Rio Chama Petroleum, Inc.


Daily Workover Report
Bridge Core #1
J 28-26N-2W
Rio Arriba County, New Mexico

7/17/2003 MIRU.
7/18/2003 Prep surface casing and production casing for plugging; RU BOP's.
7/21/2003 RU perforators; Perf 4 holes @ 3480'; Unable to circulate; Perf 4 holes @ 2790' and 2 holes @ 320'.
RIH w/ tubing and set CICR @ 3200'. RU cementers.
7/22/2003 Cementers start squeezing as follows:
Sqz 50 sx to fill OH interval and casing to CICR
Sqz 108 sx into perforations @ 3480
Wait on rig to POOH w/ tbg and stinger
RIH w/ tbg and CICR to 2720'
Cementers resume sqz as follows:
Sqz 110 sx into perfs @ 2790' and leave 5 sx in casing
Pull out of CICR; POOH w/ tbg to 1600'
Spot 5 sx plug from 1600' to 1550'
POOH w/ tbg
Establish circulation between surface casing and production casing.
Circulate to surface with cement through braden head w/ 93 sx cement.
RD cementers.



Phone: 970-264-0170 P.O. Box 3027 Fax: 970-264-0171
Pagosa Springs, CO 81147

Bridge Core #1
Current
 Water Well
 26N 2W 28J



Spudded: 8/30/2002
 Completed: N/A
 Plugged 7/22/2003

