

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

(Other instructions on
reverse side)

Expires, February 28, 1995

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1 a TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME 21 JUN 23 11:05	
b TYPE OF COMPLETION NEW <input checked="" type="checkbox"/> WORK <input type="checkbox"/> DEEP- <input type="checkbox"/> PLUG <input type="checkbox"/> DIFF <input type="checkbox"/> Well <input checked="" type="checkbox"/> OVER <input type="checkbox"/> EN <input type="checkbox"/> BACK <input type="checkbox"/> CENTR <input type="checkbox"/> OTHER <input type="checkbox"/>		8 FARM OR LEASE NAME, WELL NO Frazzle Corn #90	
2 Name of Operator Dugan Production Corp.		9 API Well No. 30-045-33483	
3 Address and Telephone No P.O. Box 420, Farmington, NM 87499 (505) 325 - 1821		10 FIELD AND POOL, OR WILDCAT Basin Fruitland Coal	
4 LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1995' FSL & 1815' FWL (NE/4 SW/4) At top prod interval reported below same At total depth same		11 SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Unit K Sec. 30, T24N, R10W	
14 PERMIT NO.		DATE ISSUED	
12 COUNTY OR PARISH San Juan		13. STATE NM	
15 DATE SPUDDED 12/6/2006		16 DATE T D REACHED 12/9/2006	
17 DATE COMPL (Ready to prod) 6/6/2007		18 ELEVATIONS (OF, RKB, RT, GR, ETC)* 6482' GL	
19 ELEV CASINGHEAD			
20 TOTAL DEPTH, MD & TVD 1160'		21 PLUG BACK T D, MD & TVD 1104'	
22 IF MULTIPLE COMPL. HOW MANY*		23. INTERVALS DRILLED BY TD	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD)* 925'-945' (Fruitland Coal)		25 WAS DIRECTIONAL SURVEY MADE no	
26 TYPE ELECTRIC AND OTHER LOGS RUN GR-CNL-CCL		27 WAS WELL CORED no	
28 CASING RECORD (Report all strings set in well)			
CASING SIZE/GRADE	WEIGHT, LB /FT	DEPTH SET (MD)	HOLE SIZE
8-5/8" J-55	24#	128'	12-1/4"
5-1/2" J-55	15.5#	1146'	7"
TOP OF CEMENT, CEMENTING RECORD		AMOUNT PULLED	
93 sx Type 5 cement w/2% CaCl2 w/1/4# celloflake/sx		Circ 6 bbls cement	
70 sx Type 5 cement w/2% Lodense, 3@ PhenoSeal & 1/4# celloflake/sx			
Tail w/50 sx Type 5 cement w/2# PhenoSeal & 1/4# celloflake/sx		Circ 6 bbls	
cement			
29 LINER RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*
30 TUBING RECORD			
SIZE	DEPTH SET (MD)	PACKER SBT (MD)	
2-3/8"	1011'	N/A	
31 PERFORATION RECORD (Interval, size and number) 925'-945' w/4 spf (total 80 holes)			
32 ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC			
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED	
925'-945'		43,625 gals AquaSafe gel, 80,000# 20/40 Brady sand	
33 * PRODUCTION			
DATE FIRST PRODUCTION N/A		PRODUCTION METHOD (Flowing, gas lift, pumping - size and type of pump) Flowing	
WELL STATUS (Producing or shut in) Shut in			
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD
FLOW TUBING PRESS	CASING PRESSURE	CALCULATED 24 - HOUR RATE	OIL - BBL
DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented - to be sold - a sundry notice of well test will be submitted in future		TEST WITNESSED BY	
35 LIST OF ATTACHMENTS			

36 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

SIGNED [Signature] Title Vice-President

Date 6/21/2007

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18, U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations, or to submit any false, fictitious or fraudulent documents.

NMOCB 8 7/3

37. SUMMARY OF POROUS ZONES (Show all important zones of porosity and contents thereof: cored intervals; and all drill-stem, tests, including depth interval tested on used, time tool open, flowing and shut-in pressures, and recoveries)

38 GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC	NAME	TOP	
					MEAS DEPTH	TRUE VERT DEPTH
				Ojo Alamo	46'	
				Kirtland	142'	
				Fruitland	643'	
				Pictured Cliffs	954'	
				Total Depth	1160'	