

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Dugan Production Corp Telephone: (505)325-1821 e-mail address _____
Address: P.O. Box 420, Farmington, New Mexico 87401
Facility or well name: Nice No. 1 API #: 30-045-26499 U/L or Qtr/Qtr P Sec 7 T 30N R 14W
County: San Juan Latitude 36.82378 Longitude 108.34379 NAD: 1927 ☐ 1983 ☐ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume <u>160 ±</u> bbl	Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 0 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 10 1000 feet or more (0 points)
	Ranking Score (Total Points) 10

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

RCVD JUN21'07
OIL CONS. DIV.

Additional Comments.

15' x 15' x 4'± deep unlined production pit, center located at approximately 36 Feet North 25° East of wellhead

DIST. 3

Use backhoe to remove impacted soils to dense bedrock sandstone at 9 feet. Submit 4-point composite sidewall sample and one point

pit center samples for laboratory testing.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: June 20, 2007

Printed Name/Title Jeffrey C Blagg, agent

Signature Jeffrey C Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval.

Deputy Oil & Gas Inspector,
District #3

Printed Name/Title _____

Signature Bob O'Neil

Date: JUL 24 2007

30-045-26499

36.82378 x 108.34379

CLIENT: <u>DUGAN</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: _____ COCR NO: <u>2752</u>																																													
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																													
LOCATION: NAME: <u>NICE</u> WELL#: <u>1</u> TYPE: <u>SEP</u> QUAD/UNIT: <u>P</u> SEC: <u>7</u> TWP: <u>30N</u> RNG: <u>14W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>990 FSL x 890 FEL</u> CONTRACTOR: <u>MJO</u>		DATE STARTED: <u>6-5-07</u> DATE FINISHED: <u>6-5-07</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																													
EXCAVATION APPROX. <u>16</u> FT. x <u>16</u> FT. x <u>9</u> FT. DEEP. CUBIC YARDAGE: <u>50±</u>																																															
DISPOSAL FACILITY: <u>ONSITE</u> REMEDIATION METHOD: <u>L.F.</u>																																															
LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM-16765</u> FORMATION: <u>DK</u>																																															
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>36</u> FT. <u>N25E</u> FROM WELLHEAD.																																															
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>200</u>																																															
NMOCD RANKING SCORE: <u>10</u> NMOCD TPH CLOSURE STD: <u>1000</u> PPM.																																															
SOIL AND EXCAVATION DESCRIPTION:																																															
SOIL TYPE: <u>SAND / SILTY SAND</u> / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK CLARSTONE @ 6'</u> SOIL COLOR: <u>SANDSTONE @ 9'</u> COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / <u>VERY DENSE</u> PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: <u>DRY</u> / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>YES</u> NO EXPLANATION - <u>IN REMOVED SOILS</u> HC ODOR DETECTED: <u>YES</u> NO EXPLANATION - <u>MINOR</u> SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. _____ ADDITIONAL COMMENTS: <u>15' x 15' x 4' ± UNLINED PIT. USE BACHOE TO REMOVE IMPACTS TO DENSE SANDSTONE @ 9'</u>																																															
FIELD 418.1 CALCULATIONS																																															
SCALE	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>							SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																								
0 FT	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> PIT PERIMETER </div> <div style="width: 45%;"> PIT PROFILE </div> </div>																																														
OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @</td><td> </td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td>4-Point</td><td>16.6</td></tr> <tr><td>C @ 9'</td><td>8.3</td></tr> <tr><td>C @ 9'</td><td>8.3</td></tr> </tbody> </table>		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @		2 @		3 @		4 @		5 @		4-Point	16.6	C @ 9'	8.3	C @ 9'	8.3	LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>4-Point</td><td>T/B/CL</td><td>0830</td></tr> <tr><td>C @ 9'</td><td>T/B/CL</td><td>0855</td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>					SAMPLE ID	ANALYSIS	TIME	4-Point	T/B/CL	0830	C @ 9'	T/B/CL	0855														
SAMPLE ID	FIELD HEADSPACE (ppm)																																														
1 @																																															
2 @																																															
3 @																																															
4 @																																															
5 @																																															
4-Point	16.6																																														
C @ 9'	8.3																																														
C @ 9'	8.3																																														
SAMPLE ID	ANALYSIS	TIME																																													
4-Point	T/B/CL	0830																																													
C @ 9'	T/B/CL	0855																																													
TRAVEL NOTES: _____ CALLOUT: _____ ONSITE: <u>6/5/07</u>																																															

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	SEP - 4-Point Comp.	Date Reported:	06-07-07
Laboratory Number:	41797	Date Sampled:	06-05-07
Chain of Custody No:	2752	Date Received:	06-06-07
Sample Matrix:	Soil	Date Extracted:	06-06-07
Preservative:	Cool	Date Analyzed:	06-07-07
Condition:	Cool & Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.0	0.2
Diesel Range (C10 - C28)	199	0.1
Total Petroleum Hydrocarbons	200	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Nice #1**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	SEP - C @ 9'	Date Reported:	06-07-07
Laboratory Number:	41798	Date Sampled:	06-05-07
Chain of Custody No:	2752	Date Received:	06-06-07
Sample Matrix:	Soil	Date Extracted:	06-06-07
Preservative:	Cool	Date Analyzed:	06-07-07
Condition:	Cool & Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	4.8	0.2
Diesel Range (C10 - C28)	407	0.1
Total Petroleum Hydrocarbons	412	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Nice #1**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	SEP 4-Point Comp.	Date Reported:	06-07-07
Laboratory Number:	41797	Date Sampled:	06-05-07
Chain of Custody:	2752	Date Received:	06-06-07
Sample Matrix:	Soil	Date Analyzed:	06-07-07
Preservative:	Cool	Date Extracted:	06-06-07
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	5.0	1.8
Toluene	11.1	1.7
Ethylbenzene	8.5	1.5
p,m-Xylene	31.2	2.2
o-Xylene	13.6	1.0
Total BTEX	69.4	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Nice #1


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	SEP - C @ 9'	Date Reported:	06-07-07
Laboratory Number:	41798	Date Sampled:	06-05-07
Chain of Custody:	2752	Date Received:	06-06-07
Sample Matrix:	Soil	Date Analyzed:	06-07-07
Preservative:	Cool	Date Extracted:	06-06-07
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	8.5	1.7
Ethylbenzene	11.8	1.5
p,m-Xylene	49.1	2.2
o-Xylene	12.1	1.0
Total BTEX	81.5	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Nice #1


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	SEP - 4 Point Comp.	Date Reported:	06-07-07
Lab ID#:	41797	Date Sampled:	06-05-07
Sample Matrix:	Soil	Date Received:	06-06-07
Preservative:	Cool	Date Analyzed:	06-07-07
Condition:	Cool and Intact	Chain of Custody:	2752

Parameter


Concentration (mg/Kg)


Total Chloride

272

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Nice #1


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	SEP - C @ 9'	Date Reported:	06-07-07
Lab ID#:	41798	Date Sampled:	06-05-07
Sample Matrix:	Soil	Date Received:	06-06-07
Preservative:	Cool	Date Analyzed:	06-07-07
Condition:	Cool and Intact	Chain of Custody:	2752


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

170

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Nice #1


Analyst


Review