

4601

201 - 30-045-26986

(Submit 3 copies to OCD Aztec Office)

cns 80w

Casing, Sizes, Types & Depths	N/A
-------------------------------	-----

N/A

Fresh, Clear, Salty, Sulphur, Etc. 190' DECEMBER

Type & amount of coke breeze used: N/A

Depths anodes placed: 360', 350', 310', 285', 275', 255', 245', 235', 225', 195'

Depths vent pipes placed: 385' OF 1" PVC VENT PIPE

Vent pipe perforations: BOTTOM 280'

Remarks: ab #4

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

7 004-18-89

Drilling Log (Attach Hereto) ☒Completion Date 4-10-89

CPS #		Well Name, Line or Plant		Work Order #		Static:		Ins. Union Check	
SUV 2111-w		DAY #201		33 014		600' W = 81		☒ Good ☐ Bad	
Location: K17-29-8		Anode Size: 2" x 60"		Anode Type: Duriron		Size Bit: 6 3/4"			
Depth Drilled 400'		Depth Logged 380'		Drilling Rig Time		Total Lbs. Coke Used		Lost Circulation Mat'l Used	
Anode Depth									
# 1 360'	# 2 350'	# 3 310'	# 4 285'	# 5 275'	# 6 255'	# 7 245'	# 8 235'	# 9 225'	# 10 195'
Anode Output (Amps)									
# 1 3.5	# 2 3.4	# 3 2.6	# 4 3.2	# 5 3.0	# 6 2.8	# 7 4.2	# 8 3.3	# 9 3.6	# 10 2.3
Anode Depth									
# 11	# 12	# 13	# 14	# 15	# 16	# 17	# 18	# 19	# 20
Anode Output (Amps)									
# 11	# 12	# 13	# 14	# 15	# 16	# 17	# 18	# 19	# 20
Total Circuit Resistance						No. 8 C.P. Cable Used		No. 2 C.P. Cable Used	
Volts 1206		Amps 15.7		Ohms .768					

Remarks: Drilled 400' logged 380'. DRILLER SAID WATER
AT 190'. INSTALLED 385' OF 1" PVC VENT PIPE
PERFORATED BOTTOM 280'


* Build Power to Location, Meter Drop

Rectifier Size: 40 V 16 A
 Addn'l Depth
 Depth Credit: 120' 3.75
 Extra Cable: 230' 1.20
 Ditch & 1 Cable: 210' .76
 25' Meter Pole: _____
 20' Meter Pole: _____
 10' Stub Pole: _____
 Junction Box: 1

All Construction Completed

McQuillan
(Signature)

GROUND BED LAYOUT SKETCH



3,870.00 ✓

599.00 ✓

- 450.00 ✓

46.00 ✓

147.00 ✓

312.50 ✓

237.00 ✓

4761.50 ✓

238.08 ✓

4999.58 OK 9

Darrell Crass DRILLING CO.

Drill No. 3

DRILLER'S WELL LOG

S. P. No. DAY #201 Date 4-10-89
Client Meridian Oil Co. Prospect _____
County SAN JUAN State New Mex.

If hole is a redrill or if moved from original staked position show distance
and direction moved: _____

FROM	TO	FORMATION — COLOR — HARDNESS
<u>0</u>	<u>30</u>	<u>shale</u>
<u>30</u>	<u>70</u>	<u>SANDstone</u>
<u>70</u>	<u>80</u>	<u>shale</u>
<u>80</u>	<u>190</u>	<u>SANDstone</u>
<u>190</u>	<u>220</u>	<u>SANDy shale</u>
<u>220</u>	<u>260</u>	<u>shale</u>
<u>260</u>	<u>270</u>	<u>SANDstone</u>
<u>270</u>	<u>380</u>	<u>shale</u>
<u>380</u>	<u>400</u>	<u>SANDstone</u>

Mud _____ Bron _____ Lime _____

Rock Bit Number _____ Make _____

Remarks: Water @ 190'

Driller Lonnie Brown