

58 - 30-045-05701

181 - 30-045-20308

4336

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NW Sec. 26 Twp 26 Rng 9

Name of Well/Wells or Pipeline Serviced HUERFANO UNIT #58, #181

cps 927w

Elevation 6448' Completion Date 7/23/75 Total Depth 425' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. 200'

Depths gas encountered: N/A

Type & amount of coke breeze used: 3100 lbs.

Depths anodes placed: 335', 325', 315', 305', 295', 265', 255', 245', 235', 225'

Depths vent pipes placed: N/A

Vent pipe perforations: 250'

Remarks: qb: #1

RECEIVED  
MAY 31 1976  
ON. DIV.  
3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

WELL CASING  
CATHODIC PROTECTION CONSTRUCTION REPORT  
DAILY LOG

*[Handwritten signature]*

Drilling Log (Attach Hereto) ☐

Completion Date 7-23-75

|                                                       |                         |                                   |                             |                                                               |                |
|-------------------------------------------------------|-------------------------|-----------------------------------|-----------------------------|---------------------------------------------------------------|----------------|
| Well Name <u>HURRANO # 181</u><br><u>HURRANO # 58</u> |                         | Location <u>NW 26-26N-9W</u>      |                             | CPS No. <u>927 W</u>                                          |                |
| Type & Size Bit Used <u>6 3/4"</u>                    |                         |                                   |                             | Work Order No. <u>54607.19-50-20</u><br><u>53065.19-50-20</u> |                |
| Anode Hole Depth <u>425</u>                           | Total Drilling Rig Time | Total Lbs. Coke Used <u>3,100</u> | Lost Circulation Mat'l Used | No. Sacks Mud Used                                            |                |
| Anode Depth                                           |                         |                                   |                             |                                                               |                |
| # 1 <u>335</u>                                        | # 2 <u>325</u>          | # 3 <u>315</u>                    | # 4 <u>305</u>              | # 5 <u>295</u>                                                | # 6 <u>265</u> |
| # 7 <u>255</u>                                        | # 8 <u>245</u>          | # 9 <u>235</u>                    | # 10 <u>225</u>             |                                                               |                |
| Anode Output (Amps)                                   |                         |                                   |                             |                                                               |                |
| # 1 <u>2.8</u>                                        | # 2 <u>3.6</u>          | # 3 <u>3.4</u>                    | # 4 <u>2.4</u>              | # 5 <u>3.6</u>                                                | # 6 <u>2.4</u> |
| # 7 <u>4.0</u>                                        | # 8 <u>4.0</u>          | # 9 <u>4.0</u>                    | # 10 <u>3.4</u>             |                                                               |                |
| Anode Depth                                           |                         |                                   |                             |                                                               |                |
| # 11                                                  | # 12                    | # 13                              | # 14                        | # 15                                                          | # 16           |
| # 17                                                  | # 18                    | # 19                              | # 20                        |                                                               |                |
| Anode Output (Amps)                                   |                         |                                   |                             |                                                               |                |
| # 11                                                  | # 12                    | # 13                              | # 14                        | # 15                                                          | # 16           |
| # 17                                                  | # 18                    | # 19                              | # 20                        |                                                               |                |
| Total Circuit Resistance                              |                         | No. 8 C.P. Cable Used             |                             | No. 2 C.B. Cable Used                                         |                |
| Volts <u>11.8</u>                                     | Amps <u>15.0</u>        | Ohms <u>0.78</u>                  | <u>3100</u>                 |                                                               |                |

Remarks: Drill with Air Driller said water at  
200' more water at 240'. Vent Hose Perforated  
260'

Driller 1123.20

Gate - 234.65

Shop - 213.40

Weld - 258.30

Long - 186.00

Welder - 266.60

Truck - 53.00

Gas - 37.00


Other - 0.00

2766.64

All Construction Completed

Edward R. Paulk  
(Signature)

GROUND BED LAYOUT SKETCH



1080



