

#66

30-039-07562

4534

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 22 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #66

cps 96w

Elevation 6785' Completion Date 12/15/62 Total Depth 140' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1020 lbs.

Depths anodes placed: 124', 118', 112', 106'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1 & 2

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 12-15-62

WELL NAME SAN JUAN 29-7 # 66

CPS NO. 96W

LOCATION Sec 22 - T29N R7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 140

TOTAL DRILLING RIG TIME 6 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE NONE

TYPE AND SIZE BIT USED 1- 6 1/4 Rock # 61500

NUMBER SACKS MUD USED 1

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 124, #2 118, #3 112, #4 106

TOTAL LBS. COKE USED 1020 (12 SACKS)

ANODE OUTPUTS 11.9 VOLTS, #1 3.1, #2 4.0, #3 3.9, #4 3.2

TOTAL CIRCUIT RESISTANCE: VOLTS 11.5 AMPERES 6.6 OHMS 1.75

NUMBER FEET SURFACE CABLE ~~CABLE~~ 600'

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: STATIC C/S .665 R NORTH

ALL CONSTRUCTION COMPLETED

Blawie
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1085'

DAILY DRILLING REPORT

LEASE SAN JUAN 29-7 WELL NO. 66 CONTRACTOR E. Wilson RIG NO. D-2 REPORT NO. 900 DATE 12-14 1962

MORNING										EVENING									
Driller					Total Men In Crew					Driller					Total Men In Crew				
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.					
0	53	SS	61500																
53	68	SS	"																
68	112	SS	"																
112	140	SS	"																
BITTING					NO. DC					NO. DC									
					SIZE					SIZE									
					LEN.					LEN.									
SERIAL NO. <u>61500</u>					STANDS					STANDS									
SIZE <u>6 1/2</u>					SINGLES					SINGLES									
TYPE <u>Rock</u>					DOWN ON KELLY					DOWN ON KELLY									
MAKE					TOTAL DEPTH					TOTAL DEPTH									
MUD RECORD					MUD, ADDITIVES USED AND RECEIVED					MUD RECORD					MUD, ADDITIVES USED AND RECEIVED				
Time	WT.	Vis.			Time	WT.	Vis.			Time	WT.	Vis.							
FROM					TO					FROM					TO				
TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN				
REMARKS					REMARKS					REMARKS					REMARKS				
Dec. 14. Mired rig & drilled to 500'										1 hr.									
Dec. 15. Drilled from 50' to 140'										5 hrs.									
2 Lead Water																			

SIGNED: Toolpusher _____ Company Supervisor W. Howard