

68- 30-039-07753

491- 30-039-24869

4478

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 25 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #68, #491

cps 195w

Elevation 6763' Completion Date 5/3/63 Total Depth 160' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1105 lbs.

Depths anodes placed: 119', 113', 107', 80', 74'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED

MAY 31 1991

OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 3-May-1963

WELL NAME Kinnear No. 1 30-6#68 CPS NO. 195W

LOCATION SW⁴ Sec. 25 T30N R6W

WORK ORDER NUMBER 184-40542-50-03

ANODE HOLE DEPTH 160

TOTAL DRILLING RIG TIME 4 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock WM 2791

NUMBER SACKS MUD USED 1

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 119, #2 113, #3 107, #4 80 #5 74

TOTAL LBS. COKE USED 1105 13 Sacks

ANODE OUTPUTS 12.2 VOLTS, #1 3.7, #2 4.0, #3 3.8, #4 3.2 #5 3.2

TOTAL CIRCUIT RESISTANCE: VOLTS 11.7 AMPERES 8.0 OHMS 1.46

NUMBER FEET SURFACE CABLE CONDUIT 701'

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: Static c/s .72R600' N
Good All Rectifier 28V 12A Ser. #62C6180

ALL CONSTRUCTION COMPLETED

Sorrels
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1274

12-11-1964

161

REMARKS -	REMARKS -	REMARKS -
MAY 3 - Moved 11:00 STA Disposed	11:30 drilled 160' cleaned out hole	Finished hole 3:00 o'clock

Company Supervisor

OK Larry