

16 = 30-039-07764
410 = 30-039-24602
1124 = 30-039-23501

4472

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 26 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #16, #410, #112Y

cps 192w

Elevation 6733' Completion Date 5/2/63 Total Depth 140' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1105 lbs.

Depths anodes placed: 110', 104', 55', 49', 43'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED

MAY 31 1991

OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 2 May 63

WELL NAME SAN JUAN 30-6 No. 16

CPS NO. 192W

LOCATION NE⁴ Sec. 26 T30N R6W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 140

TOTAL DRILLING RIG TIME 5 1/2 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock WM 3495X

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 11.6, #2 10.4, #3 5.5, #4 4.9 5 4.3

TOTAL LBS. COKE USED 11.05

13 sacks

ANODE OUTPUTS 12.4 VOLTS, #1 2.7, #2 3.4, #3 2.5 4.0, #4 4.4 4.0

TOTAL CIRCUIT RESISTANCE: VOLTS 11.6 AMPERES 9.5 OHMS 1.23

NUMBER FEET SURFACE CABLE CONDUIT 255

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static G's .80 R 600 S.W.

Good All Rectifier 28V 12A Serial # 62C6260

ALL CONSTRUCTION COMPLETED

Samuels
SIGNATURE

Gd. Bd. GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

696'

50N Twp 30-6 UNIT Well No. 16

LEASE No. 36 F304 R6W WELL NO. CONTRACTOR **J.E. Wilson** RIG NO. **D-6** REPORT NO. **1963** DATE **MAY 14 1963**

MORNING										DAYLIGHT										EVENING																			
Driller					Total Men in Crew					Driller					Total Men in Crew					Driller					Total Men in Crew														
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.															
0	10	Oil	30051		65	105	Shale	30051																															
10	30	Shale	X		105	120	Shale	X																															
30	42	Shale	X		120	140	Shale	X																															
42	65	Shale	X		1			X																															
BIT NO.					NO. DC					NO. DC					NO. DC					NO. DC					NO. DC														
SERIAL NO.					SIZE					SIZE					SIZE					SIZE					SIZE														
TYPE					DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY														
MAKE					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH														
MUD RECORD					MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED														
Time					Time					Time					Time					Time					Time														
FROM					TO					FROM					TO					FROM					TO					FROM					TO				
TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN									
REMARKS					REMARKS					REMARKS					REMARKS					REMARKS					REMARKS					REMARKS									

TOTAL 119.9 Time
5 1/2 hrs

REMARKS: MAY 1 - moved from 30-6 unit to 30-24 AT 2:30 STARTED DRILLING AT 3:00 ON IT WORKS GOOD
MAY 2 - got completed 600 ft in 119.9 hrs AT 1:30 finished hole AT 1:00 PM Drilled 60' cleared out hole

[Signature]

SIGNED: Toolpusher

Company Supervisor