

4485

30-645-08968

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SWSec.32 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced BEAVER LODGE COM #1

BEAVER LODGE COM #320 cps 3lw

Elevation 5832' Completion Date 11/28/61 Total Depth 195' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1564 lbs.

Depths anodes placed: 145', 139', 133', 127', 121'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

SAN JUAN DIVISION
WELL CASING CATHODIC PROTECTION
DAILY CONSTRUCTION
PROGRESS REPORT

31W 32-30-8

DATE 11-28-61

WELL NAME - Beaver Lodge State #1 WORK ORDER NO. 184-52238-50-20

NUMBER AND DEPTH OF HOLES: #1 195', #2 , #3 , #4 , #5 .

DEPTH OF EACH ANODE: #1 145', #2 139', #3 133', #4 127', #5 121', #6 , #7
#8 , #9 , #10 .

ANODE RESISTANCES: #1 2.5, #2 2.4, #3 2.5, #4 2.7, #5 3.3, #6 , #7
#8 , #9 , #10 .

TOTAL CIRCUIT RESISTANCE: 1.2 OHMS.

DRILLING LOG: (ATTACH HERETO)

AMOUNT OF COKE BREEZE PLACED IN EACH HOLE: #1 1.564/69 #2 , #3
#4 , #5 .

ANY DIFFICULTIES ENCOUNTERED IN DRILLING:

ROCKS-

LOST CIRCULATION- at 20'

CASING INSTALLED-

DATE ALL CONSTRUCTION COMPLETED .

REMARKS:

*Hole taking water fast had water truck
standby.*

Driller kept losing circulation at 20'

Eduard B. Paulk
SIGNATURE OF INSPECTOR

DAILY DRILLING REPORT

CONTRACTOR	RIG NO.
<i>X-2000</i>	<i>03</i>

REPORT NO.

DATE

19

MORNING

DAYLIGHT

EVENING

[illegible]

SIGNED: Toolpusher

Company, Supervisor,