

4490

30-045-09009

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 34 Twp 30 Rng 8Name of Well/Wells or Pipeline Serviced HOWELL L #4cps 34wElevation 6137' Completion Date 11/19/61 Total Depth 197' Land Type* N/ACasing, Sizes, Types & Depths N/AIf Casing is cemented, show amounts & types used N/AIf Cement or Bentonite Plugs have been placed, show depths & amounts used
N/ADepths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/ADepths gas encountered: N/AType & amount of coke breeze used: 1425 lbs.Depths anodes placed: 160', 149', 143', 95', 71'Depths vent pipes placed: N/AVent pipe perforations: N/ARemarks: gb #1

RECEIVED

MAY 31 1991

OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

SAN JUAN DIVISION
WELL CASING CATHODIC PROTECTION
DAILY CONSTRUCTION
PROGRESS REPORT

34-30-8

DATE 11/19/61

WELL NAME - Howell 4L (34W) WORK ORDER NO. 184-42043-50-20

NUMBER AND DEPTH OF HOLES: #1 188', #2 , #3 , #4 , #5 .

DEPTH OF EACH ANODE: #1 160', #2 149', #3 143', #4 95', #5 71', #6 , #7
#8 , #9 , #10 .

ANODE RESISTANCES: #1 5.8, #2 9.2, #3 16.0, #4 12.0, #5 8.0, #6 , #7
#8 , #9 , #10 .

TOTAL CIRCUIT RESISTANCE: 2.8 OHMS.

DRILLING LOG: (ATTACH HERETO)

AMOUNT OF COKE BREEZE PLACED IN EACH HOLE: #1 1425 lbs, #2 , #3
#4 , #5 .

ANY DIFFICULTIES ENCOUNTERED IN DRILLING:

ROCKS-

LOST CIRCULATION-

CASING INSTALLED-

DATE ALL CONSTRUCTION COMPLETED .

REMARKS:


SIGNATURE OF INSPECTOR

SIGNED: Toolpusher _____ Company Supervisor _____