

404 - 30-039-07874
434 - 30-039-24260 4463

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 12 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #40X, #434

cps 188w

Elevation 6208 Completion Date 4/29/63 Total Depth 220' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1785 lbs.

Depths anodes placed: 149', 143', 137', 131', 125', 26'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 29 April 1963

WELL NAME Abraham No. 2X 30-6#40X CPS NO. 188W

LOCATION 24th Sec. 12 T30N R6W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 220

TOTAL DRILLING RIG TIME 9 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4" W.M. #1548

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 149, #2 143, #3 137, #4 131 #5 125 #6 26

TOTAL LBS. COKE USED 1785 lbs. 21 sacks

ANODE OUTPUTS 12.3 VOLTS, #1 2.0, #2 2.5, #3 2.7, #4 2.8 #5 2.3 #6 2.3 #7 2.3

TOTAL CIRCUIT RESISTANCE: VOLTS 11.9 AMPERES 6.7 OHMS 1.74

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 450'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static g/s 70 R 600 NE

Good All Rectifier 28V 12A Ser. No. 62C6281

ALL CONSTRUCTION COMPLETED

Garrels
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1256'

LEASE NO. 127-200 / POWELL NO.

RIGINO **1-1**

DATE 11/13/1962

EVENING

[illegible]

REMARKS -	REMARKS -
Apr 1/26 - Drilled 120' 1 foot water 4 h 15.	moving to new location
Apr 1/28 - Drilled 80' 1 foot water 5 hrs	
Apr 1/29 - 6 ft	
Apr 1/30 - 6 ft	

11:45 Moving to New York

Company Supervisor

OH Leavelle