

4 = 30-045-10046
12 = 30-045-21141

4306

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 31 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced ATLANTIC C #4, #12

cps 378w

Elevation 6060' Completion Date 6/3/63 Total Depth 140' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1200 lbs.

Depths anodes placed: 120', 114', 108', 76', 70'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED

MAY 31 1991

OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 6-3-63

WELL NAME Atlantic No 4-C

CPS NO. 378-W

LOCATION Sec. 31 T31N R10W

WORK ORDER NUMBER 184- 40542-50-02

ANODE HOLE DEPTH 140

TOTAL DRILLING RIG TIME 4 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock W.M. 3482X

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 120, #2 114, #3 108, #4 76 ⁵ 70

TOTAL LBS. COKE USED 12 Sacks @ 100 = 1200 lbs

ANODE OUTPUTS 12.2 VOLTS, #1 3.4, #2 4.3, #3 2.8, #4 3.6 ⁵ 4.0

TOTAL CIRCUIT RESISTANCE: VOLTS 11.4 AMPERES 9.2 OHMS 1.24

NUMBER FEET SURFACE CABLE CONDUIT 305

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static c/s .95 600' N
Good All Rectifier 28V 12A Ser. # 62C6091




ALL CONSTRUCTION COMPLETED

Sorrels

SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

863

3763

DAILY DRILLING REPORT

DATE June 1 1963

EVENING

Diller		Tollman		Diller		Tollman		Diller		Tollman				
FROM	TO	FORMATION	W-BIT	REFIN	FROM	TO	FORMATION	W-BIT	REFIN	FROM	TO	FORMATION	W-BIT	REFIN
0	80	26-1/2" 1500 MM	2000		100	100	26-1/2" 1500	2000						
80	30	26-1/2" 1500	X		100	100	26-1/2" 1500	X						
30	40	26-1/2" 1500			100	100	26-1/2" 1500							
40	70	26-1/2" 1500			100	100	26-1/2" 1500							

NO. DC	SIZE	LENG.	NO. DC	SIZE	LENG.	NO. DC	SIZE	LENG.
BIT NO.	SIZE	LENG.	BIT NO.	SIZE	LENG.	BIT NO.	SIZE	LENG.
SERIAL NO.	SIZE	LENG.	SERIAL NO.	SIZE	LENG.	SERIAL NO.	SIZE	LENG.
STANDS			STANDS			STANDS		
SINGLES			SINGLES			SINGLES		
DOWN ON KELLY			DOWN ON KELLY			DOWN ON KELLY		
TOTAL DEPTH			TOTAL DEPTH			TOTAL DEPTH		
MAKE			MAKE			MAKE		

[illegible][illegible]

REMARKS:

DATE	REMARKS	REMARKS
1961-10-03	57m Blg 10'40'	Drilled 180' Finished Hole 200'

Company Supervisor

CHLW