

4944

30-045-26936

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SE Sec. 4 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced RIDDLE E COM 250

cps 42w

Elevation 6108' Completion Date 11/11/61 Total Depth 150' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1350 lbs.

Depths anodes placed: 125', 117', 109', 100', 95'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: GB #1 LOST 5' HOLE. THIS GB PLUGGED PER NOTE FOUND 10/16/89.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

RECEIVED  
MAY 31 1991  
OIL CON. DIV.  
DIST. 3

SAN JUAN DIVISION  
WELL CASING CATHODIC PROTECTION  
DAILY CONSTRUCTION  
PROGRESS REPORT

DATE 11-11-61

WELL NAME - Riddle 1-E WORK ORDER NO. 184-52204-50-20

NUMBER AND DEPTH OF HOLES: #1 150', #2     , #3     , #4     , #5     .

DEPTH OF EACH ANODE: #1 125', #2 117', #3 109', #4 100', #5 95', #6     , #7       
#8     , #9     , #10     .

ANODE RESISTANCES: #1 2.3, #2 2.0, #3 2.1, #4 2.2, #5 2.4, #6     , #7       
#8     , #9     , #10     .

TOTAL CIRCUIT RESISTANCE: .90 OHMS.

DRILLING LOG: (ATTACH HERETO)

AMOUNT OF COKE BREEZE PLACED IN EACH HOLE: #1 1350', #2     , #3       
#4     , #5     .

ANY DIFFICULTIES ENCOUNTERED IN DRILLING:

ROCKS-

LOST CIRCULATION-

CASING INSTALLED-

DATE ALL CONSTRUCTION COMPLETED     .

REMARKS:

Lost 5' Hole

Edward R. Paulsen  
SIGNATURE OF INSPECTOR

RIDDLE #1-E

LEASE		WELL NO.		CONTRACTOR		RIG NO.		REPORT NO.		DATE	
				Livingston & Wilson		402				11-10-61	

  

MORNING					DAYLIGHT					EVENING				
Driller		Total Men In Crew			Driller		Total Men In Crew			Driller		Total Men In Crew		
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.
0	30	SAND			107	150	SHALE	450	~					
30	90	Br. sand & clay												
90	105	BLUE CLAY		850										
105	107	BOULDERS												

  

BIT NO.		NO. DC		SIZE		LENG.		BIT NO.		NO. DC		SIZE		LENG.	
SERIAL NO.		STANDS		SINGLES		DOWN ON KELLY		SERIAL NO.		STANDS		SINGLES		DOWN ON KELLY	
MAKE		TOTAL DEPTH		MAKE		TOTAL DEPTH		MAKE		TOTAL DEPTH		MAKE		TOTAL DEPTH	

  

MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED		
Time	Wt.	Vis.				Time	Wt.	Vis.				Time	Wt.	Vis.			
9 7/8" Polc Hole 0-4																	

  

FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN

  

REMARKS -			REMARKS -			REMARKS -		
1 MUD.								
1 1/2 HOURS TO BE CHARGED TO								
RIDDLE #2 FOR SETTING BACK OVER								
HOLE AND WASHING OUT - Rig Time								

SIGNED: Toolpusher

Company Supervisor