

30-045-08918

4341

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 34 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced THOMPSON #2

cps 35w

Elevation 6342' Completion Date 6/26/64 Total Depth 565' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 6000 lbs.

Depths anodes placed: 455', 430', 424', 418', 412', 392', 386', 220'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: rgb #2 HOLE CAVED TO 500'.

RECEIVED

MAY 31 1991

OIL CON. DIV

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Date 6-26-64
~~6-28-64~~

Well Name <u>Thompson No. 2</u>				CPS No. <u>35-W</u>	
Location <u>SW 34-30-8</u>				Work Order No. <u>184-52329-90-54</u>	
Anode Hole Depth <u>565</u>	Total Drilling Rig Time <u>35 Hrs</u>	Type & Size Bit Used <u>6059-150-10754-95</u> <u>6 1/4-7780-105, 10755-215</u>		No. Sacks Mud Used <u>15</u>	
No. Sacks Lost Circulation Mat'l Used <u>0</u>	Anode Depth	# 1 <u>455</u>	# 2 <u>430</u>	# 3 <u>424</u>	# 4 <u>418</u>
Total Lbs. Coke Used <u>40 sacks 6000</u>	Anode Output (Volts)	# 1 <u>1.7</u>	# 2 <u>2.5</u>	# 3 <u>2.5</u>	# 4 <u>2.7</u>
Total Circuit Resistance					
Volts <u>11.6</u>	Amps <u>8.2</u>	Ohms <u>1.41</u>	No. Ft. Surface Cable Conduit <u>185'</u>		


Drilling Log (Attach Hereto). ☐

Remarks: Hole Caved to 500'

All Construction Completed

Barrels
(Signature)

GROUND BED LAYOUT SKETCH



LEASE Thompson, #2

CONTRACTOR **L. E. NELSON** RIG NO. **D-4**

REPORT NO.

DATE 6-22-73

1961

[illegible]

SIGNED: Toolpusher

EL PASO NATURAL GAS COMPANY
DRILLING DEPARTMENT

DAILY DRILLING REPORT

LEASE THOMPSON WELL NO. 2 CONTRACTOR J. E. WILSON RIG NO. D-4 REPORT NO. DATE 6-25-64 1964

MORNING

DAYLIGHT

EVENING

Driller					Total Men In Crew					Driller					Total Men In Crew					Driller					Total Men In Crew				
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.
BIT TOTAL 10754										TOTAL TIME 35 HRS																			
95-FT																													

BIT NO.		NO. DC	SIZE	LENG.	BIT NO.		NO. DC	SIZE	LENG.	BIT NO.		NO. DC	SIZE	LENG.
SERIAL NO. 10754, NEW					SERIAL NO. 10754					SERIAL NO.				
SIZE 6 1/2		STANDS			SIZE 6 1/2		STANDS			SIZE		STANDS		
TYPE ROCK		SINGLES			TYPE ROCK		SINGLES			TYPE		SINGLES		
MAKE		DOWN ON KELLY			MAKE		DOWN ON KELLY			MAKE		DOWN ON KELLY		
TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH				

MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED		
Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.

FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN
7:00	7:10	5 STONE						
7:10	7:20	5 STONE						
7:20	7:30	SAND STONE						

REMARKS	REMARKS	REMARKS
LEFT YARD 6 AM, ARRIVED FIELD	LEFT YARD 6 AM, AT FIELD	
1 AM WASH OUT 210 FT. HOLE	7 AM WASH OUT HOLE	
MIX 4 SACKS MUD DRILL 95 FT FOR PROBE		
CURATE TO CLEAN HOLE STAND	LEFT LOCATION AT 9:30	
BY TO PROBE LEFT FIELD	AM	
3 PM		
TOTAL 8 HRS	2 1/2 HRS	
	6-26-64	

6-25-64

SIGNED: Toolpusher

Company Supervisor

D. H. Jones