

4293

30-045-20560

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 29 Twp 29 Rng 8Name of Well/Wells or Pipeline Serviced HARDIE A #2Rcps 87lwElevation 6387' Completion Date 12/10/69 Total Depth 600' Land Type* N/ACasing, Sizes, Types & Depths N/AIf Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 30'Depths gas encountered: N/AType & amount of coke breeze used: N/ADepths anodes placed: N/ADepths vent pipes placed: N/AVent pipe perforations: N/ARemarks: qb #3

RECEIVED

MAY 31 1991

OIL CON. DIV.

DIST 2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Bit #41 5 1/2" 140"

LEASE

WELL NO.

87714

CONTRACTOR

Monarch

Const. RIG NO.

150

REPORT NO.

DATE

19

MORNING

DAYLIGHT

EVENING

Driller				Total Men In Crew				Driller				Total Men In Crew							
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.					
0	35	SS			163	300	SS of shale.			480	600	SS of shale.							
35	96	Shale			300	330	Shale												
96	157	SS			330	460	SS of shale												
157	163	Shale			460	490	Shale												
NO. DC				SIZE	LENG.	NO. DC				SIZE	LENG.	NO. DC							
BIT NO.				NO. DC	SIZE	LENG.	BIT NO.				NO. DC	SIZE	LENG.	BIT NO.					
SERIAL NO.				STANDS	SERIAL NO.				STANDS	SERIAL NO.				STANDS	SERIAL NO.				
SIZE				SINGLES	SIZE				SINGLES	SIZE				SINGLES	SIZE				
TYPE				DOWN ON KELLY	TYPE				DOWN ON KELLY	TYPE				DOWN ON KELLY	TYPE				
MAKE				TOTAL DEPTH	MAKE				TOTAL DEPTH	MAKE				TOTAL DEPTH	MAKE				
MUD RECORD				MUD, ADDITIVES USED AND RECEIVED	MUD RECORD				MUD, ADDITIVES USED AND RECEIVED	MUD RECORD				MUD, ADDITIVES USED AND RECEIVED	MUD RECORD				
Time	Wt.	Vis.			Time	Wt.	Vis.			Time	Wt.	Vis.			Time	Wt.	Vis.		
FROM				TO	FROM				TO	FROM				TO	FROM				
				TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					
				Water 30' Good Return					11-28-69	9 1/2 hrs.									
				12-1-69	30'				12-1-69	12 hrs.									
				12-2-69	40' to 460'				12-2-69	11 1/2 hrs.									
				12-3-69	280'				12-3-69	12 hrs.									
									12-4-69	2 1/2 hrs.									
REMARKS -				REMARKS -				REMARKS -				REMARKS -				REMARKS -			
11-28-69 - 600 yd. 5 AM. Rig 6 AM. Moved from 868 W to 871 W - Drilled Meter Pole Hole																			
Moved on & drilled 90' hole. Set Mud Pit & drilled 140' hole 11:30 PM.																			
12-1-69 - 600 yd. 5 AM - 11:30 AM. Water hole & drilled to 340'. Came out 6 PM.																			
12-2-69 - 600 yd. 5 AM - 11:30 AM. Changed bits was no hole & drilled to 405' Came out & changed bit - bit																			
in hole & drilled to 510' Came out of hole - bit was 5:30 PM																			
12-3-69 - 600 yd. 5 AM. Rig 6 AM. Changed bit went in hole - Came out from 300' 1:50 - Drilled																			
to 600' Came out & changed to 9 1/2 Bit - Reamed to 740' -																			
12-4-69 600 yd. 5 AM - 11:30 AM. Reamed to 740' - bit was 6 PM																			
Water from Blanco Cond.																			

SIGNED Toolpusher

Company Supervisor

Page 1 of 2.

