

4292

30-065-20560

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDINA OIL Location: Unit SW Sec. 23 Twp 29 Rng 8

Name of Well/Wells or Pipeline Serviced CENTRAL GROUND BED #4

HARDIE A #2R

cps 871w

Elevation 6387' Completion Date 10/28/66 Total Depth 620' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 155'

Depths gas encountered: N/A

Type & amount of coke breeze used: 9600 lbs.

Depths anodes placed: 589', 433', 427', 297', 291', 285', 279', 253', 247', 213', 19

Depths vent pipes placed: 433' OF 3/4" HOSE 189', 183', 177', 171',

Vent pipe perforations: 250'

Remarks: gb #2 RETIRED.

RECEIVED

MAY 31 1991

CON. D

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

DAILY LOG

Date: 10-28-66

Drilling Log (Attach Hereto):

Remarks:

Perforations 250'


20 lbs Barofos Circulated thru G.B.

175 lbs Calcium Chloride Added to GB

All Construction Completed

(Signature)

GROUND BED LAYOUT SKETCH



Retired

N

10

Company Supervisor

Donella

DAI LY DRILLING REPORT

SIGNED: Toolpusher

Company Supervision

Daniel