

30-045-09664

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 12 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced GRAMBLING C #4,

GRAMBLING C COM #201 ' cps 368w

Elevation 6401' Completion Date 5/27/63 Total Depth 280' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIST. 2

Type & amount of coke breeze used: 2125 lbs.

Depths anodes placed: 255', 249', 240', 233', 225', 195', 189', 183.

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 5-27-63

WELL NAME K. Brandling 4-C

CPS NO. 368 W

LOCATION 12-30N-10W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 280'

TOTAL DRILLING RIG TIME 10 1/2 S

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 255, #2 249', #3 240', #4 233' 5245619571899183'

TOTAL LBS. COKE USED 2125/65

ANODE OUTPUTS 12 VOLTS, #1 1.5, #2 1.9, #3 1.3, #4 1.4 51462372
82.0

TOTAL CIRCUIT RESISTANCE: VOLTS 11.6 AMPERES 6.2 OHMS 1.88

NUMBER FEET SURFACE CABLE CONDUIT 287' #8 Stranded (Wingate Jct)

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static C/S = .73 R 600' N


Installed Good - All 28V - 12A Serial # 62C6102

Note: Anodes 2, 3, 4, 5, 6, 7, & 8 #8 Solid wire

ALL CONSTRUCTION COMPLETED

C. Paulk
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

2/8/11

2856

LEASE # **0** **Crabbing** WELL NO. **4-C** CONTRACTOR **LEE WILSON** RIG NO. **D-2** REPORT NO. DATE **5-25-2007** 1969

MORNING

DAYLIGHT

EVENING

Driller										Total Man/Hr. Crew										Driller										Total Man/Hr. Crew									
FROM		TO		FORMATION		WT. BIT		R.P.M.		FROM		TO		FORMATION		WT. BIT		R.P.M.		FROM		TO		FORMATION		WT. BIT		R.P.M.											
0	25	5																																					
25	208	55																																					
208	235	55																																					
235	290	55																																					
				NO. DC		SIZE		LENG.						NO. DC		SIZE		LENG.						NO. DC		SIZE		LENG.											
BIT NO.				NO. DC		SIZE		LENG.		BIT NO.				NO. DC		SIZE		LENG.		BIT NO.				NO. DC		SIZE		LENG.											
SER		NO.		STANDS		SINGLES				SERIAL NO.		H		STANDS		SINGLES				SERIAL NO.		H		STANDS		SINGLES													
TYPE		Rock		DOWN ON KEELY						TYPE				DOWN ON KEELY						TYPE				DOWN ON KEELY															
MAKE		Mud		TOTAL DEPTH		280'				MAKE				TOTAL DEPTH						MAKE				TOTAL DEPTH															
MUD RECORD				MUD. ADDITIVES USED AND RECEIVED						MUD RECORD				MUD. ADDITIVES USED AND RECEIVED						MUD RECORD				MUD. ADDITIVES USED AND RECEIVED															
Time		Wt.		Vis.						Time		Wt.		Vis.						Time		Wt.		Vis.															