

30-045-09750

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 10 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced SUNRAY A #2

cps 367w

Elevation 6518' Completion Date 5/24/63 Total Depth 180' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A


Type & amount of coke breeze used: 1360 lbs.

Depths anodes placed: 130', 124', 118', 112', 106', 48'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

WELL CASING  
CATHODIC PROTECTION CONSTRUCTION REPORT  
DAILY LOG

DATE May 24, 1963

WELL NAME SUNROY No 2-A

CPS NO. 367W

LOCATION NE<sup>4</sup> Sec. 10 T30N R10W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 180

TOTAL DRILLING RIG TIME 5 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock W.M. 2801X

NUMBER SACKS MUD USED 1

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 130, #2 124, #3 118, #4 112 #5 106 #6 48

TOTAL LBS. COKE USED 1360 16 Sacks

ANODE OUTPUTS 12.3 VOLTS, #1 1.7, #2 2.8, #3 3.5, #4 3.4 #5 3.4 #6 1.1

TOTAL CIRCUIT RESISTANCE: VOLTS 11.7 AMPERES 8.0 OHMS 1.46

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 310 No. 8 Solid Stranded (From Wingate Jo.)

DRILLING LOG (ATTACH HERETO)...

FORMATION LOG (ATTACH HERETO).


REMARKS: Static c/s. 78 R 600' EAST

Good All Rectifier 28V 12A Ser. # 62C 6159

ALL CONSTRUCTION COMPLETED

Servels  
SIGNATURE

GROUND BED LAYOUT SKETCH



NOTE  
Surface cable is  
No. 8 ~~Solid~~ Stranded Wire From Wingate Jo.  
~~#5~~ Anode #5 No. 8 Solid

ORIGINAL & 1 COPY  
ALL REPORTS

1043

۱۲۷

LEASE 550107361 8-100 WELL NO.

CONTRACTOR  
J. M. Wilson

RON

REPORT NO.

DATE 10/22/24 1962

**MORNING**

# DAYLIGHT

## **EVENING**

[illegible]

**SIGNED:** Toolpusher

Company, Supervisor

OKlaude