

30-045-09919

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec 2 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced ATLANTIC D COM C #4

cps 366w

Elevation 6489' Completion Date 5/25/63 Total Depth 280' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2040 lbs.

Depths anodes placed: 255', 249', 243', 237', 231'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED

MAY 31 1991

OIL CON. CO.
DIST. 2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 5-25-63

WELL NAME ATLANTIC STATE #4 CPS NO. 366W

LOCATION 2-30N-10W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 280'

TOTAL DRILLING RIG TIME 9 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 0

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 255, #2 249, #3 243, #4 237' 5 231'

TOTAL LBS. COKE USED 2040 lbs

ANODE OUTPUTS 12 VOLTS, #1 2.5, #2 3.6, #3 3.4, #4 3.4 5 1.6

TOTAL CIRCUIT RESISTANCE: VOLTS 11.4 AMPERES 6.7 OHMS 1.7

NUMBER FEET SURFACE CABLE ~~CONDUCT~~ 269' #8 stranded (wingate job)

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static $\phi_s = .74R$ 600' S

Installed Good-All Rect 28V 12A Serial # 6206146

ALL CONSTRUCTION COMPLETED

P. Paul
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1560

344

LEASE APACHE-3770 WELL NO. 4		CONTRACTOR E. Wilson	RIG NO. D-2	REPORT NO. 1	DATE 5.24, 25, 1965
MORNING	DAYLIGHT		EVENING		

MORNINGS

DAYLIGHT

EVENING

Diller										Total Man (In Crew)										Diller										Total Man (In Crew)									
FROM	TO	FORMATION	WT. BIT	RT. PM.	FROM	TO	FORMATION	WT. BIT	RT. PM.	FROM	TO	FORMATION	WT. BIT	RT. PM.	FROM	TO	FORMATION	WT. BIT	RT. PM.																				
0	16	SS. 45h			245	246	SS.																																
16	132	SS.			246	250	SS.																																
132	140	SS.																																					
140	245	SS.																																					
REMARKS -																																							
5-24-63. Drilled To 245' 2 1/2 hrs. water. 6 1/2 hrs. 2 1/2 hrs																																							
5-25-63 Drilled from 200 to 240. Finished hole. 1 1/2 hrs water.																																							

SIGNED: Todd Pusthe

Company Supervision

28